

Phase I Environmental Site Assessment

**Enterprise Journal Building
McComb, Mississippi 39648**

Prepared for:

**The City of McComb
Brownfields Assessment Project**

Prepared by:

Eco-Systems, Inc.
6360 Highway I-55 North, Suite 330
Jackson, Mississippi 39211

SEPTEMBER 2013

Eco-Systems, Inc.
Consultants, Engineers, and Scientists



EXECUTIVE SUMMARY

The City of McComb commissioned Eco-Systems to conduct a Phase I Environmental Site Assessment (Phase I ESA) in downtown McComb, Mississippi. This work was part of the City's Brownfields Assessment Program. The Brownfields Program is being utilized to evaluate a number of areas within the City of McComb in order to revitalize abandoned or under-utilized areas. The review area for this report is one of several areas currently under evaluation and consists of a commercial property located at 129 North Broadway Street in downtown McComb, Mississippi. This area is specifically identified as the Enterprise Journal Building site. The project activities are being conducted as part of the City's ongoing efforts to improve the areas within the central business district and surrounding neighborhoods. The project activities are being conducted as part of a Brownfields Assessment Grant funded through and implemented under the direction of the U.S. Environmental Protection Agency (EPA).

Eco-Systems completed the Phase I ESA of the review area in accordance with the scope and limitations of ASTM Standard E1527-05. Through the process of completing the Phase I ESA, Areas of potential Environmental Concern (AECs) and more specifically, Historical Recognized Environmental Conditions (HRECs), were identified. The following findings and recommendations are based upon conditions observed at the time of reconnaissance, a "good faith" reliance on the information gathered from interviews and records, the information available for review within the time frame allowed by this project, and the limitations of the procedures and methodologies utilized:

AEC-1/Historical-REC-1: Onsite Historic Dry Cleaners. A review of the 1949 and 1961 Environmental Data Resource (EDR) Sanborn Maps revealed that one historic Dry Cleaning facility was located on the subject site. Historical dry cleaners are known to have commonly released chlorinated and Stoddard solvents. Although, unsubstantiated by other lines of evidence, this site is of concern due to the previous operational activities conducted on-site.

Recommendation: Based on the on-site location of historic dry cleaning facility, Eco-Systems recommends a targeted Phase II soil and groundwater investigation be completed on the subject site to evaluate the presence and magnitude of subsurface impact.

AEC-2/HREC-2: Offsite Historic Dry Cleaners. A review of the 1925, 1949, and 1961 EDR Sanborn Maps revealed two historic dry cleaning facilities were located less than 550 feet of the subject site. Historical dry cleaners are known to have commonly released chlorinated and Stoddard solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to the close proximity to the subject site location.

Recommendation: Although historical dry cleaners are known to have commonly released hazardous solvents, no lines of evidence were found indicating such. Additionally, considering the distance to the subject site and its hydraulic position, Eco-Systems does not recommend any further action associated with this AEC.

AEC-3/HREC-3: Offsite Historic Filling Stations/Auto Repair Shops. A review of the 1925, 1949, and 1961 Environmental Data Resource (EDR) Sanborn Maps revealed that numerous historic filling stations and auto repair shops with several gasoline tanks were located in close proximity to the subject site. One historic filling station facility, located less than 50 feet west, was identified by the Sanborn Maps to have numerous gasoline tanks located on the facility's property. Historic filling stations and automobile repair facilities are known to have commonly released petroleum. These releases are a result of spills and leaks that occur over the years during the handling and storage of petroleum constituents and degreasing solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to the close proximity to the subject site location.

Recommendation: Based on the lack of substantive site usage and the proximity of several "high risk" sites and concerns for vapor intrusion into inhabited structures, Eco-Systems recommends a limited soil and groundwater investigation be completed on the subject site.

AEC-4: Potential Asbestos Containing Materials (ACMs). During the site reconnaissance, floor tiles and mastic were observed damaged and in poor overall condition. Focused samples of floor tiles and mastic from the subject site location revealed 2% and 10% Chrysotile asbestos, respectively. As such and considering the age and condition of the building, Eco-Systems believes the tiles and additional building materials such as pipe insulation are likely ACMs. The condition of the ceiling and flooring tile and mastic in the subject site was poor therefore could become potentially friable if disturbed.

Recommendation: Eco-Systems recommends an asbestos survey be conducted by a certified asbestos professional prior to any remodeling or demolition activities conducted on the subject site.

AEC-5: Potential Lead-Based Paint (LBP). During the site reconnaissance, Eco-Systems observed potential (LBP) materials. Due to the hazardous conditions of the building, Eco-Systems was unable to collect samples for analysis. As such and considering the age and condition of the building, Eco-Systems believes additional building materials likely contain lead-based paint coverings.

Recommendation: Eco-Systems recommends a lead-based paint survey be conducted by an EPA-certified professional prior to any remodeling or demolition activities conducted on the subject site.

AEC-6: Indoor Air Quality. During the site reconnaissance, extensive water damage and numerous areas of staining associated with water damage were observed throughout the majority of the subject site. The assessment included exposed wall and ceiling surfaces, accessible framing and structural materials, and HVAC vents. Excessive moisture provides potentially unhealthy conditions and widespread mold growth.

Recommendation: Eco-Systems recommends indoor-air samples be collected by a certified professional and analyzed by an accredited laboratory.

The designation of an AEC provides informal and unified terminology for the discussion of potential on-site or off-site issues during the investigative process. It is important to note **that designation as an AEC does not necessarily equate to a REC.**

TABLE OF CONTENTS

EXECUTIVE SUMMARY I

1.0 INTRODUCTION..... 1

1.1 PURPOSE 1

1.2 DETAILED SCOPE-OF-SERVICES 1

1.3 SIGNIFICANT ASSUMPTIONS 2

1.4 LIMITATIONS AND EXCEPTIONS..... 2

1.5 SPECIAL TERMS AND CONDITIONS 3

1.6 USER RELIANCE 3

1.7 EPA “ALL APPROPRIATE INQUIRY” STATUTORY CRITERIA COMPLIANCE 3

2.0 REVIEW AREA DESCRIPTION..... 4

2.1 LOCATION AND LEGAL DESCRIPTION 4

2.2 REVIEW AREA AND VICINITY GENERAL CHARACTERISTICS 4

2.3 CURRENT USE OF THE PROPERTY 4

2.4 DESCRIPTIONS OF STRUCTURES, ROADS, OTHER IMPROVEMENTS 4

2.5 CURRENT USES OF THE ADJOINING PROPERTIES 4

3.0 USER PROVIDED INFORMATION..... 5

3.1 TITLE RECORDS..... 5

3.2 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS 5

3.3 SPECIALIZED KNOWLEDGE..... 5

3.4 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION 5

3.5 VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES..... 5

3.6 OWNER, PROPERTY MANAGER, AND OCCUPANT INFORMATION 5

3.7 REASON FOR PERFORMING PHASE I ESA 5

3.8 PREVIOUS ENVIRONMENTAL REPORTS 5

4.0 RECORDS REVIEW 6

4.1 STANDARD ENVIRONMENTAL RECORD SOURCES..... 6

4.1.1 *National Priorities List (NPL)* 8

4.1.2 *Proposed NPL Sites* 8

4.1.3 *Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)*..... 8

4.1.4 *Comprehensive Environmental Response, Compensation and Liability Information System – No Further Remedial Action Planned (CERCLIS-NFRAP)* 8

4.1.5 *Corrective Action Report (CORRACTS)*..... 9

4.1.6 *Resource Conservation and Recovery Act (RCRA)* 9

4.1.7 *Emergency Response Notification System (ERNS)*..... 10

4.1.8 *State Hazardous Waste Sites (SHWS)*..... 10

4.1.9 *Solid Waste Landfill (SWF/LF)*..... 10

4.1.10 *Leaking Underground Storage Tanks (LUST)*..... 11

4.1.11 *Underground Storage Tanks (UST)*..... 11



4.1.12	<i>Above Ground Storage Tanks (ASTs)</i>	12
4.1.13	<i>Indian Lands</i>	12
4.1.14	<i>SWRCY Mississippi Recycling Directory</i>	12
4.1.15	<i>Facility Index System/Facility Identification Initiative Program Summary Report</i> 13	
4.1.16	<i>High Risk Historical Automobile Stations</i>	13
4.1.17	<i>High Risk Historical Cleaners</i>	13
4.1.18	<i>Orphan Site Summary</i>	13
4.2	ADDITIONAL ENVIRONMENTAL RECORD SOURCES	14
4.3	PHYSICAL SETTING SOURCE(S)	14
4.4	HISTORICAL USE INFORMATION ON THE PROPERTY	14
4.4.1	<i>Historical Aerial Photographs</i>	14
4.4.2	<i>Sanborn Maps</i>	15
4.4.3	<i>City Directory Reports</i>	16
5.0	REVIEW AREA RECONNAISSANCE	19
5.1	METHODOLOGY AND LIMITING CONDITIONS	19
5.2	GENERAL REVIEW AREA SETTING	19
5.3	EXTERIOR OBSERVATIONS	19
5.4	INTERIOR OBSERVATIONS	20
5.5	ADJACENT PROPERTIES	20
6.0	INTERVIEW(S)	21
7.0	ADDITIONAL SERVICES	22
8.0	OPINION	23
9.0	CONCLUSIONS	24
10.0	DEVIATIONS	26
11.0	REFERENCES	27
12.0	SIGNATURE(S) OF ENVIRONMENTAL PROFESSIONAL(S)	28
13.0	QUALIFICATION(S) OF ENVIRONMENTAL PROFESSIONAL(S)	29

FIGURES

FIGURE 1	SITE LOCATION AND TOPOGRAPHIC MAP
FIGURE 2	EXISTING CONDITIONS MAP
FIGURE 3	REVIEW AREAS OF ENVIRONMENTAL CONDITIONS (AECs)

APPENDICES

APPENDIX A	REVIEW AREA PHOTOGRAPHS
APPENDIX B	USER PROVIDED DEED INFORMATION
APPENDIX C	EDR MAP AND REPORT(S)



APPENDIX D	MDEQ UST DATABASE SPREADSHEET
APPENDIX E	THE EDR AERIAL DECADE PHOTO PACKAGE AND HISTORIC TOPOGRAPHIC MAPS
APPENDIX F	SANBORN MAPS
APPENDIX G	CITY DIRECTORY
APPENDIX H	ACM & LBP SCREENING LABORATORY RESULTS

1.0 Introduction

The City of McComb commissioned Eco-Systems to conduct a Phase I Environmental Site Assessment (Phase I ESA) of a commercial property located at 129 North Broadway Street McComb, Pike County, Mississippi. The Phase I ESA was conducted in accordance with the *ASTM Standard E 1527-05, Standard Practice for Environmental Site Assessments, Phase I Environmental Site Assessment Process*. The review area consists of a commercial building identified as the Enterprise Journal Building. A review area location map depicting portions of the United States Geological Survey (USGS) 7.5-Minute Series *McComb, Mississippi* quadrangle is provided as **Figure 1**.

1.1 Purpose

The purpose of the *Phase I ESA* portion of the ESA scope of work was to identify potential or identified Recognized Environmental Conditions (RECs) associated with the subject property. RECs, as defined by American Society for Testing and Materials (ASTM) *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* (ASTM E 1527-05), means the presence or likely presence of any hazardous substances (contaminants regulated by the Comprehensive Environmental Response, Compensation, and Liability Act, or CERCLA) or petroleum products on the subject property under conditions that indicate an existing release, a past release, or a material threat of a release into structures on the property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not RECs.

1.2 Detailed Scope-of-Services

This *Phase I ESA* conforms to ASTM E 1527-05. In general, the *Phase I ESA* included four components:

- Records review,
- Review area reconnaissance,
- Interviews with key personnel, and
- Preparation of a report with the findings of the Phase I ESA.

To fulfill the ASTM requirements, a commercially-available report was obtained to review federal and state environmental databases for environmental concerns associated with the review area and nearby properties that could potentially impact the review area. A walking visual reconnaissance was conducted of the subject site on June 20, 2013 to observe general conditions and evidence of possible environmental impacts, and to document review area features and conditions. Photographs from the field reconnaissance are available in **Appendix A**. Interviews

were conducted with key personnel with knowledge of past activities conducted within and near the subject site. The work also included review of other readily-obtainable records including topographic maps and historical aerial photographs.

1.3 Significant Assumptions

Eco-Systems has relied on information provided by others in assessing the subject site. Such information included site documents provided by client (see Section 3.0), historical and environmental database information provided by Environmental Data Resources (EDR) of Milford, Connecticut (Section 4.0), and Mississippi Department of Environment Quality database information. In most cases, the provided information could not be independently verified.

1.4 Limitations and Exceptions

This *Phase I ESA* conforms to the ASTM Standard Practice for environmental site assessments (ASTM-E 1527-05). Even so, no *Phase I* can completely eliminate uncertainty about a property's potential for environmental problems. No statement of certainty can be made regarding subsurface conditions from any onsite or offsite sources of contamination. Eco-Systems relied on information provided by others in assessing the site and in some cases the information has not been independently verified. This report is a prudent and reasonable evaluation of the subject property's observed environmental condition.

Eco-Systems assumes no responsibility for conditions or information not practically reviewable, nor does it guarantee the accuracy or completeness of information obtained from other parties. This report should not be construed as verifying the present property owner or operator's compliance with federal, state, and local regulations, or as a recommendation to purchase, sell, or develop the subject property. The assessment is not intended to include *de minimis* conditions that generally do not put the public health or the environment at risk and generally would not be the subject of an enforcement action if brought to the attention of a government agency.

Please note, this assessment did not include sampling of surface water, radon, mold, or general indoor air quality; wetlands, ecological, or endangered species studies; or evaluation of high-voltage power lines and associated equipment. This assessment did include screening level sampling of potential ACMs and potential lead-based paint materials (See Section 7.0).

ASBESTOS CONTAINING MATERIALS (ACMs)

ACM has conditional designations of being friable or non-friable. Friable materials are those materials that when dry, can be crumbled, pulverized or reduced to a powder by hand-pressure. The friable designation does not necessarily indicate the need for abatement, but refers only to its physical composition. Friable ACM are building materials that are considered a potential environmental concern. Non-friable ACMs (such as floor tile/mastic) in good condition are generally not considered an imminent environmental concern to the subject site or occupants, due to the fact that the material is unlikely to become airborne.

LEAD-BASED PAINT (LBP) MATERIALS

Lead paint was historically used on metal components such as metal window frames, door frames, and metal baseboards in older buildings. Lead paint concerns are typically related to friable, flaking, or deteriorated paint on metal surfaces.

1.5 Special Terms and Conditions

No special terms or conditions were specified for this Phase I ESA.

1.6 User Reliance

Eco-Systems was retained by The City of McComb to perform a *Phase I ESA* at the subject property. This assessment was prepared for the exclusive use of The City of McComb in evaluating the current condition of the subject property prior to potential transfer of facility operations and assets. Any other party's reliance on this report is at his/her own risk, unless specifically granted authorization in writing by Eco-Systems.

1.7 EPA "All Appropriate Inquiry" Statutory Criteria Compliance

This assessment is intended to permit the *user* to satisfy one of the requirements to qualify for the *innocent landowner defense* to CERCLA liability and to complete "all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice" as defined in 42 United States Code Section 9601(35)(B).

2.0 Review area Description

2.1 Location and Legal Description

The subject site is a commercial property located at 129 North Broadway Street in McComb, Pike County, Mississippi. The site is specifically located at latitude 31.244604 North, longitude -90.454187 West (**Figure 1**). A legal description for the site was provided by the user and included in **Appendix B**. The approximate review area boundaries are illustrated on **Figure 2**.

2.2 Review Area and Vicinity General Characteristics

The review area consists of a two-story commercial building and associated paved parking areas located at 129 North Broadway Street in McComb, Pike County Mississippi (**Photo 1**) found in **Appendix A**. The subject site has an elevation of approximately 426 feet above mean sea level (msl). The review area is located within the downtown area of McComb. The area surrounding the subject site is primarily used for commercial and municipal local government purposes. The vicinity of the review area contains moderate slopes and characteristic of the surrounding areas. Stormwater generally flows southeastward towards Little Tangipahoa River and Town Creek.

2.3 Current Use of the Property

The subject site is currently condemned and unoccupied.

2.4 Descriptions of Structures, Roads, Other Improvements

The review area contains a two-story commercial building and associated paved parking areas located at 129 North Broadway Street in McComb, Pike County, Mississippi. The building has severe water and fire damage throughout the majority of the interior and roof. There are paved parking areas on the eastern portion of the review area along North Broadway Street. Entry to the subject site is gained on North Broadway Street.

2.5 Current Uses of the Adjoining Properties

An unoccupied commercial facility and McComb Financial adjoin the subject site to the north. An unoccupied commercial facility adjoins the subject site to the south. McDonalds adjoins the subject site to the southwest. Paved parking areas bound the site to the west. North Broadway Street bounds the southern portion of the subject site.

3.0 User Provided Information

3.1 Title Records

A chain of title was not provided by the user. However, a copy of the current warranty deed (Instrument #125470) dated November 29, 1999, for the property was provided by the user and is found in **Appendix B**.

3.2 Environmental Liens or Activity and Use Limitations

No indication of any environmental liens or activity and use limitations were observed while reviewing the current warranty deeds.

3.3 Specialized Knowledge

The user did not provide specialized knowledge regarding this property.

3.4 Commonly Known or Reasonably Ascertainable Information

No commonly known or reasonably ascertainable information was specified by the user for this Phase I ESA.

3.5 Valuation Reduction for Environmental Issues

A valuation reduction due to existing or potentially-existing environmental issues related to the subject site was not indicated by the user.

3.6 Owner, Property Manager, and Occupant Information

The property is owned and operated by Faraway Limited Partnership.

3.7 Reason for Performing Phase I ESA

The review area is part of an area of properties that are being targeted for redevelopment under the U.S. Environmental Protection Agency's Brownfields Assessment Program and funded through the City of McComb Brownfields Assessment Grant.

3.8 Previous Environmental Reports

No previous environmental reports were obtained during this Phase I ESA.

4.0 Records Review

To expedite the records review process, Eco-Systems contracted Environmental Data Resources, Inc. (EDR), a national environmental data records research and reporting service, to conduct a search of applicable state and federal regulatory databases.

4.1 Standard Environmental Record Sources

The results of this search are included in **Appendix C**. The EDR report included a search of the following federal databases:

Database	Description	Search Radius (Miles)
NPL	National Priority List	1
Proposed NPL	Proposed NPL Sites	1
CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Information System	1/2
CERCLIS-NFRAP	No Further Remedial Action Planned	1/2
CORRACTS	Corrective Action Report	1
RCRA	Resource Conservation and Recovery Information System	1
TSDf	Treatment, Storage, and/or Disposal	1/2
LQG	Large Quantity Generator	1/4
SQG	Small Quantity Generator	1/4
ERNS	Emergency Response Notification System	Review area

Supplemental federal databases included in the EDR report include the following:

Database	Description	Search Radius (Miles)
CONSENT	CERCLA Consent Decrees	1
ROD	NPL Records of Decision	1
Delisted NPL	NPL Deletions	1
FINDS	Facility Index System/Facility Identification Initiative Program Summary Report	Review area
HMIRS	Hazardous Materials Information Reporting System	Review area
MLTS	Material Licensing Tracking System	Review area
MINES	Mines Master Index File	1/4
NPL Liens	Cost Recovery Liens against CERCLA Sites	Review area
PADS	PCB Activity Database System	Review area

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
FUDS	Formerly Used Defense Sites	1
UMTRA	Uranium Mill Tailings Sites	1/2
ODI	Open Dump Inventory	1/2
INDIAN RESERV	Indian Reservations	1
DOD	Department of Defense Sites	1
RAATS	RCRA Administrative Action Tracking System	Review area
TRIS	Toxic Chemical Release Inventory System	Review area
TSCA	Toxic Substances Control Act	Review area
SSTS	FIFRA Section 7 Tracking System	Review area
FTTS	Tracks enforcement action related to FIFRA, TSCA, and EPCRA	Review area

The State of Mississippi databases required by ASTM 1527-05 reviewed by EDR are as follows:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
State Haz. Waste (MS & LA)	CERCLA/Uncontrolled Sites	1
State Landfill (MS & LA)	Solid Waste Landfills	1/2
LUST	Leaking Underground Storage Tank Database	1/2
UST	Underground Storage Tanks	1/4
Indian UST	USTs on Indian Land	1/4
Indian LUST	LUSTs on Indian Land	1/2
SWRCY	Voluntary Evaluation Program Sites	1/2
VCP	Voluntary Evaluation Program Sites	1/2

The State of Mississippi databases not required by ASTM 1527-05 reviewed by EDR are as follows:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
NPDES	Water Discharge Permit Data	Review area
AST	Above Ground Storage Tanks regulated by the Department of Commerce	Review area
ENG CONTROLS	Sites with Engineering Controls	1/2

Brownfields Databases:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
US BROWNFIELDS	Listing of Brownfields Sites	1/2

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
INST CONTROL	Sites with institutional controls	1/2
BROWNFIELDS	Uncontrolled Sites List	1/2
VCP	Voluntary Evaluation Program Sites	1/2

4.1.1 National Priorities List (NPL)

The NPL is the U.S. Environmental Protection Agency (USEPA) database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. A site must surpass a predetermined hazard ranking system score, be chosen as a state's top priority site, or meet three (3) specific criteria set jointly by the US Department of Health and Human Services and the USEPA in order to become an NPL site. The EDR report **did not** indicate any NPL sites within the one-mile search radius.

4.1.2 Proposed NPL Sites

The Proposed NPL Sites are those sites that have been recommended for entry into the NPL but the decision to include sites on the NPL is pending. The EDR report **did not** indicate any Proposed NPL sites within a one-mile radius of the review area.

4.1.3 Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)

The CERCLIS list contains sites that are either proposed to or appear on the National Priorities List (NPL). The EDR report **did not** indicate any CERCLIS sites within a one-half mile radius of the review area.

4.1.4 Comprehensive Environmental Response, Compensation and Liability Information System - No Further Remedial Action Planned (CERCLIS-NFRAP)

CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. USEPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to redevelopment of these properties and has archived them as historical records so USEPA does not needlessly repeat the investigations in the future. This policy change is part of the USEPA's Brownfields Redevelopment Program to help cities, states, private investors, and affected citizens to promote economic redevelopment of unproductive urban sites. The EDR report **identified** the presence of one CERCLIS-NFRAP site listed within a one-half mile radius of the review area.

Sites at a lower elevation than the review area:

1. Illinois Central Gulf Railroad is located at South Railroad Boulevard, approximately 0.19 miles east-southeast of the subject site.

4.1.5 Corrective Action Report (CORRACTS)

CORRACTS is a USEPA database of Resource Conservation and Recovery Act (RCRA) facilities that are undergoing “corrective action”. A “corrective action order” is issued pursuant to RCRA Section 3008 (h) when there has been a release of hazardous waste into the environment from a RCRA facility. The EDR report **did not** indicate the presence of any CORRACTS sites listed within a one-mile radius of the review area.

4.1.6 Resource Conservation and Recovery Act (RCRA)

The RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities databases are a compilation by the USEPA of facilities that report storage, transportation, treatment or disposal (TSD) of hazardous waste or generators of hazardous waste. Hazardous waste generators are further divided into Large Quantity Generators (LQG), Small Quantity Generators (SQG), and Conditionally Exempt Small Quantity Generators (CESQG). LQGs are facilities that generate more than 1000 kg/month of non-acutely hazardous waste or more than 1 kg/month of acutely hazardous waste. SQGs generate less than the 1000 kg/month of non-acutely hazardous waste or less than 1 kg/month of acutely hazardous waste. The EDR report **identified** the presence of three RCRA-CESQG sites listed within a one-quarter mile radius of the review area:

Sites at an equal or higher elevation than the review area:

1. L&M Downtown, 126 North Broadway Street, located approximately 0.01 miles (65 feet) east of the subject site.
 - L&M Downtown is listed in the RCRA-CESQG database for ignitable hazardous wastes, Sodium Hydroxide, and Arsenic with no violations present.
2. Jammies Auto Repair, 126 North Broadway Street, located approximately 0.01 miles (65 feet) east of the subject site.
 - Jammies Auto Repair is listed in the RCRA-CESQG database for handling ignitable hazardous wastes with no violations present.

Sites at a lower elevation than the review area:

3. Webre’s Auto Repair, 224 South Broadway Street, located approximately 0.19 miles south of the subject site.
 - Webre’s Auto Repair is listed in the RCRA-CESQG database for handling ignitable hazardous wastes with no violations present.

A review of the RCRA-NonGen list **identified** the presence of three RCRA-NonGen locations within a one-quarter-mile radius of the subject site:

Sites at an equal or higher elevation than the review area:

1. Goodyear Auto Service Center, 126 North Broadway, located approximately 0.01 miles (65 feet) east of the subject site.
 - Goodyear Auto Service Center is listed in the RCRA-NonGen database for handling ignitable hazardous wastes and numerous spent halogenated solvents with no violations present.

Sites at a lower elevation than the review area:

2. Culotta Tire and Auto Center, 222 South Broadway Street, located approximately 0.22 miles south of the subject site.
 - Culotta Tire and Auto Center is listed in the RCRA-NonGen database for handling ignitable hazardous wastes, Sodium Hydroxide, and numerous spent halogenated solvents with no violations present.
3. Dallas Jackson, Inc., 215 3rd Street, located approximately 0.18 miles south of the subject site.
 - Dallas Jackson, Inc. is listed in the RCRA-NonGen database for numerous spent halogenated solvents with no violations present.

4.1.7 Emergency Response Notification System (ERNS)

ERNS is a national database used to collect information on reported releases of oil and hazardous substances. The database contains information from spill reports made to the federal authorities including the USEPA, the US Coast Guard, the National Response Center and the Department of Transportation. The EDR report **did not** identify any spill reports related to the review area.

4.1.8 State Hazardous Waste Sites (SHWS)

The state hazardous waste site inventory includes sites that are included in the Mississippi Uncontrolled Sites List which is the state equivalent of CERCLIS. The EDR report **identified** the presence of one SHWS entries located within the one-mile search radius.

Sites at lower elevation than the review area:

1. Illinois Central Gulf Railroad-MC is located approximately 0.54 miles southeast of the subject site.
 - Illinois Central Gulf Railroad-MC is listed as an **active** SHWS and reported with soil and groundwater contamination. The major contaminants are listed as Lead, Arsenic, and Total Petroleum Hydrocarbons (TPH) with a high concentration of 32,200 mg/Kg. The site was issued a federal no further action on February 25, 1998.

4.1.9 Solid Waste Landfill (SWF/LF)

The SWF/LF is a database of solid waste disposal sites. The EDR report **did not** identify any SWF/LF sites within a one-half-mile radius of the review area.

4.1.10 Leaking Underground Storage Tanks (LUST)

The leaking underground storage tank (LUST) database contains an inventory of reported LUST incidents. The EDR report **identified** the presence of six LUST sites within a one-half-mile radius of the review area:

Sites at an equal or higher elevation than the review area:

1. Ray Deer Texaco is located at 131 South Broadway Street, approximately 0.14 miles south of the subject site.
 - Ray Deer Texaco is listed as **inactive**. The LUST status is listed as closed with a no further action date of May 8, 2000.
2. McComb Police Division is located at 100 5th Street, approximately 0.28 miles southeast of the subject site.
 - McComb Police Division is listed as **inactive**. The LUST status is listed as closed with a no further action date of October 11, 1989.
3. Holmes North Broadway Shell is located at 500 North Broadway, approximately 0.29 miles north of the subject site.
 - Holmes North Broadway Shell is listed as **inactive**. The LUST status is listed as open.

Sites at lower elevation than the review area:

4. Brumfield Oil Company is located at 500 Pearl River Avenue, approximately 0.37 miles east of the subject site.
 - Brumfield Oil Company is listed as **inactive**. The LUST status is listed as closed with a no further action date of December 11, 1992.
5. McComb Public Works Department is located at 122 East Michigan Street, approximately 0.29 miles northeast of the subject site.
 - McComb Public Works Department is listed as **inactive**. The LUST status is listed as open.
6. Mathis Texaco is located at 200 East Georgia, approximately 0.38 miles northeast of the subject site.
 - Mathis Texaco is listed as **active**. The LUST status is listed as open.

4.1.11 Underground Storage Tanks (UST)

The underground storage tank (UST) database contains an inventory of registered USTs. The EDR report **identified** the presence of eight UST sites within the one-quarter-mile radius of the review area:

Sites at an equal or higher elevation than the review area:

1. Ray Deer Texaco is located at 131 South Broadway Street, approximately 0.14 miles south of the subject site.
 - Ray Deer Texaco is listed as inactive with 4 permanently out of use tanks.

2. Alexander's Gulf is located at 201 North Broadway, approximately 0.04 miles (300 feet) north of the subject site.
 - Alexander's Gulf is listed with 3 active gasoline tanks with Epoxy coated steel and cathodically protected secondary containment and 5 permanently out of use tanks.
3. BST McComb Co 76107 is located at 408 Michigan Avenue, approximately 0.14 miles north-northwest of the subject site.
 - BST McComb Co 76107 is listed as inactive with 3 permanently out of use tanks.

Sites at lower elevation than the review area:

4. Illinois Central Gulf Railroad is located at South Railroad Boulevard, approximately 0.19 miles east of the subject site.
 - Illinois Central Gulf Railroad is listed as inactive with 4 permanently out of use tanks.
5. Warehouse is located at 200 North Railroad Boulevard, approximately 0.14 miles east of the subject site.
 - Warehouse is listed as an inactive with 1 permanently out of use tank.
6. Conner Abandoned Station is located at 202 South Broadway, approximately 0.19 miles south of the subject site.
 - Conner Abandoned Station Railroad is listed as inactive with 3 permanently out of use tanks.

4.1.12 Above Ground Storage Tanks (ASTs)

The above ground storage tank (AST) database contains an inventory of registered ASTs. The EDR Report **did not** identify the presence of AST sites within the ¼-mile radius of the review area.

4.1.13 Indian Lands

The EDR report **did not** indicate any environmental records associated with Indian land within the search radius of the review area.

4.1.14 SWRCY Mississippi Recycling Directory

The EDR report **identified** one State listed recycling facilities located within one-half mile of the review area.

Sites at an equal or higher elevation than the review area:

1. Andrews Metal Inc. is located at 304 Summit Street, approximately 0.38 miles northeast of the subject site.
 - Andrews Metal Inc. recycles aluminum cans, steel cans, brass, bronze, stainless steel, copper, and lead.

4.1.15 Facility Index System/Facility Identification Initiative Program Summary Report

FINDS contains both facility information and “pointers” to other sources that contain more detail. The EDR report includes the following FINDS databases: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and tract information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control) C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System). The EDR report **did not** identify any FINDS issues within the review area.

4.1.16 High Risk Historical Automobile Stations

The EDR US Historical Automobile Station database is a collection of potential historical gas stations, filling stations, and service station sites. This database falls within a category of information EDR classifies as “High Risk Historical Records” or HRHR. The EDR report **identified** 3 HRHR Automobile sites within issues within a one-quarter mile radius of the review area.

1. 130 Main Street, located approximately 0.14 miles southeast of the subject site, is listed as a historical Morgan Small Engine Repair facility.
2. 224 Canal Street, located approximately 0.16 miles southeast of the subject site, is listed as a historical Texaco Professional Car Wash facility.
3. 428 North Broadway, located approximately 0.25 miles north of the subject site, is listed as an Auto Trim City facility.

4.1.17 High Risk Historical Cleaners

The EDR US Historical Cleaners database is a collection of potential historical dry cleaner sites. This database falls within a category of information EDR classifies as “High Risk Historical Records” or HRHR. The EDR report **identified** 2 HRHR Dry Cleaners sites within issues within a one-quarter mile radius of the review area.

1. 131 North 5th Street, located approximately 0.11 miles northwest of the subject site, is listed as a McKinley Cleaners facility.
2. 200 Michigan Avenue, located approximately 0.22 miles north-northeast of the subject site, is listed as a Holiday Cleaners facility.

4.1.18 Orphan Site Summary

The Orphan Summary is a list of poorly mapped facilities due to inadequate address information in the neighboring area of the subject site. As part of the site reconnaissance, Eco-Systems conducted a survey of nearby properties searching for Orphan sites listed from the EDR report to

determine their significance in relation to subject site distance. Eco-Systems could not readily-identify any Orphan sites listed on the EDR report within a one-half mile radius of the subject site.

4.2 Additional Environmental Record Sources

The MDEQ's UST database was reviewed for the presence of USTs and their proximity to the subject site. No additional facilities were identified within the required search radius. A copy of the registered USTs in the McComb, MS area is included in **Appendix D**.

4.3 Physical Setting Source(s)

Various physical setting sources were used to further investigate the history of the review area. The sources reviewed and the findings are discussed in the following paragraphs.

The USGS 7.5-minute topographic maps for the area (*McComb, Mississippi*) were reviewed to provide physical setting information at the review area (**Figure 1**). Historical topographic maps of the subject site and review area were obtained from EDR. The available maps were from 1972, 1984 and 1994. The map was reviewed for the presence of structures, equipment, or changes to drainage patterns. Copies of the historic topographic maps from EDR are provided in **Appendix E**.

1972 – The 1972 topographic map indicated that the review area was developed but with no identifying structures on the subject site. The surrounding areas are similar to current conditions.

1984 – The 1984 topographic map indicated that the surrounding areas are developed and similar to current conditions.

1994 – The 1994 topographic map indicated that the surrounding areas are developed and similar to current conditions.

The EDR Report indicated that the subject site is underlain with Ruston fine sandy loam soils. According to the EDR Report, National Cooperative Soil Survey and Pike County Soil Survey, this soil association is well drained and does not meet the requirements for a hydric soil.

4.4 Historical Use Information on the Property

4.4.1 Historical Aerial Photographs

Aerial photographs were obtained from EDR. The available aerial photographs from the EDR were from 1952, 1971, 1982, 1985, 1992, 1996, 2005, 2006, and 2007. The photographs were reviewed for the presence of structures, equipment, or other environmental factors. Copies of the aerial photographs from EDR are provided in **Appendix E**:

- 1952 - The 1952 aerial is poor in quality and therefore an accurate description of the review area can not be documented.
- 1960 – No aerials from the 1960s were obtained and therefore considered a data gap. This data gap and additional deviations are further discussed in Section 10.0.
- 1971 - The subject site appears to be fully developed. The surrounding areas appear generally similar to current conditions.
- 1982 - The 1982 aerial is poor in quality and therefore an accurate description of the review area can not be documented.
- 1985 - The 1985 aerial is poor in quality and therefore an accurate description of the review area can not be documented.
- 1992 – The subject site and surrounding area appears similar to current conditions.
- 1996 - The subject site and surrounding area appears similar to current conditions.
- 2005 - The subject site and surrounding area appears similar to current conditions.
- 2006 – The subject site and surrounding area appears similar to current conditions.
- 2007 – The subject site and surrounding area appears similar to current conditions.

4.4.2 Sanborn Maps

Based on the EDR Certified Sanborn Map Report, the area has been developed since the late 1800’s. Sanborn Maps were obtained from 1886, 1893, 1898, 1904, 1907, 1913, 1918, 1925, 1949, and 1961. A summary of the Sanborn Map Report is provided below. A site layout map illustrating the historic filling stations, automobile repair, dry cleaners, and gasoline tanks are indicated in **Figure 3**. The complete Certified Sanborn Map Report from EDR is provided in **Appendix F**.

Map Date	Description
1886	The 1886 map does not accurately depict the review area.
1893	The 1893 map indicates the subject site to be developed with one small unidentifiable structure. Churches and residential structures were identified in the surrounding area.
1898	The 1898 map does not accurately depict the review area. The surrounding areas appear similar to the 1886 map.
1904	The 1904 map does not accurately depict the review area. An Opera House is depicted approximately 65 feet east of the subject site. The surrounding areas appear similar to the 1898 map.

1907	The 1907 map does not accurately depict the review area. The surrounding areas appear similar to the 1904 map.
1913	The 1913 map indicates the subject site is developed with one small unidentifiable structure. Churches and residential structures were identified in the surrounding area.
1918	The 1918 map indicates the subject site and surrounding areas are similar to the 1913 map. An Auto Repair Shop is identified approximately 300 feet east of the subject site. Additional Auto Repair facilities are depicted greater than 700 feet east and southeast of the subject site.
1925	The 1925 map indicates the subject site is developed with a larger unidentifiable structure. A Filling Station was identified approximately 150 north of the subject site. An Additional Filling Station was identified approximately 300 feet south of the subject site. Numerous Auto Repair and Garage facilities are located east of the subject site.
1949	The 1949 map indicates the subject site is developed as a Dry Cleaners and Printing facility. Four Filling Stations with numerous gasoline tanks and an Auto Repair facility was identified north and in close proximity of the subject site at the intersection of Maryland Avenue, 4 th Street, and North Broadway. Additional Filling Stations and Auto Repair Shops with gasoline tanks were identified south of the subject site at 3 rd Street and South Broadway.
1961	The 1961 map indicates the subject site and surrounding properties are similar to the 1949 map.

4.4.3 City Directory Reports

The City Directory Report provided historic information about the subject site for the years 1963, 1968, 1976, 1981, and 1986. The available years were 1963, 1968, 1972, 1976, 1981, 1986, 1991, 1996, 2002, 2007, and 2012. The City Directory indicates that the subject site was developed for numerous commercial activities including, Newspaper Printing facility since 1963 and likely prior. The City Directory Report is included as **Appendix G**.

Year	Physical Address	Occupant
1986	127 North Broadway Street	McComb Enterprise Journal Newspaper
1986	129 North Broadway Street	McComb Enterprise Journal Newspaper Emmerich J O & Associates Inc. Publishers
1986	129c North Broadway Street	Commonwealth Venture Systems Inc. Cable TV Room: 203 - Select TV Room: 206 - Vacant
1986	131 North Broadway Street	McComb Enterprise Journal (Circulation Department) Felder & Stogner Insurance
1981	127 North Broadway Street	USA Recruiting Office

1981	129 North Broadway Street	McComb Enterprise Journal Newspaper Emmerich J O & Associates Inc. Publishers
1981	129 ½ North Broadway Street	Enterprise Journal Building Rooms: 203 - Brock & Brock Accounting 206-207 - Barrett Thos R Archt.
1981	131 North Broadway Street	Felder Insurance Agency
1976	127 North Broadway Street	USA Recruiting Office
1976	129 North Broadway Street	McComb Enterprise Journal Newspaper Emmerich J O & Associates Inc. Publishers
1976	129 ½ North Broadway Street	Enterprise Journal Building Rooms: 203 - Brock R Sones Accounting 206 - Vacant
1976	131 North Broadway Street	Felder Insurance Agency
1968	127 North Broadway Street	USA Recruiting Office
1968	129 North Broadway Street	McComb Enterprise Journal Newspaper
1968	129 ½ North Broadway Street	Enterprise Journal Building Rooms: 203 - Brock R Sones Accounting 203 – Brock Robert S Jr. Accounting 206 – Vacant 207 – US Department of Agriculture 208 – Vacant 210 – Vacant 212 – Associated DRS Health and Life Insurance Company
1968	131 North Broadway Street	Felder’s Dry Cleaners Felder’s Finance Company Felder Insurance Agency
1963	127 North Broadway Street	Vacant
1963	129 North Broadway Street	McComb Enterprise Journal Newspaper
1963	129 ½ North Broadway Street	Enterprise Journal Building Rooms: 201-202 - Vacant 203-204 – Brock Robert Sones Accounting 206 – US Selective Services Systems Local Building No 62 207 – Vacant 208 – Vacant 210 – Vacant 211 – Camellian Oil Company Geology 212 – Vacant

1963	131 North Broadway Street	Felder's Dry Cleaners
------	------------------------------	-----------------------

5.0 Review area Reconnaissance

A walking visual reconnaissance of the review area was performed on June 20, 2013 by Eco-Systems. The review area visit was conducted to observe general conditions of the subject site and evidence of the existence of possible environmental impacts. The visual reconnaissance included an investigation of property features such as stained soil and stressed vegetation that may indicate the presence of contamination from discharges, leaks, or spills of chemicals of potential concern. Adjacent properties were also observed from the subject site boundary to assess the potential for environmental impacts from off-site activities that could affect the review area. Photographs of the review area taken during the review area reconnaissance are provided in **Appendix A**.

5.1 Methodology and Limiting Conditions

Site reconnaissance was conducted on both the interior and exterior of the subject site. Visual reconnaissance of adjacent properties was conducted from the subject site and public access areas.

5.2 General Review Area Setting

The general setting of the review area is comprised of a high-density suburban area in downtown McComb, Mississippi. The review area contains the Enterprise Journal Building and paved parking areas. The review area contains moderate slopes and characteristic of the surrounding areas. Modes of drainage for the review area generally occur flowing southeastward towards Little Tangipahoa River and Town Creek. The City of McComb provides the water and sewer utilities to the site. Entergy provides the electricity to the review area. CentrePoint provides the natural gas to the review area. General site characteristics can be seen in the **Figure 2 – Existing Conditions**. Photos of the review area taken during reconnaissance are provided in **Appendix A**.

5.3 Exterior Observations

The Enterprise Journal building is a white two-story brick building with a parapet walled roof located on the west side of North Broadway Street (**Photo 1**). The building's exterior was observed in poor overall condition. The building's main entrances were observed on the eastern side of the facility. An additional entranceway was observed on the western portion of the subject site (**Photo 2**). A floor storm drain was observed near the rear entrance way located on the western portion of the subject site. The building was observed to have significant fire and water damage. The property is bounded by abandoned commercial buildings to the north and south of the subject site. McDonalds bounds the subject site to the southwest. The subject site is bounded by 4th Street to the west and North Broadway Street to the east.

5.4 Interior Observations

The Enterprise Journal building was observed to be a two-story building. The first floor was observed with numerous office spaces, restrooms, and two large former printing and production areas (**Photos 3, 4, 5, & 6**). Numerous areas containing old printing equipment and miscellaneous items were observed on the first floor. The flooring consisted of tiles, poured concrete, and carpeting. The interior walls were constructed of wood and brick. The painted surfaces of the interior were in poor condition and observed flaking and chipping (**Photo 7**). The interior was observed with severe fire and water damage, presenting overall hazardous conditions throughout the structure (**Photo 8**). Standing water, mildew, and mold were observed throughout the interior of the building (**Photo 9**). Portions of the interior were observed to be vandalized (**Photo 10**). All the rooms within the structure exhibited damage to the ceiling, floors, and walls.

5.5 Adjacent Properties

The adjacent properties to the north consist of commercial facilities including McComb Financial and Trustmark Bank (**Photo 11**). Front Street Restoration and a Beauty Supply shop are located east of the subject site. Unoccupied commercial buildings are located south of the subject site (**Photo 12**). Residential lots and McDonalds are located west and southwest respectively.

6.0 Interview(s)

1. B.J. Nettles, McComb Fire Chief (26 years)
 - August 16, 2013
 - Communication by telephone
 - Chief Nettles stated that he has been with the fire department for approximately 26 years Chief Nettles stated the Enterprise Journal Building was victim to an electrical fire in the 1980's.
 - Chief Nettles stated that he is aware of the hazardous and unsafe conditions associated with the subject site.
 - Chief Nettles stated that he is unaware of any UST, pits, releases, odors, or additional environmental violations associated with the site.

7.0 Additional Services

Eco-Systems conducted screening level sampling of potential Asbestos Containing Materials (ACMs) collected within a portion of the Enterprise Journal Building. The purpose of the sampling was to identify select suspect ACMs components, which may be impacted by renovation or demolition activities. Prior to sample collection, Eco-Systems conducted a visual inspection of the property to screen for suspect ACMs. Upon completion of the visual inspection, building materials were grouped into categories and samples were collected from a suspected ACMs and previously identified. The suspect sample collected from the exterior floor tile at the 209 State Street location was given a unique sample identification number and sealed inside leak-proof container for shipment to EMSL Analytical, Inc. in Baton Rouge, LA for analysis. EMSL laboratory results are included in **Appendix H**.

ASBESTOS

Floor tile and mastic were collected from the Enterprise Journal location. The floor tile and mastic were analyzed using EPA 600/R-93/116 and/or EPA 600/M4-82-020 Method(s) using Polarized Light Microscopy. The following results were reported:

Sample ID	Appearance	% Fibrous	% Non-Fibrous	%Type
SP-12 Tile	Tan	0	98%	2% Chrysotile
SP-12 Mastic	Black	0	90%	10% Chrysotile

Based on these results, the condition and age of the building and the limited nature of these sampling activities, Eco-Systems recommends an asbestos survey be conducted by certified professionals prior to any remodeling or demolition activities conducted on the subject site.

LEAD-BASED PAINT

Lead-based paint testing was not conducted as part of this assessment. However, based on the condition and age of the building, Eco-Systems recommends a lead-based paint survey be conducted by a certified professional prior to any remodeling or demolition activities conducted on the subject site.

8.0 Opinion

Based on the information obtained during the Phase I ESA process, Eco-Systems identified potential AECs associated with the subject and adjacent properties. During the review of the EDR Sanborn Maps, the subject site was a former Dry Cleaners. During site reconnaissance, construction materials including: flooring tiles, ceiling tiles, mastic, and plaster within the subject building were identified and believed to be potential ACMs. Also, numerous areas of chipped and flaking paint were observed throughout the site. Considering the age and condition of the building, and the out of scope sampling, the majority of the paint on the walls, doors, and window frames observed during this assessment is believed to be lead-based. Areas of staining and damage to ceiling tiles were observed in portions of the subject site and believed to be a result of water and fire damage. Also, numerous historic filling stations and auto repair facilities with gasoline tanks were identified in close proximity to the subject site.

Based on the information gathered and reviewed during this Phase I ESA, Eco-Systems recommends further investigation of the underlying soils and groundwater to evaluate the potential for vapor phase, soil and groundwater impact from the subject site and off-site properties known to have had previous releases into the environment. Eco-Systems reserves its rights to change its opinion if new or additional information should come to light.

9.0 Conclusions

Eco-Systems was commissioned by The City of McComb to complete a Phase I ESA of the review area in accordance with the scope and limitations of ASTM Standard E1527-05. Eco-Systems conducted all subject property reconnaissance, review of public database records, topographic maps, aerial photographs, and other historical maps and records, and interviewed persons familiar with the subject property in accordance with the American Society for Testing and Materials (ASTM) *Standard E 1527-05, Standard Practice for Environmental Site Assessments, Phase I Environmental Site Assessment Process*. Through the process of completing the Phase I ESA, Areas of potential Environmental Concern (AECs) and/or Recognized Environmental Conditions (RECs) were identified.

AEC-1/Historical-REC-1: Onsite Historic Dry Cleaners. A review of the 1949 and 1961 Environmental Data Resource (EDR) Sanborn Maps revealed that one historic Dry Cleaning facility was located on the subject site. Historical dry cleaners are known to have commonly released chlorinated and Stoddard solvents. Although, unsubstantiated by other lines of evidence, this site is of concern due to the previous operational activities conducted on-site.

Recommendation: Based on the on-site location of historic dry cleaning facility, Eco-Systems recommends a targeted Phase II soil and groundwater investigation be completed on the subject site to evaluate the presence and magnitude of subsurface impact.

AEC-2/HREC-2: Offsite Historic Dry Cleaners. A review of the 1925, 1949, and 1961 EDR Sanborn Maps revealed two historic dry cleaning facilities were located less than 550 feet of the subject site. Historical dry cleaners are known to have commonly released chlorinated and Stoddard solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to the close proximity to the subject site location.

Recommendation: Although historical dry cleaners are known to have commonly released hazardous solvents, no lines of evidence were found indicating such. Additionally, considering the distance to the subject site and its hydraulic position, Eco-Systems does not recommend any further action associated with this AEC.

AEC-3/HREC-3: Offsite Historic Filling Stations/Auto Repair Shops. A review of the 1925, 1949, and 1961 Environmental Data Resource (EDR) Sanborn Maps revealed that numerous historic filling stations and auto repair shops with several gasoline tanks were located in close proximity to the subject site. One historic filling station facility, located less than 50 feet west, was identified by the Sanborn Maps to have numerous gasoline tanks located on the facility's property. Historic filling stations and automobile repair facilities are known to have commonly released petroleum. These releases are a result of spills and leaks that occur over the years during the handling and storage of petroleum

constituents and degreasing solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to the close proximity to the subject site location.

Recommendation: Based on the lack of substantive site usage and the proximity of several “high risk” sites and concerns for vapor intrusion into inhabited structures, Eco-Systems recommends a limited soil and groundwater investigation be completed on the subject site.

AEC-4: Potential Asbestos Containing Materials (ACMs). During the site reconnaissance, floor tiles and mastic were observed damaged and in poor overall condition. Focused samples of floor tiles and mastic from the subject site location revealed 2% and 10% Chrysotile asbestos, respectively. As such and considering the age and condition of the building, Eco-Systems believes the tiles and additional building materials such as pipe insulation are likely ACMs. The condition of the ceiling and flooring tile and mastic in the subject site was poor therefore could become potentially friable if disturbed.

Recommendation: Eco-Systems recommends an asbestos survey be conducted by a certified asbestos professional prior to any remodeling or demolition activities conducted on the subject site.

AEC-5: Potential Lead-Based Paint (LBP). During the site reconnaissance, Eco-Systems observed potential (LBP) materials. Due to the hazardous conditions of the building, Eco-Systems was unable to collect samples for analysis. As such and considering the age and condition of the building, Eco-Systems believes additional building materials likely contain lead-based paint coverings.

Recommendation: Eco-Systems recommends a lead-based paint survey be conducted by an EPA-certified professional prior to any remodeling or demolition activities conducted on the subject site.

AEC-6: Indoor Air Quality. During the site reconnaissance, extensive water damage and numerous areas of staining associated with water damage were observed throughout the majority of the subject site. The assessment included exposed wall and ceiling surfaces, accessible framing and structural materials, and HVAC vents. Excessive moisture provides potentially unhealthy conditions and widespread mold growth.

Recommendation: Eco-Systems recommends indoor-air samples be collected by a certified professional and analyzed by an accredited laboratory.

The designation of an AEC provides unified terminology for the discussion of potential on-site or off-site issues during the investigative process. It is important to note **that designation as an AEC does not necessarily equate to a REC.**

10.0 Deviations


Many buildings, facilities, and equipment changes have been made over the years. Locations of storage tanks and operations may have moved over time. Detailed information regarding types of activities, chemicals used, waste product management, and spills is lacking and those records are not available. The available aerial photographs were from 1952, 1971, 1982, 1985, 1992, 1996, 2005, 2006, and 2007. Data gaps are present for the following time periods: Prior to 1952 and the 1960s. Historical topographic maps were also reviewed including maps from 1972, 1984, and 1994. In addition, no structures were identified on the subject site. A city directory was requested; and revealed historic ownership details for the years 1963, 1968, 1976, 1981, and 1986, about the subject site. Eco-Systems believes that these data gaps, if filled, could potentially yield discovery of RECs that may trigger the need for additional investigation.

11.0 References

Documents referenced during preparation of this Phase I ESA are cited in the report section that contains the referenced information.

12.0 Signature(s) of Environmental Professional(s)

I declare that, to the best of my professional knowledge and belief, I meet the definition of *Environmental Professional* as defined in §312.10 of 40 CFR 312 and I have the specific qualifications based on education, training, and experience to assess a *property* of the nature, history, and setting of the review area. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312. My qualifications and the qualifications of personnel conducting the review area reconnaissance and interviews are discussed in Section 13.0.




Date: September 26, 2013

13.0 Qualification(s) of Environmental Professional(s)

ASTM E 1527-05 requires that the firm conducting the ESA provide information regarding the qualifications of the firm with respect to the performance of the ESA. Eco-Systems is an environmental consulting engineering firm serving the needs of Mississippi and the surrounding states. The firm is staffed by professionals with graduate and undergraduate degrees in engineering, biology, chemistry, geology, environmental sciences and urban planning. These professionals maintain a strong technical proficiency and sound scientific approach to the conduct of ESAs. The performance of this Phase I ESA and preparation of this report were conducted by Mr. Joshua Brown and Mr. John Ryan, CHMM, RPG. Mr. Joshua Brown holds a B.S. degree in Fisheries Science and Aquaculture and is a Professional Scientist with extensive experience in Phase I ESAs and other environmental assessments. Mr. Ryan completed his Bachelor of Arts and Master of Science-level geological studies at the University of Maine-Farmington and University of Arkansas-Fayetteville, respectively. Mr. Ryan is a Registered Professional Geologist in Mississippi and is a Certified Hazardous Materials Manager. Mr. Ryan is also the residing chapter President of the Alliance of Hazardous Materials Professionals of Mississippi. Mr. Ryan has over 19 years of experience in conducting environmental investigations.

FIGURES



LEGEND

 Approximate Enterprise Journal Building Site Location



**MCCOMB BROWNFIELDS
PIKE COUNTY, MISSISSIPPI**

Eco-Systems, Inc.
Consultants, Engineers, and Scientists





SCALE: 1"=2,000'	DRAWN BY: PML	DATE: 06-03-2013
	CHKD BY: JB	DATE: 06-03-2013

PROJECT NO. 12183.01.01	FILE 12183 060313 FIG01 R00 D Site Location
-------------------------	---

SITE LOCATION MAP ENTERPRISE JOURNAL BUILDING SITE	FIGURE 1
---	-------------

Source: MARIS - McComb North, McComb South, Auburn, Lake Tangipahoa: Mississippi



MCCOMB BROWNFIELDS
PIKE COUNTY, MISSISSIPPI


Eco-Systems, Inc. 
Consultants, Engineers and Scientists

SCALE: 1"=100'	DRAWN BY: N. SISSON	DATE: 06/24/13
	CHKD. BY: J. BROWN	DATE: 06/24/13

PROJECT NO. 12183.01.01	CAD FILE 062513 FIG2 EX CON
----------------------------	--------------------------------

EXISTING CONDITIONS MAP
ENTERPRISE JOURNAL BLDG

FIGURE
2



LEGEND

- APPROXIMATE ENTERPRISE JOURNAL BUILDING
- HDC APPROXIMATE HISTORIC DRY CLEANER SITE LOCATION (SANBORN)
- HFS APPROXIMATE HISTORIC FILLING STATION SITE LOCATION (SANBORN)
- HAR APPROXIMATE HISTORIC AUTO SHOP SITE LOCATION (SANBORN)
- AEC-1 AREA OF POTENTIAL ENVIRONMENTAL CONCERN
- HREC-1 HISTORICAL RECOGNIZED ENVIRONMENTAL CONCERN

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

- AEC-1/HREC-1 - ONSITE UNDIFFERENTIATED OR HISTORIC DRY CLEANER
- AEC-2/HREC-2 - OFFSITE UNDIFFERENTIATED OR HISTORIC DRY CLEANER
- AEC-3/HREC-3 - OFFSITE UNDIFFERENTIATED OR HISTORIC FILLING STATION/AUTO SHOP
- AEC-4 - POTENTIAL ASBESTOS CONTAINING MATERIALS (ACMs)
- AEC-5 - POTENTIAL LEAD-BASED PAINT (LBP)
- AEC-6 - INDOOR AIR QUALITY



**MCCOMB BROWNFIELDS
PIKE COUNTY, MISSISSIPPI**

Eco-Systems, Inc.
Consultants, Engineers and Scientists

SCALE: 1"=200'	DRAWN BY: N. SISSON	DATE: 08/01/13
	CHKD. BY:	DATE:

PROJECT NO. 12183.01.01	CAD FILE 080113 FIG3 AEC
----------------------------	-----------------------------

**AEC's and REC's
ENTERPRISE JOURNAL BLDG**

**FIGURE
3**

APPENDICES

APPENDIX A



Photo 1

View westward of the Enterprise Journal Building.



Photo 2

View eastward of the rear entrance to the Enterprise Journal Building.



Photo 3

View of an office area located on the first floor.



Photo 4

View an office area located on the first floor.



Photo 5

View of the large former production area located on the first floor of the building.



Photo 6

View of the antiquated printing/developing equipment located on the first floor of the building.



Photo 7

View of the chipping and flaking painted surfaces observed throughout the building.



Photo 8

View of the fire and water damage observed throughout the building.



Photo 9

View of the mildew and mold on the flooring and walls observed throughout the building.



Photo 10

View of the vandalism observed throughout the building.



Photo 11

View of the northern adjacent properties including McComb Financial and Trustmark Bank.



Photo 12

View of the adjacent commercial buildings located south of the subject site.

APPENDIX B

STATE OF MISSISSIPPI
COUNTY OF PIKE

125470

WARRANTY DEED

FOR AND IN CONSIDERATION of the sum of Ten Dollars (\$10.00), cash in hand paid, and other good and valuable considerations, the receipt and sufficiency of which is hereby acknowledged, We the undersigned DAVID FELDMAN and wife, DELORES FELDMAN do hereby sell, convey and warrant, subject to the conditions hereinafter set forth, unto

FARAWAY LIMITED PARTNERSHIP,
a Mississippi Limited Partnership

the following described real property located in Pike County, Mississippi, to-wit:

Commencing at the Southeast corner of Square 44, West McComb, McComb City, and run thence North 12 degree, 00 minutes West along the West boundary line of North Broadway Street a distance of 264.0 feet to the Point of Beginning of the herein described tract of land; thence run South 78 degrees, 00 minutes West a distance of 105.0 feet, thence run North 59 degrees, 33 minutes West, parallel with Delaware Avenue, a distance of 76.0 feet, thence run North 30 degrees 27 minutes East, parallel with Fourth Street, a distance of 75.0 feet, thence run South 59 degrees, 33 minutes East a distance of 5.0 feet, thence run North 12 degrees, 00 minutes West, parallel with North Broadway Street, a distance of 12.5 feet, thence run North 78 degree, 00 minutes East a distance of 46.33 feet, thence run South 12 degrees, 00 minutes East along a common building wall a distance of 22.08 feet, thence run North 78 degrees, 00 minutes East along another common building wall a distance of 59.67 feet to the West boundary line of North Broadway Street, thence run South 12 degrees, 00 minutes East along said boundary line a distance of 94.6 feet to the Point of Beginning. Containing 0.322 acres (14,038.6 s.f.), more or less, and being situated in Square 44, West McComb, McComb City, Pike County, Mississippi.

INDEXING INSTRUCTIONS

Part of Square 44, West McComb, McComb City, Pike County, Mississippi.

The warranty of this conveyance is made subject to all restrictive covenants and rights-of-way and easements affecting the above described property.

The warranty of this conveyance is made subject to all prior oil, gas and mineral leases, reservations and/or conveyances of record affecting the above described property.

The taxes for the current year shall be pro-rated between Grantor and Grantee.

WITNESS OUR SIGNATURES this 29th day of November 1999.


DAVID FELDMAN


DELORES FELDMAN

APPENDIX C

Downtown Mccomb


300-399 N BROADWAY

Mccomb, MS 39648

Inquiry Number: 3680979.2s

July 30, 2013

The EDR Radius Map™ Report with GeoCheck®



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	81
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-11
Physical Setting Source Map Findings	A-13
Physical Setting Source Records Searched	A-47

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

300-399 N BROADWAY
MCCOMB, MS 39648

COORDINATES

Latitude (North): 31.2449000 - 31° 14' 41.64"
Longitude (West): 90.4533000 - 90° 27' 11.88"
Universal Transverse Mercator: Zone 15
UTM X (Meters): 742542.1
UTM Y (Meters): 3459355.8
Elevation: 414 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 31090-B4 MCCOMB SOUTH, MS
Most Recent Revision: 1972

North Map: 31090-C4 MCCOMB NORTH, MS
Most Recent Revision: 1972

AERIAL PHOTOGRAPHY IN THIS REPORT

Photo Year: 2012
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls
LUCIS..... Land Use Control Information System

Federal ERNS list

ERNS..... Emergency Response Notification System

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Landfills
DEBRIS..... Debris Site Locations Listing

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

AST..... Aboveground Storage Tanks
INDIAN UST..... Underground Storage Tanks on Indian Land
FEMA UST..... Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Sites with Engineering Controls
INST CONTROL..... Sites with Institutional Controls

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

EXECUTIVE SUMMARY

State and tribal Brownfields sites

BROWNFIELDS..... Uncontrolled Sites List

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI..... Open Dump Inventory
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
SWTIRE..... Commercial Waste Tire Haulers
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs
US HIST CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

Other Ascertainable Records

DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
FUDS..... Formerly Used Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
UMTRA..... Uranium Mill Tailings Sites
US MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
FINDS..... Facility Index System/Facility Registry System
RAATS..... RCRA Administrative Action Tracking System
RMP..... Risk Management Plans
UIC..... UIC Information

EXECUTIVE SUMMARY

PERMITS.....	Environmental Site Information System Listing
DRYCLEANERS.....	Drycleaner Facilities Listing
NPDES.....	Industrial & Municipal NPDES Facilities
AIRS.....	Air Quality Information Listing
ASBESTOS.....	Asbestos Project Listing
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
COAL ASH DOE.....	Steam-Electric Plant Operation Data
PCB TRANSFORMER.....	PCB Transformer Registration Database
US FIN ASSUR.....	Financial Assurance Information
EPA WATCH LIST.....	EPA WATCH LIST
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
PRP.....	Potentially Responsible Parties
2020 COR ACTION.....	2020 Corrective Action Program List
LEAD SMELTERS.....	Lead Smelter Sites

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS NFRAP site List

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 02/05/2013 has revealed that there is 1 CERC-NFRAP site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ILLINOIS CENTRAL GULF RAILROAD	S RAILROAD BLVD	0 - 1/8 (0.000 mi.)	C16	30

EXECUTIVE SUMMARY

Federal RCRA generators list

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/12/2013 has revealed that there are 6 RCRA-CESQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
L AND M DOWNTOWN	126 NORTH BROADWAY STRE0	0 - 1/8 (0.000 mi.)	B13	25
JAMMIES AUTO REPAIR	126 NORTH BROADWAY	0 - 1/8 (0.000 mi.)	B14	27
DAY PONTIAC	324 SOUTH BROADWAY STRES	0 - 1/8 (0.026 mi.)	D27	43
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WEBRE'S AUTO REPAIR	224 S. BROADWAY	0 - 1/8 (0.000 mi.)	A5	13
EAST MCCOMB BODY SHOP INC.	501 PEARL RIVER AVE	ENE 1/8 - 1/4 (0.131 mi.)	G35	55
PIKE RENT-ALL	516 SOUTH BROADWAY STRES	1/8 - 1/4 (0.204 mi.)	49	74

State- and tribal - equivalent CERCLIS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Quality's Uncontrolled Site Project Tracking System.

A review of the SHWS list, as provided by EDR, and dated 03/07/2013 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ILLINOIS CENTRAL RAILROAD - MC Status: Active		SE 1/8 - 1/4 (0.188 mi.)	46	71

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Quality's LUST Status Report.

A review of the LUST list, as provided by EDR, and dated 04/01/2013 has revealed that there are 8 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RAY DEER TEXACO Status Code: Closed	131 SOUTH BROADWAY	0 - 1/8 (0.000 mi.)	A4	11

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MCCOMB POLICE DIVISION Status Code: Closed	100 5TH STREET	SSE 0 - 1/8 (0.003 mi.)	19	34
HOLMES NORTH BROADWAY SHELL Status Code: Open	500 NORTH BROADWAY	NNW 0 - 1/8 (0.090 mi.)	F30	47
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MCCOMB PUBLIC WORKS DEPARTMENT Status Code: Open	122 EAST MICHIGAN STREE	NNE 0 - 1/8 (0.003 mi.)	E21	37
BRUMFIELD OIL COMPANY Status Code: Closed	500 PEARL RIVER AVENUE	ENE 0 - 1/8 (0.103 mi.)	G33	53
CIRCLE B #2 Status Code: Open	540 PEARL RIVER AVENUE	E 1/8 - 1/4 (0.138 mi.)	G38	60
MATHIS TEXACO Status Code: Open	200 EAST GEORGIA AVENUE	N 1/8 - 1/4 (0.195 mi.)	I48	72
DST FOODMART Status Code: Open	601 SOUTH BROADWAY	S 1/4 - 1/2 (0.282 mi.)	52	76

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Underground Storage Tanks list.

A review of the UST list, as provided by EDR, and dated 04/01/2013 has revealed that there are 18 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RAY DEER TEXACO	131 SOUTH BROADWAY	0 - 1/8 (0.000 mi.)	A4	11
ALEXANDER'S GULF	201 NORTH BROADWAY	0 - 1/8 (0.000 mi.)	9	18
MCCOMB POLICE DIVISION	100 5TH STREET	SSE 0 - 1/8 (0.003 mi.)	19	34
SUMMIT STREET CHEVRON	200 SUMMIT STREET	NNE 0 - 1/8 (0.003 mi.)	E20	35
BST MCCOMB CO 76107	408 MICHIGAN AVENUE	NW 0 - 1/8 (0.039 mi.)	28	45
HOLMES NORTH BROADWAY SHELL	500 NORTH BROADWAY	NNW 0 - 1/8 (0.090 mi.)	F30	47
LOVE FOOD MART #1	503 NORTH BROADWAY	NNW 0 - 1/8 (0.092 mi.)	F31	51
LANDREWS AUTO SERVICE	429 W GEORGIA AVENUE	NW 1/8 - 1/4 (0.173 mi.)	H39	63
B & E QUICK MART	GEORGIA AVENUE & HIGHWAY	NNW 1/8 - 1/4 (0.183 mi.)	J45	70
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CONNER ABANDONED STATION	202 S BROADWAY	0 - 1/8 (0.000 mi.)	A2	7
WAREHOUSE	200 NORTH RAILROAD BOUL	0 - 1/8 (0.000 mi.)	12	24
ILLINOIS CENTRAL GULF RAILROAD	SOUTH RAILROAD BOULEVAR	0 - 1/8 (0.000 mi.)	C15	28
MCCOMB PUBLIC WORKS DEPARTMENT	122 EAST MICHIGAN STREE	NNE 0 - 1/8 (0.003 mi.)	E21	37
MCCOMB FIRE DIVISION	407 EAST MICHIGAN AVENU	NE 0 - 1/8 (0.049 mi.)	29	47
BRUMFIELD OIL COMPANY	500 PEARL RIVER AVENUE	ENE 0 - 1/8 (0.103 mi.)	G33	53
HUGHEY'S GULF	501 PEARL RIVER AVENUE	ENE 1/8 - 1/4 (0.131 mi.)	G36	57
CIRCLE B #2	540 PEARL RIVER AVENUE	E 1/8 - 1/4 (0.138 mi.)	G38	60
MATHIS TEXACO	200 EAST GEORGIA AVENUE	N 1/8 - 1/4 (0.195 mi.)	I48	72

EXECUTIVE SUMMARY

State and tribal voluntary cleanup sites

VCP: Voluntary Evaluation Program Sites.

A review of the VCP list, as provided by EDR, and dated 03/07/2013 has revealed that there is 1 VCP site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>ILLINOIS CENTRAL RAILROAD - MC</i>		<i>SE 1/8 - 1/4 (0.188 mi.)</i>	<i>46</i>	<i>71</i>

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: A listing of recycling facilities.

A review of the SWRCY list, as provided by EDR, and dated 12/31/2012 has revealed that there are 2 SWRCY sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ANDREWS METAL INC.	304 SUMMIT STREET	NNE 0 - 1/8 (0.012 mi.)	E25	42

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MCCOMB RECYCLING CENTER	715 SOUTH BROADWAY	S 1/4 - 1/2 (0.404 mi.)	53	80

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 02/12/2013 has revealed that there are 5 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>GOODYEAR AUTO SERVICE CENTER</i>	<i>126 NORTH BROADWAY</i>	<i>0 - 1/8 (0.000 mi.)</i>	<i>B3</i>	<i>9</i>
<i>CARQUEST AUTO PARTS</i>	<i>200-210 5TH AVENUE</i>	<i>S 0 - 1/8 (0.002 mi.)</i>	<i>D17</i>	<i>32</i>
<i>TRADEMARK MOTORS</i>	<i>301 SOUTH BROADWAY</i>	<i>S 0 - 1/8 (0.005 mi.)</i>	<i>D23</i>	<i>40</i>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>DALLAS JACKSON, INC.</i>	<i>215 3RD STREET</i>	<i>0 - 1/8 (0.000 mi.)</i>	<i>7</i>	<i>15</i>
<i>CULOTTA TIRE AND AUTO CENTER</i>	<i>222 SOUTH BROADWAY</i>	<i>0 - 1/8 (0.000 mi.)</i>	<i>A8</i>	<i>16</i>

EXECUTIVE SUMMARY

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR US Hist Auto Stat: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Auto Stat list, as provided by EDR, has revealed that there are 17 EDR US Hist Auto Stat sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	130 MAIN ST	0 - 1/8 (0.000 mi.)	C10	23
Not reported	301 SUMMIT ST	NNE 0 - 1/8 (0.003 mi.)	E18	33
Not reported	305 SUMMIT ST	NNE 0 - 1/8 (0.012 mi.)	E24	42
Not reported	428 N BROADWAY	NNW 0 - 1/8 (0.024 mi.)	26	43
Not reported	429 W GEORGIA AVE	NW 1/8 - 1/4 (0.173 mi.)	H40	66
Not reported	302 W GEORGIA AVE	NNW 1/8 - 1/4 (0.178 mi.)	J43	68

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	224 CANAL ST	0 - 1/8 (0.000 mi.)	1	7
Not reported	111 E MICHIGAN AVE	NNE 0 - 1/8 (0.004 mi.)	E22	40
Not reported	400 S BROADWAY ST	S 0 - 1/8 (0.096 mi.)	32	53
Not reported	410 S RAILROAD BLVD	SSE 0 - 1/8 (0.109 mi.)	34	54
Not reported	501 PEARL RIVER AVE	ENE 1/8 - 1/4 (0.131 mi.)	G37	59
Not reported	210 E GEORGIA AVE	NNE 1/8 - 1/4 (0.176 mi.)	I41	67
Not reported	200 E GEORGIA AVE	NNE 1/8 - 1/4 (0.176 mi.)	I42	67
Not reported	207 E GEORGIA AVE	NNE 1/8 - 1/4 (0.178 mi.)	I44	69
Not reported	601 PEARL RIVER AVE	E 1/8 - 1/4 (0.188 mi.)	47	72
Not reported	441 SUMMIT ST	N 1/8 - 1/4 (0.216 mi.)	K50	75
Not reported	445 SUMMIT ST	N 1/8 - 1/4 (0.219 mi.)	K51	76

EDR US Hist Cleaners: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Cleaners list, as provided by EDR, has revealed that there are 2 EDR US Hist Cleaners sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	200 W MICHIGAN AVE	0 - 1/8 (0.000 mi.)	6	14
Not reported	131 N 5TH ST	0 - 1/8 (0.000 mi.)	11	23

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 39 records.

<u>Site Name</u>	<u>Database(s)</u>
DICKERSON & BOWEN, MCCOMB ASPHALT	RCRA-SQG,MINES,AIRS (AFS)
FERNWOOD INDUSTRIES	CORRACTS,CERCLIS-NFRAP,RCRA-TSDF,FINANCIAL ASSURAN
UNITED GAS- MCCOMB CS	CERCLIS-NFRAP
RIVERVIEW GROCERY	LUST,UST
COTHERN'S TIRE & RIM CENTER	LUST,UST
MCCOMB MDOT	LUST,UST
JEFF'S AUTO SERVICE	LUST,UST
MS HOLMESVILLE GROCERY	AST
RIVERVIEW GROCERY	AST
FRIENDSHIP VOLUNTEER FIRE DEPARTME	UST
BATTES (MCCALIPS) CONVENIENCE	UST
JC'S GROCERY	UST
JOHNSON GROCERY	UST
PEPSI COLA COMPANY	UST
MAGNOLIA ELECTRIC ASSOCIATION	UST
SEAGO PHILLIPS 66	UST
MCCOMB AERO SERVICE INC	UST
PARKSIDE GROCERY	UST
OLD TIME GROCERY	UST
B & R QUIK STOP	UST
DENNIS READY MIX	UST
COCKERHAM SERVICE STATION	UST
MCCOMB BUILDING SUPPLY	UST
98 QUICK MART	UST
BOBBY HALL	UST
BUS SUPPLY	UST
HILLSIDE GROCERY 98 B-LINE	UST
ANDREWS WELDING & HYDRAULICS	FINDS,RCRA-NLR
MCCOMB SCHOOL DISTRICT	FINDS,RCRA-CESQG
HONDA OF MCCOMB	FINDS,RCRA-CESQG
WOODYS AUTO SALVAGE	RCRA-CESQG
WOODYS INC	FINDS,RCRA-CESQG
WOODYS INC	FINDS,RCRA-CESQG
BUS SUPPLY COMPANY, INC.	RCRA-CESQG
MCCOMB WELDING AND MACHINE WORKS	FINDS,RCRA-CESQG
PHILLIPS SUPPLY COMPANY	FINDS,RCRA-CESQG
FORTENBERRY DIESEL SERVICE	RCRA-CESQG
MCKAY ROAD BURN SITE	DEBRIS
OSYKA BURN SITE	DEBRIS

OVERVIEW MAP - 3680979.2s




-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  National Priority List Sites
-  Dept. Defense Sites
-  Indian Reservations BIA
-  Oil & Gas pipelines from USGS
-  100-year flood zone
-  500-year flood zone

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Downtown Mccomb
 ADDRESS: 300-399 N BROADWAY
 Mccomb MS 39648
 LAT/LONG: 31.2449 / 90.4533

CLIENT: Eco-Systems, Inc.
 CONTACT: Josh Brown
 INQUIRY #: 3680979.2s
 DATE: July 30, 2013 7:37 pm

DETAIL MAP - 3680979.2s



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Oil & Gas pipelines from USGS
-  100-year flood zone
-  500-year flood zone

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Downtown Mccomb
 ADDRESS: 300-399 N BROADWAY
 Mccomb MS 39648
 LAT/LONG: 31.2449 / 90.4533

CLIENT: Eco-Systems, Inc.
 CONTACT: Josh Brown
 INQUIRY #: 3680979.2s
 DATE: July 30, 2013 7:38 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS	0.500		0	0	0	NR	NR	0
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP	0.500		1	0	0	NR	NR	1
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-CESQG	0.250		4	2	NR	NR	NR	6
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	TP		NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS	1.000		0	1	0	0	NR	1
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
DEBRIS	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500		5	2	1	NR	NR	8
INDIAN LUST	0.500		0	0	0	NR	NR	0
<i>State and tribal registered storage tank lists</i>								
UST	0.250		13	5	NR	NR	NR	18

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
ENG CONTROLS	0.500		0	0	0	NR	NR	0
INST CONTROL	0.500		0	0	0	NR	NR	0
State and tribal voluntary cleanup sites								
VCP	0.500		0	1	0	NR	NR	1
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
SWRCY	0.500		1	0	1	NR	NR	2
SWTIRE	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	TP		NR	NR	NR	NR	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		5	0	NR	NR	NR	5
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	0	NR	0
CONSENT	1.000		0	0	0	0	NR	0
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
PERMITS	TP		NR	NR	NR	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
ASBESTOS	TP		NR	NR	NR	NR	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR US Hist Auto Stat	0.250		8	9	NR	NR	NR	17
EDR US Hist Cleaners	0.250		2	0	NR	NR	NR	2

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1

EDR US Hist Auto Stat 1015338555
N/A

< 1/8
1 ft.
224 CANAL ST
MCCOMB, MS 39648

EDR Historical Auto Stations:

Relative: Name: TEXACO PROFESSIONAL CAR WASH SERVICES
Lower Year: 1999
Address: 224 CANAL ST

Actual: Name: TEXACO PROFESSIONAL CAR WASH SERVICES
404 ft. Year: 2000
Address: 224 CANAL ST

Name: TEXACO PROFESSIONAL CAR WASH
Year: 2010
Address: 224 CANAL ST

A2 CONNER ABANDONED STATION
202 S BROADWAY
MCCOMB, MS 39648
< 1/8
1 ft.
Site 1 of 4 in cluster A

UST U003775575
N/A

Relative: UST:
Lower Facility ID: 12382
Facility Status: Inactive
Actual: Facility Tel: Not reported
409 ft. Latitude: 31 14' 31.5132"
Longitude: 90 27' 12.0312"
Permanently Out of Use Tanks: 3
Active Tanks: 0
AIID: 30127
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:
Tank No: 1
Tank ID: 30894
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: Not reported
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 07/10/2000
Close Type: 07/10/2000
Tank Material: Unknown
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 30894
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONNER ABANDONED STATION (Continued)

U003775575

Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 2
Tank ID: 30895
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: Not reported
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 07/10/2000
Close Type: 07/10/2000
Tank Material: Unknown
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 30895
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 30896
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: Not reported
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 07/10/2000
Close Type: 07/10/2000
Tank Material: Unknown
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 30896

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONNER ABANDONED STATION (Continued)

U003775575

Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

B3

**GOODYEAR AUTO SERVICE CENTER
126 NORTH BROADWAY
MCCOMB, MS**

**RCRA NonGen / NLR
FINDS**

**1000475386
MSD981857105**

**< 1/8
1 ft.**

Site 1 of 3 in cluster B

**Relative:
Higher**

RCRA NonGen / NLR:

**Actual:
427 ft.**

Date form received by agency: 10/22/1986
Facility name: GOODYEAR AUTO SERVICE CENTER
Facility address: 126 NORTH BROADWAY
MCCOMB, MS 39648
EPA ID: MSD981857105
Mailing address: DAKIN STREET
JEFFERSON, LA 70181
Contact: E.R. GRIFFIN
Contact address: 1000 DAKIN STREET
JEFFERSON, LA 70181
Contact country: US
Contact telephone: (504) 838-4700
Contact email: Not reported
EPA Region: 04
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: GOODYEAR TIRE & RUBBER COMPANY
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GOODYEAR AUTO SERVICE CENTER (Continued)

1000475386

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F002
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110002217208

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A4 **RAY DEER TEXACO**
131 SOUTH BROADWAY
< 1/8 **MCCOMB, MS 39648**
1 ft.

LUST **U003009625**
UST **N/A**

Site 2 of 4 in cluster A

**Relative:
Higher**

Facility Id: 6985
Facility Status: Inactive
Lust Status: Closed
AIID: 30782
Event #: 1
Project Manager: Deanna Jones
Date Of Report: 06/07/1999
Trust Fund Status: EUD
Confirmed On: 04/19/1999
NFA Date: 05/08/2000

**Actual:
419 ft.**

UST:

Facility ID: 6985
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 35.3800"
Longitude: 90 27' 11.8300"
Permanently Out of Use Tanks: 4
Active Tanks: 0
AIID: 30782
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 17569
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998
Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 17569
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RAY DEER TEXACO (Continued)

U003009625

Tank:

Tank No: 2
Tank ID: 17570
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998
Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 17570
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 3
Tank ID: 17571
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998
Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 17571
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RAY DEER TEXACO (Continued)

U003009625

Tank:
Tank No: 4
Tank ID: 17572
Tank Status: Permanently Out of Use
Tank Capacity: 550
Date Installed: 01/01/1970
Substance: Used Oil
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998
Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

A5 WEBRE'S AUTO REPAIR RCRA-CESQG 1004743421
224 S. BROADWAY MSD985978188
< 1/8 MCCOMB, MS 39648
1 ft. Site 3 of 4 in cluster A

Relative: RCRA-CESQG:
Lower Date form received by agency: 07/08/1992
Facility name: WEBRE'S AUTO REPAIR
Actual: Facility address: 224 S. BROADWAY
408 ft. MCCOMB, MS 39648
EPA ID: MSD985978188
Mailing address: S. BROADWAY
MCCOMB, MS 39648
Contact: GERARD WEBRE
Contact address: 1006 ELM DR
FERNWOOD, MS 39635
Contact country: US
Contact telephone: (601) 684-9186
Contact email: Not reported
EPA Region: 04
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: GERARD WEBRE
Owner/operator address: 224 S. BROADWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEBRE'S AUTO REPAIR (Continued)

1004743421

MCCOMB, MS 39648
Owner/operator country: Not reported
Owner/operator telephone: (601) 684-9186
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

6

**200 W MICHIGAN AVE
MCCOMB, MS 39648**

**EDR US Hist Cleaners 1015012660
N/A**

< 1/8
1 ft.

EDR Historical Cleaners:

**Relative:
Higher**

Name: HOLIDAY CLEANERS
Year: 2004
Address: 200 W MICHIGAN AVE

**Actual:
424 ft.**

Name: HOLIDAY CLEANERS
Year: 2005
Address: 200 W MICHIGAN AVE

Name: HOLIDAY CLEANERS
Year: 2006
Address: 200 W MICHIGAN AVE

Name: HOLIDAY FIFTY MINUTE CLEANERS
Year: 2008
Address: 200 W MICHIGAN AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1015012660

Name: HOLLIDAY CLEANERS INC
Year: 2010
Address: 200 W MICHIGAN AVE

7

DALLAS JACKSON, INC.
215 3RD STREET
MCCOMB, MS 39648

RCRA NonGen / NLR
FINDS

1000532061
MSD033386780

< 1/8
1 ft.

Relative:
Lower

Actual:
408 ft.

RCRA NonGen / NLR:

Date form received by agency: 01/21/1992
Facility name: DALLAS JACKSON, INC.
Facility address: 215 3RD STREET
MCCOMB, MS 39648
EPA ID: MSD033386780
Mailing address: 3RD STREET
MCCOMB, MS 39648
Contact: C ROBINSON
Contact address: 215 3RD STREET
MCCOMB, MS 39648
Contact country: US
Contact telephone: (601) 684-4231
Contact email: Not reported
EPA Region: 04
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: C. R. ROBINSON
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DALLAS JACKSON, INC. (Continued)

1000532061

Waste code: F002
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110002217529

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

<p>A8 < 1/8 1 ft.</p>	<p>CULOTTA TIRE AND AUTO CENTER 222 SOUTH BROADWAY MCCOMB, MS</p>	<p>RCRA NonGen / NLR FINDS</p>	<p>1000475448 MSD981864861</p>
--	--	--	--

Site 4 of 4 in cluster A

<p>Relative: Lower</p>	<p>RCRA NonGen / NLR: Date form received by agency: 10/30/1986 Facility name: CULOTTA TIRE & AUTO CENTER Facility address: 222 SOUTH BROADWAY MCCOMB, MS 39648 EPA ID: MSD981864861 Mailing address: SOUTH BROADWAY MCCOMB, MS 39648 Contact: CHARLES CULOTTA Contact address: 222 SOUTH BROADWAY MCCOMB, MS 39648 Contact country: US Contact telephone: (601) 684-1131 Contact email: Not reported EPA Region: 04 Classification: Non-Generator Description: Handler: Non-Generators do not presently generate hazardous waste</p>
---	--

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CULOTTA TIRE AND AUTO CENTER (Continued)

1000475448

Owner/Operator Summary:

Owner/operator name: CHARLES CULOTTA
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000
Waste name: Not Defined

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: F004
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CULOTTA TIRE AND AUTO CENTER (Continued)

1000475448

SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110002217182

Environmental Interest/Information System

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

9

**ALEXANDER'S GULF
 201 NORTH BROADWAY
 MCCOMB, MS 39648**

**UST U003009429
 N/A**

< 1/8
 1 ft.

**Relative:
 Higher**

**Actual:
 418 ft.**

UST:

Facility ID: 6098
 Facility Status: Active
 Facility Tel: Not reported
 Latitude: 31 14' 45.0200"
 Longitude: 90 27' 15.5300"
 Permanently Out of Use Tanks: 5
 Active Tanks: 3
 AIID: 26583
 Owner Name: Pat Brumfield
 Owner Address: PO Box 453
 Owner Tele: (601)684-3341

Tank:

Tank No: 1
 Tank ID: 15434
Tank Status: Permanently Out of Use
 Tank Capacity: 1000
 Date Installed: 01/01/1970
 Substance: Gasoline
 Reported Release: Not reported
 Close Type: Closed
 Date Removed: 02/15/1989
 Close Type: 02/15/1989
 Tank Material: Asphalt Coated or Bare Steel
 2nd Containmnt: None
 Tank Lead Detection: N/A
 Overfill Protection: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALEXANDER'S GULF (Continued)

U003009429

Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 15434
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:
Tank No: 2
Tank ID: 15435
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 02/15/1989
Close Type: 02/15/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 2
Tank Id: 15435
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:
Tank No: 3
Tank ID: 15436
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 02/15/1989
Close Type: 02/15/1989
Tank Material: Asphalt Coated or Bare Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALEXANDER'S GULF (Continued)

U003009429

2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 15436
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 4
Tank ID: 15437
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 02/15/1989
Close Type: 02/15/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 15437
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 5
Tank ID: 15438
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALEXANDER'S GULF (Continued)

U003009429

Date Removed: 02/15/1989
Close Type: 02/15/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 5
Tank Id: 15438
Pipe Id: 5
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 6
Tank ID: 15439
Tank Status: Currently In Use
Tank Capacity: 2000
Date Installed: 01/01/1989
Substance: Gasoline
Reported Release: Not reported
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 6
Tank Id: 15439
Pipe Id: 6
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Coated/Wrapped Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Safe Suction
Pipe Leak Detection: Not reported

Tank:

Tank No: 7
Tank ID: 15440
Tank Status: Currently In Use
Tank Capacity: 2000
Date Installed: 01/01/1989

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALEXANDER'S GULF (Continued)

U003009429

Substance: Gasoline
Reported Release: Not reported
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 7
Tank Id: 15440
Pipe Id: 7
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Coated/Wrapped Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Safe Suction
Pipe Leak Detection: Not reported

Tank:

Tank No: 8
Tank ID: 15441
Tank Status: Currently In Use
Tank Capacity: 2000
Date Installed: 01/01/1989
Substance: Gasoline
Reported Release: Not reported
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 8
Tank Id: 15441
Pipe Id: 8
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Coated/Wrapped Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Safe Suction
Pipe Leak Detection: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C10

< 1/8
1 ft.

130 MAIN ST
MCCOMB, MS 39648

Site 1 of 3 in cluster C

EDR US Hist Auto Stat

1015200643
N/A

Relative:
Higher

EDR Historical Auto Stations:

Name: MORGAN SMALL ENGINE REPAIR
Year: 2011
Address: 130 MAIN ST

Actual:
415 ft.

Name: MORGAN SMALL ENGINE REPAIR
Year: 2012
Address: 130 MAIN ST

11

< 1/8
1 ft.

131 N 5TH ST
MCCOMB, MS 39648

EDR US Hist Cleaners

1014987631
N/A

Relative:
Higher

EDR Historical Cleaners:

Name: MCKINLEY CLEANERS
Year: 2001
Address: 131 N 5TH ST

Actual:
440 ft.

Name: MCKINLEY CLEANERS
Year: 2002
Address: 131 N 5TH ST

Name: MCKINLEY CLEANERS
Year: 2003
Address: 131 N 5TH ST

Name: MCKINLEY CLEANERS
Year: 2004
Address: 131 N 5TH ST

Name: MCKINLEY CLEANERS GRG GRHM TA
Year: 2004
Address: 131 N 5TH ST

Name: MCKINLEY CLEANERS
Year: 2005
Address: 131 N 5TH ST

Name: MCKINLEY CLEANERS
Year: 2006
Address: 131 N 5TH ST

Name: MCKINLEY CLEANERS
Year: 2008
Address: 131 N 5TH ST

Name: MC KINLEY CLEANERS
Year: 2010
Address: 131 N 5TH ST

Name: MCKINLEY CLEANERS
Year: 2011
Address: 131 N 5TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1014987631

Name: MCKINLEY CLEANERS
Year: 2012
Address: 131 N 5TH ST

12

WAREHOUSE
200 NORTH RAILROAD BOULEVARD
MCCOMB, MS 39648

UST U003008578
N/A

< 1/8
1 ft.

Relative:
Lower

Actual:
412 ft.

UST:

Facility ID: 614
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 43.6740"
Longitude: 90 27' 5.6448"
Permanently Out of Use Tanks: 1
Active Tanks: 0
AIID: 30161
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 1640
Tank Status: Permanently Out of Use
Tank Capacity: 4500
Date Installed: 01/01/1978
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/21/1988
Close Type: 12/21/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 1640
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: Safe Suction
Pipe Leak Detection: N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B13 **L AND M DOWNTOWN**
126 NORTH BROADWAY STREET
< 1/8 **MCCOMB, MS**
1 ft.

RCRA-CESQG **1004742713**
FINDS **MSD981865041**

Site 2 of 3 in cluster B

Relative:
Higher

RCRA-CESQG:

Actual:
427 ft.

Date form received by agency: 10/18/1990
Facility name: L & M DOWNTOWN
Facility address: 126 NORTH BROADWAY STREET
MCCOMB, MS 39648
EPA ID: MSD981865041
Mailing address: NORTH BROADWAY STREET
MCCOMB, MS 39648
Contact: WAYNE MAY
Contact address: 126 NORTH BROADWAY STREET
MCCOMB, MS 39648
Contact country: US
Contact telephone: (601) 684-7270
Contact email: Not reported
EPA Region: 04
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: O.J. SEALE
Owner/operator address: RT 4 BOX 256B
MCCOMB, MS 39648
Owner/operator country: Not reported
Owner/operator telephone: (601) 783-7863
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

L AND M DOWNTOWN (Continued)

1004742713

Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000
Waste name: Not Defined

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D004
Waste name: ARSENIC

Violation Status: No violations found

FINDS:

Registry ID: 110002217155

Environmental Interest/Information System

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B14
< 1/8
1 ft.

JAMMIES AUTO REPAIR
126 NORTH BROADWAY
MCCOMB, MS

RCRA-CESQG **1004743464**
FINDS **MSD985980465**

Site 3 of 3 in cluster B

Relative:
Higher

RCRA-CESQG:

Date form received by agency: 02/10/1993

Facility name: JAMMIES AUTO REPAIR

Facility address: 126 NORTH BROADWAY

MCCOMB, MS 39648

EPA ID: MSD985980465

Mailing address: NORTH BROADWAY

MCCOMB, MS 39648

Contact: JAMMIE ROBERTS

Contact address: 126 NORTH BROADWAY

MCCOMB, MS 39648

Contact country: US

Contact telephone: (601) 783-5028

Contact email: Not reported

EPA Region: 04

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: JAMMIE ROBERTS

Owner/operator address: 126 NORTH BROADWAY

MCCOMB, MS 39648

Owner/operator country: Not reported

Owner/operator telephone: (601) 684-1046

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JAMMIES AUTO REPAIR (Continued)

1004743464

Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110009416337

Environmental Interest/Information System

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

C15

**ILLINOIS CENTRAL GULF RAILROAD
 SOUTH RAILROAD BOULEVARD
 MCCOMB, MS 39648**

**UST U003009219
 N/A**

**< 1/8
 1 ft.**

Site 2 of 3 in cluster C

**Relative:
 Lower**

UST:
 Facility ID: 4799
 Facility Status: Inactive
 Facility Tel: Not reported
 Latitude: Not reported
 Longitude: Not reported
 Permanently Out of Use Tanks: 4
 Active Tanks: 0
 AIID: 30758
 Owner Name: Not reported
 Owner Address: Not reported
 Owner Tele: Not reported

**Actual:
 412 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ILLINOIS CENTRAL GULF RAILROAD (Continued)

U003009219

Tank:

Tank No: 1
Tank ID: 11984
Tank Status: Permanently Out of Use
Tank Capacity: 6000
Date Installed: 01/01/1972
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 10/27/1993
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 11984
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 2
Tank ID: 11985
Tank Status: Permanently Out of Use
Tank Capacity: 9000
Date Installed: 01/01/1979
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 10/27/1993
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 11985
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ILLINOIS CENTRAL GULF RAILROAD (Continued)

U003009219

Tank:

Tank No: 3
Tank ID: 11986
Tank Status: Permanently Out of Use
Tank Capacity: 10000
Date Installed: 01/01/1979
Substance: Used Oil
Reported Release: Not reported
Close Type: Closed
Date Removed: 10/27/1993
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Tank:

Tank No: 4
Tank ID: 11987
Tank Status: Permanently Out of Use
Tank Capacity: 250
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/21/1988
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 11987
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

C16

ILLINOIS CENTRAL GULF RAILROAD COM
S RAILROAD BLVD
MCCOMB, MS 39648

CERC-NFRAP

1015734901
MSD000813741

< 1/8
1 ft.

Site 3 of 3 in cluster C

Relative:
Lower

CERC-NFRAP:
Site ID: 0402249
Federal Facility: Not a Federal Facility

Actual:
412 ft.

NPL Status: Not on the NPL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ILLINOIS CENTRAL GULF RAILROAD COM (Continued)

1015734901

Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

CERCLIS-NFRAP Site Contact Details:

Contact Sequence ID: 4570334.00000
Person ID: 4000051.00000

Contact Sequence ID: 4754579.00000
Person ID: 4000275.00000

Contact Sequence ID: 4783226.00000
Person ID: 13002428.00000

CERCLIS-NFRAP Site Alias Name(s):

Alias Name: ILLINOIS CENTRAL GULF RAILROAD COM
Alias Address: Not reported
PIKE, MS

CERCLIS-NFRAP Assessment History:

Action: DISCOVERY
Date Started: / /
Date Completed: 03/01/83
Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT
Date Started: / /
Date Completed: 06/01/84
Priority Level: Low priority for further assessment

Action: PRELIMINARY ASSESSMENT
Date Started: / /
Date Completed: 06/27/85
Priority Level: Low priority for further assessment

Action: ARCHIVE SITE
Date Started: / /
Date Completed: 09/30/92
Priority Level: Not reported

Action: SITE INSPECTION
Date Started: / /
Date Completed: 09/30/92
Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

Action: INTEGRATED ASSESSMENT
Date Started: 11/04/94
Date Completed: 11/04/94
Priority Level: Low priority for further assessment

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D17
South
< 1/8
0.002 mi.
8 ft.

CARQUEST AUTO PARTS
200-210 5TH AVENUE
MCCOMB, MS

RCRA NonGen / NLR 1000533096
FINDS MSD985974674

Site 1 of 3 in cluster D

Relative:
Higher

RCRA NonGen / NLR:

Date form received by agency: 11/13/1991

Facility name: CARQUEST AUTO PARTS

Facility address: 200-210 5TH AVENUE

MCCOMB, MS 39648

EPA ID: MSD985974674

Mailing address: 5TH AVENUE

MCCOMB, MS 39648

Contact: JOHN(MARTY) BASS

Contact address: 200 - 210 5TH AVENUE

MCCOMB, MS 39648

Contact country: US

Contact telephone: (601) 684-2595

Contact email: Not reported

EPA Region: 04

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CARQUEST AUTO PARTS

Owner/operator address: P.O. BOX 2606
RALEIGH, NC 27611

Owner/operator country: Not reported

Owner/operator telephone: (800) 476-2218

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000

Waste name: Not Defined

Waste code: D008

Waste name: LEAD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CARQUEST AUTO PARTS (Continued)

1000533096

Violation Status: No violations found

FINDS:

Registry ID: 110002204383

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

**E18
NNE
< 1/8
0.003 mi.
16 ft.**

**301 SUMMIT ST
MCCOMB, MS 39648**

**EDR US Hist Auto Stat 1015402295
N/A**

Site 1 of 6 in cluster E

**Relative:
Higher**

EDR Historical Auto Stations:

Name: LAZARUS AUTOMOTIVE WAREHOUSE
Year: 2001
Address: 301 SUMMIT ST

Name: LAZARUS AUTOMOTIVE WAREHOUSE
Year: 2002
Address: 301 SUMMIT ST

Name: LAZARUS AUTOMOTIVE WAREHOUSE
Year: 2003
Address: 301 SUMMIT ST

Name: LAZARUS AUTOMOTIVE WAREHOUSE INC
Year: 2004
Address: 301 SUMMIT ST

Name: LAZARUS AUTOMOTIVE WAREHO
Year: 2005
Address: 301 SUMMIT ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

19
SSE
< 1/8
0.003 mi.
16 ft.

MCCOMB POLICE DIVISION
100 5TH STREET
MCCOMB, MS 39648

LUST **U003008542**
UST **N/A**

Relative:
Higher

Facility Id: 343
Facility Status: Inactive
Lust Status: Closed
AIIID: 30769
Event #: 1
Project Manager: Deanna Jones
Date Of Report: 09/06/1988
Trust Fund Status: NTFE
Confirmed On: 09/06/1988
NFA Date: 10/11/1989

Actual:
416 ft.

UST:

Facility ID: 343
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 41.8668"
Longitude: 90 27' 21.8232"
Permanently Out of Use Tanks: 1
Active Tanks: 0
AIIID: 30769
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 1007
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/01/1988
Close Type: 10/01/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 1007
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

E20
NNE
< 1/8
0.003 mi.
17 ft.

SUMMIT STREET CHEVRON
200 SUMMIT STREET
MCCOMB, MS 39648

Site 2 of 6 in cluster E

UST U003009629
N/A

Relative:
Higher

UST:
 Facility ID: 6999
 Facility Status: Inactive
 Facility Tel: Not reported
 Latitude: 31 14' 57.5160"
 Longitude: 90 27' 7.0884"
 Permanently Out of Use Tanks: 3
 Active Tanks: 0
 AIID: 30155
 Owner Name: Not reported
 Owner Address: Not reported
 Owner Tele: Not reported

Actual:
415 ft.

Tank:
 Tank No: 1
 Tank ID: 17594
Tank Status: Permanently Out of Use
 Tank Capacity: 2000
 Date Installed: 01/01/1970
 Substance: Gasoline
 Reported Release: Not reported
 Close Type: Closed
 Date Removed: 03/03/1994
 Close Type: 03/03/1994
 Tank Material: Asphalt Coated or Bare Steel
 2nd Containmnt: None
 Tank Lead Detection: N/A
 Overfill Protection: No
 Spill Prevention: No

Pipe:
 Tank No: 1
 Tank Id: 17594
 Pipe Id: 1
 Pipe Status: Permanently Out of Use
 Type Of Closure: Closed Closed
 Pipe Material Of Construction: Bare/Galvanized Steel
 Secondary Pipe Material: None
 Piping Type: N/A
 Pipe Leak Detection: Not Listed

Tank:
 Tank No: 2
 Tank ID: 17595
Tank Status: Permanently Out of Use
 Tank Capacity: 2000
 Date Installed: 01/01/1970
 Substance: Gasoline
 Reported Release: Not reported
 Close Type: Closed
 Date Removed: 03/03/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUMMIT STREET CHEVRON (Continued)

U003009629

Close Type: 03/03/1994
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 2
Tank Id: 17595
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:
Tank No: 3
Tank ID: 17596
Tank Status: Permanently Out of Use
Tank Capacity: 2000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 03/03/1994
Close Type: 03/03/1994
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 3
Tank Id: 17596
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E21 **MCCOMB PUBLIC WORKS DEPARTMENT**
NNE **122 EAST MICHIGAN STREET**
< 1/8 **MCCOMB, MS 39648**
0.003 mi.
18 ft. **Site 3 of 6 in cluster E**

LUST **U003008690**
UST **N/A**

Relative:
Lower

Facility Id: 1282
Facility Status: Inactive
Lust Status: Open
AIIID: 16267
Event #: 1
Project Manager: Joseph Curro
Date Of Report: 01/09/2001
Trust Fund Status: STFS
Confirmed On: 01/09/2001
NFA Date: Not reported

Actual:
412 ft.

UST:

Facility ID: 1282
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 53.0000"
Longitude: 90 27' 3.0000"
Permanently Out of Use Tanks: 5
Active Tanks: 0
AIIID: 16267
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 3071
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: Not reported
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 02/15/1988
Close Type: 02/15/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 3071
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMB PUBLIC WORKS DEPARTMENT (Continued)

U003008690

Tank:

Tank No: 2
Tank ID: 3072
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: Not reported
Substance: Diesel
Reported Release: Yes
Close Type: Closed
Date Removed: 02/15/1988
Close Type: 02/15/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 3072
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 3073
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: Not reported
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 02/15/1988
Close Type: 02/15/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 3073
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMB PUBLIC WORKS DEPARTMENT (Continued)

U003008690

Tank:

Tank No: 4
Tank ID: 3074
Tank Status: Permanently Out of Use
Tank Capacity: 10000
Date Installed: 09/01/1986
Substance: Diesel
Reported Release: Yes
Close Type: Closed
Date Removed: 05/23/2001
Close Type: 07/10/2002
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 4
Tank Id: 3074
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 5
Tank ID: 3075
Tank Status: Permanently Out of Use
Tank Capacity: 10000
Date Installed: 09/01/1986
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 05/23/2001
Close Type: 07/10/2002
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 5
Tank Id: 3075
Pipe Id: 5
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E22
NNE
< 1/8
0.004 mi.
21 ft.

111 E MICHIGAN AVE
MCCOMB, MS 39648
Site 4 of 6 in cluster E

EDR US Hist Auto Stat **1015156908**
N/A

Relative:
Lower

Actual:
413 ft.

EDR Historical Auto Stations:
Name: LAZARUS AUTOMOTIVE WAREHOUSE INC
Year: 2006
Address: 111 E MICHIGAN AVE

D23
South
< 1/8
0.005 mi.
26 ft.

TRADEMARK MOTORS
301 SOUTH BROADWAY
MCCOMB, MS
Site 2 of 3 in cluster D

RCRA NonGen / NLR **1000475623**
FINDS **MSD982104523**

Relative:
Higher

Actual:
416 ft.

RCRA NonGen / NLR:
Date form received by agency: 04/22/1997
Facility name: TRADEMARK MOTORS
Facility address: 301 SOUTH BROADWAY
MCCOMB, MS 39648
EPA ID: MSD982104523
Mailing address: P.O. BOX 1243
MCCOMB, MS 396481243
Contact: HERMAN MOAK
Contact address: 301 SOUTH BROADWAY
MCCOMB, MS 39648
Contact country: US
Contact telephone: (601) 684-3970
Contact email: Not reported
EPA Region: 04
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CHARLES DAY
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRADEMARK MOTORS (Continued)

1000475623

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000
Waste name: Not Defined

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F003
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110002217360

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E24
NNE
< 1/8
0.012 mi.
63 ft.

305 SUMMIT ST
MCCOMB, MS 39648

EDR US Hist Auto Stat 1015407517
N/A

Site 5 of 6 in cluster E

Relative:
Higher

EDR Historical Auto Stations:

Name: MARSALIS AUTO SERVICE
Year: 1999
Address: 305 SUMMIT ST

Name: MARSALIS AUTO SERVICE
Year: 2000
Address: 305 SUMMIT ST

Name: MARSALIS AUTO SERVICE
Year: 2001
Address: 305 SUMMIT ST

Name: MARSALIS AUTO SERVICE
Year: 2002
Address: 305 SUMMIT ST

Name: MARSALIS AUTOMOTIVE REPAIR
Year: 2003
Address: 305 SUMMIT ST

Name: MARSALIS AUTOMOTIVE REPAIR
Year: 2004
Address: 305 SUMMIT ST

Name: MARSALIS AUTOMOTIVE REPAIR
Year: 2005
Address: 305 SUMMIT ST

Name: MARSALIS AUTOMOTIVE REPAIR
Year: 2006
Address: 305 SUMMIT ST

Name: MARSALIS AUTOMOTIVE REPAIR
Year: 2007
Address: 305 SUMMIT ST

Name: MARSALIS AUTOMOTIVE REPAIR
Year: 2008
Address: 305 SUMMIT ST

Actual:
415 ft.

E25
NNE
< 1/8
0.012 mi.
64 ft.

ANDREWS METAL INC.
304 SUMMIT STREET
MCCOMB, MS

SWRCY S106401280
N/A

Site 6 of 6 in cluster E

Relative:
Higher

SWRCY:

Contact Name: Not reported
Contact Phone: 601/684-2941
Contact Fax: 601/684-2941
Contact EMail: 601/684-2941

Actual:
415 ft.

Item Recycled: Aluminum Cans, Steel Cans, Brass, Bronze, Stainless Steel, Copper, Lead

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

26
NNW
< 1/8
0.024 mi.
127 ft.

428 N BROADWAY
MCCOMB, MS 39648

EDR US Hist Auto Stat 1015490821
N/A

Relative:
Higher

EDR Historical Auto Stations:

Name: AUTO TRIM CITY
Year: 2002
Address: 428 N BROADWAY

Actual:
435 ft.

Name: AUTO TRIM CITY
Year: 2003
Address: 428 N BROADWAY

D27
South
< 1/8
0.026 mi.
137 ft.

DAY PONTIAC
324 SOUTH BROADWAY STREET
MCCOMB, MS 39648

RCRA-CESQG 1004743127
FINDS MSD985969963

Site 3 of 3 in cluster D

Relative:
Higher

RCRA-CESQG:

Date form received by agency: 07/06/1993
Facility name: DAY PONTIAC
Facility address: 324 SOUTH BROADWAY STREET
MCCOMB, MS 39648
EPA ID: MSD985969963
Mailing address: SOUTH BROADWAY STREET
MCCOMB, MS 39648
Contact: FRANK HALBERT
Contact address: 324 SOUTH BROADWAY STREET
MCCOMB, MS 39648
Contact country: US
Contact telephone: (601) 684-3310
Contact email: Not reported
EPA Region: 04
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Actual:
423 ft.

Owner/Operator Summary:

Owner/operator name: MARK HOLLINGSWORTH
Owner/operator address: 324 SOUTH BROADWAY
MCCOMB, MS 39648

Owner/operator country: Not reported
Owner/operator telephone: (601) 684-3310
Legal status: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAY PONTIAC (Continued)

1004743127

Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110002217315

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

28
 NW
 < 1/8
 0.039 mi.
 207 ft.

BST MCCOMB CO 76107
408 MICHIGAN AVENUE
MCCOMB, MS 39648

UST U003010021
N/A

Relative:
Higher

UST:

Facility ID: 9280
 Facility Status: Inactive
 Facility Tel: Not reported
 Latitude: 31 14' 49.6300"
 Longitude: 90 27' 22.1400"
 Permanently Out of Use Tanks: 3
 Active Tanks: 0
 AIID: 26261
 Owner Name: Not reported
 Owner Address: Not reported
 Owner Tele: Not reported

Actual:
443 ft.

Tank:

Tank No: 1
 Tank ID: 23535
Tank Status: Permanently Out of Use
 Tank Capacity: 2000
 Date Installed: 01/01/1984
 Substance: Kerosene
 Reported Release: Not reported
 Close Type: Closed
 Date Removed: 04/02/1996
 Close Type: 04/03/1996
 Tank Material: Fiberglass Reinforced Plastic
 2nd Containmnt: None
 Tank Lead Detection: Deferred
 Overfill Protection: No
 Spill Prevention: No

Pipe:

Tank No: 1
 Tank Id: 23535
 Pipe Id: 1
 Pipe Status: Permanently Out of Use
 Type Of Closure: Closed Closed
 Pipe Material Of Construction: Copper
 Secondary Pipe Material: None
 Piping Type: U.S. Suction
 Pipe Leak Detection: Deferred

Tank:

Tank No: 2
 Tank ID: 23536
Tank Status: Permanently Out of Use
 Tank Capacity: 1000
 Date Installed: 01/01/1962
 Substance: Gasoline
 Reported Release: Not reported
 Close Type: Closed
 Date Removed: 01/01/1984

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BST MCCOMB CO 76107 (Continued)

U003010021

Close Type: 01/01/1984
Tank Material: Unknown
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 23536
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 23537
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 04/24/1996
Substance: Diesel
Reported Release: Not reported
Close Type: Closed
Date Removed: 01/21/2006
Close Type: 02/20/2006
Tank Material: Fiberglass Reinforced Plastic
2nd Containmnt: Double-Walled
Tank Lead Detection: Deferred
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 3
Tank Id: 23537
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Other
Secondary Pipe Material: Double-Walled
Piping Type: U.S. Suction
Pipe Leak Detection: Deferred

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

29
NE
< 1/8
0.049 mi.
261 ft.

MCCOMB FIRE DIVISION
407 EAST MICHIGAN AVENUE
MCCOMB, MS 39648

UST **U003008653**
N/A

Relative:
Lower

UST:
Facility ID: 955
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 53.6352"
Longitude: 90 26' 58.2072"
Permanently Out of Use Tanks: 1
Active Tanks: 0
AIID: 30162
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Actual:
398 ft.

Tank:
Tank No: 1
Tank ID: 2508
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 06/01/1986
Close Type: 06/01/1986
Tank Material: Unknown
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 2508
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

F30
NNW
< 1/8
0.090 mi.
476 ft.

HOLMES NORTH BROADWAY SHELL
500 NORTH BROADWAY
MCCOMB, MS 39648
Site 1 of 2 in cluster F

LUST **U003009182**
UST **N/A**
PERMITS

Relative:
Higher

Facility Id: 4619
Facility Satus: Inactive
Lust Status: Open
AIID: 14738
Event #: 1

Actual:
428 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Project Manager: Joseph Curro
Date Of Report: 03/29/1999
Trust Fund Status: STFS
Confirmed On: 03/23/1999
NFA Date: Not reported

UST:

Facility ID: 4619
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 55.9800"
Longitude: 90 27' 16.8200"
Permanently Out of Use Tanks: 6
Active Tanks: 0
AIIID: 14738
Owner Name: Magruder Oil LLC
Owner Address: 12100 Intraplex Drive
Owner Tele: (800)530-7569

Tank:

Tank No: 1
Tank ID: 11561
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 11561
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 2
Tank ID: 11562
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Reported Release: Yes
Close Type: Closed
Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 11562
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 11563
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 11563
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 4
Tank ID: 11564
Tank Status: Permanently Out of Use

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 11564
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 5
Tank ID: 11565
Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 08/01/1974
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: 01/24/2011
Close Type: 01/26/2011
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 5
Tank Id: 11565
Pipe Id: 5
Pipe Status: Permanently Out of Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Tank No: 6
Tank ID: 11566
Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 08/01/1974
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: 01/24/2011
Close Type: 01/26/2011
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 6
Tank Id: 11566
Pipe Id: 6
Pipe Status: Permanently Out of Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

MS PERMIT:

AI Id: 14738
Mailing Address: 871 South Green Street
Mailing City,St,Zip: Tupelo, MS 38804
Branch: Service and Miscellaneous Industries
SIC: 5541
Basin: South Independent Streams
Start Date: 10/12/2000
End Date: Not reported

**F31
NNW
< 1/8
0.092 mi.
484 ft.**

**LOVE FOOD MART #1
503 NORTH BROADWAY
MCCOMB, MS 39648
Site 2 of 2 in cluster F**

**UST U003115763
N/A**

**Relative:
Higher**

UST:

Facility ID: 3792
Facility Status: Active
Facility Tel: (601) 684-6254
Latitude: 31 14' 56.8000"
Longitude: 90 27' 18.4500"
Permanently Out of Use Tanks: 0
Active Tanks: 2
AID: 26275
Owner Name: Lakhwinder Singh
Owner Address: 503 North Broadway
Owner Tele: (601)276-9318

**Actual:
429 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOVE FOOD MART #1 (Continued)

U003115763

Tank:

Tank No: 1
Tank ID: 9186
Tank Status: Currently In Use
Tank Capacity: 8000
Date Installed: 01/01/1976
Substance: Gasoline
Reported Release: Not reported
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 1
Tank Id: 9186
Pipe Id: 1
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Line Tightness Testing

Tank:

Tank No: 2
Tank ID: 9187
Tank Status: Currently In Use
Tank Capacity: 8000
Date Installed: 01/01/1976
Substance: Gasoline
Reported Release: Not reported
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 2
Tank Id: 9187
Pipe Id: 2
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Line Tightness Testing

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

32
South
< 1/8
0.096 mi.
509 ft.

400 S BROADWAY ST
MCCOMB, MS 39648

EDR US Hist Auto Stat **1015469199**
N/A

Relative:
Lower

Actual:
412 ft.

EDR Historical Auto Stations:
Name: SOUTHWEST AUTO SALES
Year: 2010
Address: 400 S BROADWAY ST

G33
ENE
< 1/8
0.103 mi.
544 ft.

BRUMFIELD OIL COMPANY
500 PEARL RIVER AVENUE
MCCOMB, MS 39648

Site 1 of 5 in cluster G

LUST **U001295648**
UST **N/A**

Relative:
Lower

Actual:
391 ft.

Facility Id: 6102
Facility Satus: Inactive
Lust Status: Closed
AIIID: 30151
Event #: 1
Project Manager: Deanna Jones
Date Of Report: 12/11/1992
Trust Fund Status: NTFE
Confirmed On: 12/11/1992
NFA Date: 03/07/1994

UST:

Facility ID: 6102
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 44.8656"
Longitude: 90 26' 53.0664"
Permanently Out of Use Tanks: 2
Active Tanks: 0
AIIID: 30151
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 15449
Tank Status: Permanently Out of Use
Tank Capacity: 3000
Date Installed: 01/01/1966
Substance: Kerosene
Reported Release: Yes
Close Type: Closed
Date Removed: 10/27/1992
Close Type: 10/27/1992
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRUMFIELD OIL COMPANY (Continued)

U001295648

Pipe:

Tank No: 1
Tank Id: 15449
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 2
Tank ID: 15450
Tank Status: Permanently Out of Use
Tank Capacity: 280
Date Installed: 01/01/1966
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/27/1992
Close Type: 10/27/1992
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 15450
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

34
SSE
< 1/8
0.109 mi.
576 ft.

410 S RAILROAD BLVD
MCCOMB, MS 39648

EDR US Hist Auto Stat 1015478698
N/A

Relative:
Lower

EDR Historical Auto Stations:

Name: MOAKS TRANSMISSION & AIR CONDITIONI
Year: 2007
Address: 410 S RAILROAD BLVD

Actual:
411 ft.

Name: MOAKS TRANSMISSION & AIR COND
Year: 2010
Address: 410 S RAILROAD BLVD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1015478698

Name: MOAKS TRANSMISSION & AIR CONDITIONI
Year: 2011
Address: 410 S RAILROAD BLVD

G35 EAST MCCOMB BODY SHOP INC.
ENE 501 PEARL RIVER AVE
1/8-1/4 MCCOMB, MS 39648
0.131 mi.
692 ft. Site 2 of 5 in cluster G

RCRA-CESQG 1004743424
MSD985978279

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 07/20/1992
Facility name: EAST MCCOMB BODY SHOP INC.
Facility address: 501 PEARL RIVER AVE
MCCOMB, MS 39648

Actual:
393 ft.

EPA ID: MSD985978279
Mailing address: PEARL RIVER AVE
MCCOMB, MS 39648
Contact: LOUIS BOYD
Contact address: 501 PEARL RIVER AVE
MCCOMB, MS 39648

Contact country: US
Contact telephone: (601) 684-4651
Contact email: Not reported
EPA Region: 04

Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: LOUIS BODY AND H.P. GREER
Owner/operator address: 501 PEARL RIVER AVE
MCCOMB, MS 39648
Owner/operator country: Not reported
Owner/operator telephone: (601) 684-4651
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST MCCOMB BODY SHOP INC. (Continued)

1004743424

Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F001
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F002
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST MCCOMB BODY SHOP INC. (Continued)

1004743424

KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

G36
ENE
1/8-1/4
0.131 mi.
692 ft.

HUGHEY'S GULF
501 PEARL RIVER AVENUE
MCCOMB, MS 39648

UST U001298783
N/A

Site 3 of 5 in cluster G

Relative:
Lower

UST:
Facility ID: 2252
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 45.8772"
Longitude: 90 26' 53.0268"
Permanently Out of Use Tanks: 4
Active Tanks: 0
AIID: 30159
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Actual:
393 ft.

Tank:
Tank No: 1
Tank ID: 5170
Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/30/1989
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 5170
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUGHEY'S GULF (Continued)

U001298783

Tank:

Tank No: 2
Tank ID: 5171
Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/30/1989
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 5171
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 5172
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/30/1989
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 5172
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUGHEY'S GULF (Continued)

U001298783

Tank:

Tank No: 4
Tank ID: 5173
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 01/01/1970
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 5173
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

G37
ENE
1/8-1/4
0.131 mi.
692 ft.

501 PEARL RIVER AVE
MCCOMB, MS 39648
Site 4 of 5 in cluster G

EDR US Hist Auto Stat 1015524087
N/A

Relative:
Lower

EDR Historical Auto Stations:

Name: EAST MCCOMB BODY SHOP
Year: 1999
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP
Year: 2000
Address: 501 PEARL RIVER AVE

Name: INC EAST MCCOMB BODY SHOP
Year: 2002
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP
Year: 2003
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP INC
Year: 2004
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP
Year: 2005

Actual:
393 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1015524087

Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP
Year: 2006
Address: 501 PEARL RIVER AVE
Name: EAST MC COMB BODY SHOP
Year: 2007
Address: 501 PEARL RIVER AVE
Name: EAST MC COMB BODY SHOP
Year: 2008
Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP INC
Year: 2009
Address: 501 PEARL RIVER AVE
Name: EAST MC COMB BODY SHOP
Year: 2010
Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP
Year: 2011
Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP
Year: 2012
Address: 501 PEARL RIVER AVE

G38
East
1/8-1/4
0.138 mi.
731 ft.

CIRCLE B #2
540 PEARL RIVER AVENUE
MCCOMB, MS 39648

Site 5 of 5 in cluster G

LUST U004126170
UST N/A

Relative:
Lower

Facility Id: 7060
Facility Status: Active
Lust Status: Open
AIID: 26260
Event #: 1
Project Manager: Heather Pitts
Date Of Report: 01/24/2013
Trust Fund Status: EUD
Confirmed On: Not reported
NFA Date: Not reported

Actual:
394 ft.

UST:

Facility ID: 7060
Facility Status: Active
Facility Tel: Not reported
Latitude: 31 14' 44.5000"
Longitude: 90 26' 50.0000"
Permanently Out of Use Tanks: 0
Active Tanks: 4
AIID: 26260

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE B #2 (Continued)

U004126170

Owner Name: Buffalo Services Inc
Owner Address: PO Box 67
Owner Tele: (601)684-7702

Tank:

Tank No: 1
Tank ID: 17805
Tank Status: Currently In Use
Tank Capacity: 6000
Date Installed: 04/30/1987
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 1
Tank Id: 17805
Pipe Id: 1
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 2
Tank ID: 17806
Tank Status: Currently In Use
Tank Capacity: 6000
Date Installed: 04/30/1987
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 2
Tank Id: 17806
Pipe Id: 2
Pipe Status: Currently In Use
Type Of Closure: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE B #2 (Continued)

U004126170

Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 3
Tank ID: 17807
Tank Status: Currently In Use
Tank Capacity: 6000
Date Installed: 04/30/1987
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 3
Tank Id: 17807
Pipe Id: 3
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 4
Tank ID: 17808
Tank Status: Currently In Use
Tank Capacity: 2000
Date Installed: 04/30/1987
Substance: Diesel
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 4
Tank Id: 17808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE B #2 (Continued)

U004126170

Pipe Id: 4
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Safe Suction
Pipe Leak Detection: Not reported

**H39
NW
1/8-1/4
0.173 mi.
916 ft.**

**LANDREWS AUTO SERVICE
429 W GEORGIA AVENUE
MCCOMB, MS 39648
Site 1 of 2 in cluster H**

**UST U001295685
N/A**

**Relative:
Higher**

UST:
Facility ID: 6984
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 59.1180"
Longitude: 90 27' 25.8624"
Permanently Out of Use Tanks: 6
Active Tanks: 0
AIID: 30781
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

**Actual:
420 ft.**

Tank:
Tank No: 1
Tank ID: 17563
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 01/27/1984
Close Type: 01/27/1984
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 17563
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LANDREWS AUTO SERVICE (Continued)

U001295685

Tank:

Tank No: 2
Tank ID: 17564
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 01/27/1984
Close Type: 01/27/1984
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 17564
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 17565
Tank Status: Permanently Out of Use
Tank Capacity: 550
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 01/27/1984
Close Type: 01/27/1984
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 17565
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LANDREWS AUTO SERVICE (Continued)

U001295685

Tank:

Tank No: 4
Tank ID: 17566
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/27/1994
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 08/26/1993
Close Type: 08/26/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 17566
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Not Listed

Tank:

Tank No: 5
Tank ID: 17567
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/27/1984
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 08/26/1993
Close Type: 08/26/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 5
Tank Id: 17567
Pipe Id: 5
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LANDREWS AUTO SERVICE (Continued)

U001295685

Tank:

Tank No: 6
Tank ID: 17568
Tank Status: Permanently Out of Use
Tank Capacity: 3000
Date Installed: 01/27/1984
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 08/26/1993
Close Type: 08/26/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 6
Tank Id: 17568
Pipe Id: 6
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Not Listed

H40
NW
1/8-1/4
0.173 mi.
916 ft.

429 W GEORGIA AVE
MCCOMB, MS 39648

Site 2 of 2 in cluster H

EDR US Hist Auto Stat 1015491230
N/A

Relative:
Higher

EDR Historical Auto Stations:

Name: WEBB AUTOMOTIVE GROUP INC
Year: 2005
Address: 429 W GEORGIA AVE

Actual:
420 ft.

Name: WEBB AUTOMOTIVE GROUP INC
Year: 2006
Address: 429 W GEORGIA AVE

Name: WEBB AUTOMOTIVE GROUP INC
Year: 2007
Address: 429 W GEORGIA AVE

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

I41
NNE
1/8-1/4
0.176 mi.
931 ft.

210 E GEORGIA AVE
MCCOMB, MS 39648
Site 1 of 4 in cluster I

EDR US Hist Auto Stat 1015319149
N/A

Relative:
Lower

Actual:
409 ft.

EDR Historical Auto Stations:
 Name: MATHIS W A TEXACO
 Year: 2011
 Address: 210 E GEORGIA AVE

 Name: MATHIS W A TEXACO
 Year: 2012
 Address: 210 E GEORGIA AVE

I42
NNE
1/8-1/4
0.176 mi.
931 ft.

200 E GEORGIA AVE
MCCOMB, MS 39648
Site 2 of 4 in cluster I

EDR US Hist Auto Stat 1015301741
N/A

Relative:
Lower

Actual:
408 ft.

EDR Historical Auto Stations:
 Name: MATHIS W A TEXACO
 Year: 1999
 Address: 200 E GEORGIA AVE

 Name: MATHIS W A TEXACO
 Year: 2000
 Address: 200 E GEORGIA AVE

 Name: MATHIS W A TEXACO
 Year: 2002
 Address: 200 E GEORGIA AVE

 Name: MATHIS W A TEXACO
 Year: 2003
 Address: 200 E GEORGIA AVE

 Name: MATHIS W A TEXACO
 Year: 2004
 Address: 200 E GEORGIA AVE

 Name: TEXACO
 Year: 2005
 Address: 200 E GEORGIA AVE

 Name: TEXACO
 Year: 2006
 Address: 200 E GEORGIA AVE

 Name: TEXACO
 Year: 2007
 Address: 200 E GEORGIA AVE

 Name: TEXACO
 Year: 2008
 Address: 200 E GEORGIA AVE

 Name: TEXACO
 Year: 2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1015301741

Address: 200 E GEORGIA AVE
Name: TEXACO
Year: 2010
Address: 200 E GEORGIA AVE

J43
NNW
1/8-1/4
0.178 mi.
939 ft.

302 W GEORGIA AVE
MCCOMB, MS 39648

EDR US Hist Auto Stat 1015404473
N/A

Site 1 of 2 in cluster J

Relative:
Higher

EDR Historical Auto Stations:

Actual:
428 ft.

Name: BRANCHS BRAKE & FRONT END REPAIR SHOP
Year: 1999
Address: 302 W GEORGIA AVE

Name: BRANCHS BRAKE & FRONT END REPAIR SHOP
Year: 2000
Address: 302 W GEORGIA AVE

Name: BRNCH BRAKE & FRONT END RPR SH
Year: 2001
Address: 302 W GEORGIA AVE

Name: BRNCH BRAKE & FRONT END RPR SH
Year: 2002
Address: 302 W GEORGIA AVE

Name: BRNCH BRAKE & FRONT END RPR SH
Year: 2003
Address: 302 W GEORGIA AVE

Name: BRANCES BRAKE & FRONT END RPR INC
Year: 2004
Address: 302 W GEORGIA AVE

Name: BRANCHS BRAKE & FRONT END REPAIR SH
Year: 2005
Address: 302 W GEORGIA AVE

Name: BRANCHS AUTOMOTIVE INC
Year: 2006
Address: 302 W GEORGIA AVE

Name: BRANCH S BRAKE & FRONT END REP
Year: 2007
Address: 302 W GEORGIA AVE

Name: BRANCH S BRAKE & FRONT END REP
Year: 2008
Address: 302 W GEORGIA AVE

Name: BRANCHS BRAKE & FRONT END REPAIR
Year: 2009
Address: 302 W GEORGIA AVE

Name: BRANCHS AUTOMOTIVE INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1015404473

Year: 2010
Address: 302 W GEORGIA AVE

Name: BRANCHS AUTOMOTIVE INC
Year: 2011
Address: 302 W GEORGIA AVE

Name: BRANCHS AUTOMOTIVE INC
Year: 2012
Address: 302 W GEORGIA AVE

I44
NNE
1/8-1/4
0.178 mi.
941 ft.

207 E GEORGIA AVE
MCCOMB, MS 39648

Site 3 of 4 in cluster I

EDR US Hist Auto Stat 1015315100
N/A

Relative:
Lower

Actual:
409 ft.

EDR Historical Auto Stations:

Name: FORTENBERRY AUTO SERVICE
Year: 1999
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2000
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2001
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2002
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2003
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2004
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2005
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2007
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2008
Address: 207 E GEORGIA AVE

Name: FORTENBERRY AUTO SERVICE
Year: 2009
Address: 207 E GEORGIA AVE

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

J45
NNW
1/8-1/4
0.183 mi.
968 ft.

B & E QUICK MART
GEORGIA AVENUE & HIGHWAY 51
MCCOMB, MS 39648

UST **U003009924**
N/A

Site 2 of 2 in cluster J

Relative:
Higher

UST:
 Facility ID: 8727
 Facility Status: Inactive
 Facility Tel: Not reported
 Latitude: 31 15' 0.8400"
 Longitude: 90 27' 9.3800"
 Permanently Out of Use Tanks: 2
 Active Tanks: 0
 AIID: 30777
 Owner Name: Not reported
 Owner Address: Not reported
 Owner Tele: Not reported

Actual:
428 ft.

Tank:
 Tank No: 1
 Tank ID: 22227
Tank Status: Permanently Out of Use
 Tank Capacity: 8000
 Date Installed: 01/01/1975
 Substance: Gasoline
 Reported Release: Not reported
 Close Type: Closed
 Date Removed: 02/13/1990
 Close Type: 05/11/1998
 Tank Material: Asphalt Coated or Bare Steel
 2nd Containmnt: None
 Tank Lead Detection: N/A
 Overfill Protection: No
 Spill Prevention: No

Pipe:
 Tank No: 1
 Tank Id: 22227
 Pipe Id: 1
 Pipe Status: Permanently Out of Use
 Type Of Closure: Closed Closed
 Pipe Material Of Construction: Bare/Galvanized Steel
 Secondary Pipe Material: None
 Piping Type: N/A
 Pipe Leak Detection: Not Listed

Tank:
 Tank No: 2
 Tank ID: 22228
Tank Status: Permanently Out of Use
 Tank Capacity: 6000
 Date Installed: 01/01/1975
 Substance: Gasoline
 Reported Release: Not reported
 Close Type: Closed
 Date Removed: 02/13/1990

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

B & E QUICK MART (Continued)

U003009924

Close Type: 05/11/1998
 Tank Material: Asphalt Coated or Bare Steel
 2nd Containmnt: None
 Tank Lead Detection: N/A
 Overfill Protection: No
 Spill Prevention: No

Pipe:

Tank No: 2
 Tank Id: 22228
 Pipe Id: 2
 Pipe Status: Permanently Out of Use
 Type Of Closure: Closed Closed
 Pipe Material Of Construction: Bare/Galvanized Steel
 Secondary Pipe Material: None
 Piping Type: N/A
 Pipe Leak Detection: Not Listed

46
 SE
 1/8-1/4
 0.188 mi.
 990 ft.

ILLINOIS CENTRAL RAILROAD - MCCOMB

SHWS S105437947
VCP N/A

MCCOMB, MS

**Relative:
 Lower**

SHWS:
 Lat/Long (dms): 31 14 20 / 90 26 55
 Site Size (acres): 37
 EPA ID: MSD000813741
 Project Manager: Crellin, Jimmy
Status: Active
 State No Further Action Date: Not reported
 Date Phase I Assessment Conducted: Not reported
 Federal: Archive
 Federal No Further Action Date: 02/25/98
 Soil Contamination: Yes
 Surface Water Contamination: No
 Ground Water Contamination: Yes
 Remediation Type: Not reported
 Surface Water Remediation: Not reported
 GW Remediation Type: DPE
 Maj. Contaminant: Lead, Arsenic, TPH
 High Concentration: 32200
 High Concentration Units: mg/Kg
 Institutional Control: Not reported
 Engineering Control: Not reported
 Voluntary Cleanups: VEP
 Date Section 128(a) Assessment: Not reported
 Date TBA Requested: Not reported
 Agency Interest No: 39320

**Actual:
 387 ft.**

VCP:

Voluntary Cleanup VEP or BF: VEP

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

47 East 1/8-1/4 0.188 mi. 994 ft.	601 PEARL RIVER AVE MCCOMB, MS 39648	EDR US Hist Auto Stat	1015568850 N/A
--	---	------------------------------	--------------------------

Relative: Lower	EDR Historical Auto Stations: Name: Q & R AUTO LLC Year: 2004 Address: 601 PEARL RIVER AVE
Actual: 404 ft.	

148 North 1/8-1/4 0.195 mi. 1027 ft.	MATHIS TEXACO 200 EAST GEORGIA AVENUE & SUMMITT STREET MCCOMB, MS 39648 Site 4 of 4 in cluster I	LUST UST	U003009646 N/A
---	--	---------------------------	--------------------------

Relative: Lower	Facility Id: 7058 Facility Status: Active
Actual: 406 ft.	Lust Status: Open AIID: 26591 Event #: 1 Project Manager: Martha Martin Date Of Report: 06/27/2011 Trust Fund Status: EUD Confirmed On: Not reported NFA Date: Not reported

UST:

Facility ID:	7058
Facility Status:	Active
Facility Tel:	(601) 684-9157
Latitude:	31 15' 1.3700"
Longitude:	90 27' 9.5000"
Permanently Out of Use Tanks:	0
Active Tanks:	3
AIID:	26591
Owner Name:	W A Mathis
Owner Address:	210 East Georgia Avenue
Owner Tele:	(601)684-7839

Tank:

Tank No:	1
Tank ID:	17796
Tank Status:	Currently In Use
Tank Capacity:	8000
Date Installed:	01/01/1972
Substance:	Gasoline
Reported Release:	Yes
Close Type:	Not reported
Date Removed:	Not reported
Close Type:	Not reported
Tank Material:	Asphalt Coated or Bare Steel
2nd Containmnt:	Cathodically Protected
Tank Lead Detection:	Groundwater/Vapor Monitoring
Overfill Protection:	Yes
Spill Prevention:	Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MATHIS TEXACO (Continued)

U003009646

Pipe:

Tank No: 1
Tank Id: 17796
Pipe Id: 1
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 2
Tank ID: 17797
Tank Status: Currently In Use
Tank Capacity: 8000
Date Installed: 01/01/1972
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 2
Tank Id: 17797
Pipe Id: 2
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 3
Tank ID: 17798
Tank Status: Currently In Use
Tank Capacity: 2000
Date Installed: 01/01/1972
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MATHIS TEXACO (Continued)

U003009646

Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 3
Tank Id: 17798
Pipe Id: 3
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

49
South
1/8-1/4
0.204 mi.
1075 ft.

PIKE RENT-ALL
516 SOUTH BROADWAY STREET
MCCOMB, MS 39648

RCRA-CESQG 1004743128
MSD985969971

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 11/19/1990
Facility name: PIKE RENT-ALL
Facility address: 516 SOUTH BROADWAY STREET
MCCOMB, MS 39648
EPA ID: MSD985969971
Mailing address: SOUTH BROADWAY STREET
MCCOMB, MS 39648
Contact: DOUG WATTS
Contact address: 516 SOUTH BROADWAY STREET
MCCOMB, MS 39648
Contact country: US
Contact telephone: (601) 684-5622
Contact email: Not reported
EPA Region: 04
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Actual:
398 ft.

Owner/Operator Summary:

Owner/operator name: ROBERT ROURKE
Owner/operator address: 302 MISSISSIPPI STREET
MCCOMB, MS 39648
Owner/operator country: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PIKE RENT-ALL (Continued)

1004743128

Owner/operator telephone: (601) 684-3506
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

K50
North
1/8-1/4
0.216 mi.
1140 ft.

441 SUMMIT ST
MCCOMB, MS 39648

Site 1 of 2 in cluster K

EDR US Hist Auto Stat 1015497882
N/A

Relative:
Lower

Actual:
407 ft.

EDR Historical Auto Stations:

Name: UPKINS AUTO BODY SHOP
Year: 1999
Address: 441 SUMMIT ST

Name: UPKINS AUTO BODY SHOP
Year: 2000
Address: 441 SUMMIT ST

Name: UPKINS AUTO BODY SHOP
Year: 2001
Address: 441 SUMMIT ST

Name: UPKINS AUTO BODY SHOP
Year: 2002
Address: 441 SUMMIT ST

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

1015497882

Name: UPKINS TIRE SERVICE
 Year: 2004
 Address: 441 SUMMIT ST

Name: UPKINS TIRE SERVICE
 Year: 2005
 Address: 441 SUMMIT ST

Name: UPKINS TIRE SERVICE
 Year: 2006
 Address: 441 SUMMIT ST

Name: UPKINS TIRE SERVICE
 Year: 2007
 Address: 441 SUMMIT ST

Name: UPKINS TIRE SERVICE
 Year: 2008
 Address: 441 SUMMIT ST

Name: UPKINS TIRE SERVICE
 Year: 2009
 Address: 441 SUMMIT ST

Name: UPKINS AUTO BODY
 Year: 2010
 Address: 441 SUMMIT ST

Name: UPKINS AUTO BODY
 Year: 2011
 Address: 441 SUMMIT ST

K51
 North
 1/8-1/4
 0.219 mi.
 1158 ft.

445 SUMMIT ST
MCCOMB, MS 39648
 Site 2 of 2 in cluster K

EDR US Hist Auto Stat 1015499762
N/A

Relative:
Lower
Actual:
407 ft.

EDR Historical Auto Stations:
 Name: MAGEE AUTO REPAIR
 Year: 2008
 Address: 445 SUMMIT ST

52
 South
 1/4-1/2
 0.282 mi.
 1488 ft.

DST FOODMART
601 SOUTH BROADWAY
MCCOMB, MS 39648

LUST U003009180
UST N/A

Relative:
Lower
Actual:
398 ft.

Facility Id: 4616
 Facility Satus: Active
 Lust Status: Open
 AIID: 14739
 Event #: 1
 Project Manager: Joseph Curro

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DST FOODMART (Continued)

U003009180

Date Of Report: 03/29/1999
Trust Fund Status: STFS
Confirmed On: 03/23/1999
NFA Date: Not reported

UST:

Facility ID: 4616
Facility Status: Active
Facility Tel: (601) 249-3059
Latitude: 31 14' 12.9500"
Longitude: 90 27' 5.6700"
Permanently Out of Use Tanks: 2
Active Tanks: 3
AIID: 14739
Owner Name: Mr Sat Pal Bathla
Owner Address: 4163 McComb-Holmesville Road
Owner Tele: (601)249-3059

Tank:

Tank No: 1
Tank ID: 11552
Tank Status: Currently In Use
Tank Capacity: 8000
Date Installed: 07/01/1974
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 1
Tank Id: 11552
Pipe Id: 1
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Coated/Wrapped Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 2
Tank ID: 11553
Tank Status: Currently In Use
Tank Capacity: 8000
Date Installed: 07/01/1974
Substance: Gasoline
Reported Release: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DST FOODMART (Continued)

U003009180

Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overflow Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 2
Tank Id: 11553
Pipe Id: 2
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Coated/Wrapped Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 3
Tank ID: 11554
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/11/1989
Close Type: 12/11/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Not reported
Overflow Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 11554
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 4
Tank ID: 11555
Tank Status: Permanently Out of Use
Tank Capacity: 1000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DST FOODMART (Continued)

U003009180

Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/11/1989
Close Type: 12/11/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 11555
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 5
Tank ID: 11556
Tank Status: Currently In Use
Tank Capacity: 4000
Date Installed: 12/01/1989
Substance: Diesel
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 5
Tank Id: 11556
Pipe Id: 5
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Coated/Wrapped Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

53
South
1/4-1/2
0.404 mi.
2133 ft.

MCCOMB RECYCLING CENTER
715 SOUTH BROADWAY
MCCOMB, MS

SWRCY S106401282
N/A

Relative:
Lower

SWRCY:

Contact Name: Cecil Taylor
 Contact Phone: 601/684-5351
 Contact Fax: 601/684-5351
 Contact EMail: 601/684-5351

Actual:
392 ft.

Item Recycled: Aluminum Cans, Auto Carburetors, Transmissions, Alternators, Electric Motors, Copper, Stainless Steel, Na/c, Aluminum Coils, Corrugated Containers, Radiators, High Grade Computer and White Office Paper

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
FERNWOOD	1000323490	FERNWOOD INDUSTRIES	SEC 30, T3N,R8E	39635	CORRACTS,CERCLIS-NFRAP,RCRA-
MCCOMB	1000475441	ANDREWS WELDING & HYDRAULICS	HIGHWAY 98 EAST	39648	FINDS,RCRA-NLR
MCCOMB	1000475482	DICKERSON & BOWEN, MCCOMB ASPHALT	3073 HIGHWAY 98 EAST	39648	RCRA-SQG,MINES,AIRS (AFS)
MCCOMB	1003869629	UNITED GAS- MCCOMB CS	STATE HWY. 583	39648	CERCLIS-NFRAP
MCCOMB	1004742395	WOODYDYS INC	RT 4, BOX 122 HWY 98 EAST		FINDS,RCRA-CESQG
MCCOMB	1004742431	MCCOMB SCHOOL DISTRICT	101-1/2 VIRGINIA AVENUE		FINDS,RCRA-CESQG
MCCOMB	1004742706	PHILLIPS SUPPLY COMPANY	HIGHWAY 98 EAST	39648	FINDS,RCRA-CESQG
MCCOMB	1004742707	MCCOMB WELDING AND MACHINE WORKS	HIGHWAY 98 EAST		FINDS,RCRA-CESQG
MCCOMB	1004742950	WOODYDYS INC	HIGHWAY 51 SOUTH		FINDS,RCRA-CESQG
MCCOMB	1004743011	FORTENBERRY DIESEL SERVICE	1177 HWY 98 E	39648	RCRA-CESQG
MCCOMB	1004743172	HONDA OF MCCOMB	HIGHWAY 24 WEST	39648	FINDS,RCRA-CESQG
MCCOMB	1004743440	BUS SUPPLY COMPANY, INC.	HWY 90 E	39648	RCRA-CESQG
MCCOMB	1004743545	WOODYDYS AUTO SALVAGE	RT 4 BOX 122 HWY 98E	39648	RCRA-CESQG
MCCOMB	A100210559	RIVERVIEW GROCERY	9022 HWY 98 E	39648	AST
MCCOMB	A100216364	MS HOLMESVILLE GROCERY	7057 HWY 98 E	39648	AST
	S107923781	MCKAY ROAD BURN SITE	HWY 51 AND MCKAY ROAD		DEBRIS
	S107923785	OSYKA BURN SITE	HIGHWAY 51		DEBRIS
MCCOMB	U003008768	COTHERN'S TIRE & RIM CENTER	ROUTE 4 BOX 6	39648	LUST,UST
MCCOMB	U003008904	MCCOMB MDOT	HIGHWAY 51 NORTH	39648	LUST,UST
MCCOMB	U003008991	SEAGO PHILLIPS 66	HIGHWAY 24 WEST	39648	UST
MCCOMB	U003009032	PEPSI COLA COMPANY	HIGHWAY 24 EAST	39648	UST
MCCOMB	U003009033	MAGNOLIA ELECTRIC ASSOCIATION	HIGHWAY 24 EAST	39648	UST
MCCOMB	U003009043	BATTES (MCCALIPS) CONVENIENCE	ROUTE 2 BOX 67	39648	UST
MCCOMB	U003009179	OLD TIME GROCERY	ROUTE 4 BOX 289	39648	UST
MCCOMB	U003009190	BOBBY HALL	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003009191	BUS SUPPLY	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003009195	DENNIS READY MIX	HIGHWAY 51 SOUTH	39648	UST
MCCOMB	U003009251	RIVERVIEW GROCERY	ROUTE 2 BOX 222 HIGHWAY 98 E	39648	LUST,UST
MCCOMB	U003009643	MCCOMB BUILDING SUPPLY	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003009644	PARKSIDE GROCERY	ROUTE 3 HIGHWAY 48	39648	UST
MCCOMB	U003009645	B & R QUIK STOP	HIGHWAY 48	39648	UST
MCCOMB	U003009923	98 QUICK MART	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003200976	HILLSIDE GROCERY 98 B-LINE	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003773791	FRIENDSHIP VOLUNTEER FIRE DEPARTME	ROUTE 1 BOX 160 A	39648	UST
MCCOMB	U003774736	MCCOMB AERO SERVICE INC	ROUTE 3 BOX 500	39648	UST
MCCOMB	U003775252	COCKERHAM SERVICE STATION	HIGHWAY 570	39648	UST
MCCOMB	U004180260	JC'S GROCERY	HIGHWAY 24	39648	UST
MCCOMB	U004180261	JOHNSON GROCERY	HIGHWAY 24 WEST	39648	UST
MCCOMB	U004183030	JEFF'S AUTO SERVICE	HIGHWAY 51 NORTH	39648	LUST,UST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/26/2013	Source: EPA
Date Data Arrived at EDR: 05/09/2013	Telephone: N/A
Date Made Active in Reports: 07/10/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 04/26/2013	Source: EPA
Date Data Arrived at EDR: 05/09/2013	Telephone: N/A
Date Made Active in Reports: 07/10/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/26/2013	Source: EPA
Date Data Arrived at EDR: 05/09/2013	Telephone: N/A
Date Made Active in Reports: 07/10/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/04/2013	Source: EPA
Date Data Arrived at EDR: 03/01/2013	Telephone: 703-412-9810
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 05/29/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 07/31/2012	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/09/2012	Telephone: 703-603-8704
Date Made Active in Reports: 12/20/2012	Last EDR Contact: 07/08/2013
Number of Days to Update: 72	Next Scheduled EDR Contact: 10/21/2013
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 02/05/2013	Source: EPA
Date Data Arrived at EDR: 03/01/2013	Telephone: 703-412-9810
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 05/29/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 05/09/2013
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/21/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 6

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 07/01/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/01/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/01/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/01/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 07/01/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/14/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/29/2013	Telephone: 703-603-0695
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 06/10/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 09/23/2013
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/14/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/29/2013	Telephone: 703-603-0695
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 06/10/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 09/23/2013
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005	Source: Department of the Navy
Date Data Arrived at EDR: 12/11/2006	Telephone: 843-820-7326
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 05/20/2013
Number of Days to Update: 31	Next Scheduled EDR Contact: 09/02/2013
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2012	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/17/2013	Telephone: 202-267-2180
Date Made Active in Reports: 02/15/2013	Last EDR Contact: 07/01/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: CERCLA/Uncontrolled Sites File List

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 03/07/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5666
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 07/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Landfills

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/01/2011	Source: Department of Environmental Quality
Date Data Arrived at EDR: 06/01/2011	Telephone: 601-961-5082
Date Made Active in Reports: 07/13/2011	Last EDR Contact: 05/31/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Semi-Annually

DEBRIS: Debris Site Locations Listing

A listing of Hurricane Katrina debris disposal site locations. Not all of these sites were approved or utilized. Please note that the list includes a number of different types of sites including vegetative debris burn, chip, staging and disposal sites as well as structural debris staging and disposal sites.

Date of Government Version: 06/17/2008	Source: Department of Environmental Quality
Date Data Arrived at EDR: 06/17/2008	Telephone: 601-961-5726
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 05/28/2013
Number of Days to Update: 44	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Varies

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 04/01/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5058
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 07/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 03/01/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2013	Telephone: 415-972-3372
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 12/31/2012	Source: EPA Region 7
Date Data Arrived at EDR: 02/28/2013	Telephone: 913-551-7003
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 43	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 02/05/2013	Source: EPA Region 10
Date Data Arrived at EDR: 02/06/2013	Telephone: 206-553-2857
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 65	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/27/2012	Source: EPA Region 8
Date Data Arrived at EDR: 08/28/2012	Telephone: 303-312-6271
Date Made Active in Reports: 10/16/2012	Last EDR Contact: 07/24/2013
Number of Days to Update: 49	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 09/28/2012	Source: EPA Region 1
Date Data Arrived at EDR: 11/01/2012	Telephone: 617-918-1313
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 05/01/2013
Number of Days to Update: 162	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 02/06/2013	Source: EPA Region 4
Date Data Arrived at EDR: 02/08/2013	Telephone: 404-562-8677
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011	Source: EPA Region 6
Date Data Arrived at EDR: 09/13/2011	Telephone: 214-665-6597
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 07/24/2013
Number of Days to Update: 59	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Varies

State and tribal registered storage tank lists

UST: Underground Storage Tanks

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 04/01/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5058
Date Made Active in Reports: 04/04/2013	Last EDR Contact: 07/02/2013
Number of Days to Update: 2	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Quarterly

AST: Aboveground Storage Tanks

Aboveground storage tanks regulated by the Department of Agriculture & Commerce. The tanks contents will be gasoline, diesel, racing fuel or kerosene.

Date of Government Version: 03/15/2013	Source: Department of Agriculture & Commerce
Date Data Arrived at EDR: 03/28/2013	Telephone: 601-359-1101
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 05/28/2013
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 09/28/2012	Source: EPA, Region 1
Date Data Arrived at EDR: 11/07/2012	Telephone: 617-918-1313
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 156	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 02/06/2013	Source: EPA Region 4
Date Data Arrived at EDR: 02/08/2013	Telephone: 404-562-9424
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 08/02/2012	Source: EPA Region 5
Date Data Arrived at EDR: 08/03/2012	Telephone: 312-886-6136
Date Made Active in Reports: 11/05/2012	Last EDR Contact: 07/24/2013
Number of Days to Update: 94	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/10/2011	Source: EPA Region 6
Date Data Arrived at EDR: 05/11/2011	Telephone: 214-665-7591
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 07/24/2013
Number of Days to Update: 34	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 12/31/2012	Source: EPA Region 7
Date Data Arrived at EDR: 02/28/2013	Telephone: 913-551-7003
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 43	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 08/27/2012	Source: EPA Region 8
Date Data Arrived at EDR: 08/28/2012	Telephone: 303-312-6137
Date Made Active in Reports: 10/16/2012	Last EDR Contact: 07/24/2013
Number of Days to Update: 49	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 02/05/2013	Source: EPA Region 10
Date Data Arrived at EDR: 02/06/2013	Telephone: 206-553-2857
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 65	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 02/21/2013	Source: EPA Region 9
Date Data Arrived at EDR: 02/26/2013	Telephone: 415-972-3368
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 45	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/19/2013
Number of Days to Update: 55	Next Scheduled EDR Contact: 10/28/2013
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Sites with Engineering Controls

Sites included on the CERCLA/Uncontrolled Sites File List that have Engineering Controls. Engineering Controls encompass a variety of engineered remedies to contain and/or reduce contamination, and/or physical barriers intended to limit access to property. ECs include fences, signs, guards, landfill caps, provision of potable water, slurry walls, sheet pile (vertical caps), pumping and treatment of groundwater, monitoring wells, and vapor extraction systems

Date of Government Version: 03/07/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5666
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 07/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Quarterly

INST CONTROL: Sites with Institutional Controls

Sites included on the CERCLA/Uncontrolled Sites File List that have Institutional Controls. Institutional Controls are non-engineered instruments, such as administrative and/or legal controls, that help minimize the potential for human exposure to contamination and/or protect the integrity of a remedy by limiting land or resource use

Date of Government Version: 03/07/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5666
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 07/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

VCP: Voluntary Evaluation Program Sites

The Voluntary Evaluation Program allows accepted parties the opportunity to participate in a program that will expedite the evaluation of the site information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2013
Date Data Arrived at EDR: 04/02/2013
Date Made Active in Reports: 05/01/2013
Number of Days to Update: 29

Source: Department of Environmental Quality
Telephone: 601-961-5063
Last EDR Contact: 07/02/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/28/2012
Date Data Arrived at EDR: 10/02/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 14

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 07/02/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Uncontrolled Sites List

A listing of sites from the Uncontrolled Sites List that are currently in the Mississippi Brownfields Program (which means that they are pursuing liability protection and paying for MDEQ oversight costs).

Date of Government Version: 03/07/2013
Date Data Arrived at EDR: 04/02/2013
Date Made Active in Reports: 05/01/2013
Number of Days to Update: 29

Source: Department of Environmental Quality
Telephone: 601-961-5666
Last EDR Contact: 07/02/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/10/2012
Date Data Arrived at EDR: 12/11/2012
Date Made Active in Reports: 12/20/2012
Number of Days to Update: 9

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 06/25/2013
Next Scheduled EDR Contact: 10/07/2013
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/26/2013
Next Scheduled EDR Contact: 11/11/2013
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SWRCY: Mississippi Recycling Directory

A listing of recycling facilities.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 02/28/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 25

Source: Department of Environmental Quality
Telephone: 601-961-5005
Last EDR Contact: 05/29/2013
Next Scheduled EDR Contact: 06/10/2013
Data Release Frequency: Varies

SWTIRE: Commercial Waste Tire Haulers

A listing of commercial waste tire haulers.

Date of Government Version: 04/17/2013
Date Data Arrived at EDR: 04/18/2013
Date Made Active in Reports: 05/01/2013
Number of Days to Update: 13

Source: Department of Environmental Quality
Telephone: 601-961-5726
Last EDR Contact: 06/20/2013
Next Scheduled EDR Contact: 08/26/2013
Data Release Frequency: Quarterly

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 05/03/2013
Next Scheduled EDR Contact: 08/19/2013
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 03/04/2013
Date Data Arrived at EDR: 03/12/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 59

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 06/03/2013
Next Scheduled EDR Contact: 09/16/2013
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 11/19/2008	Telephone: 202-307-1000
Date Made Active in Reports: 03/30/2009	Last EDR Contact: 03/23/2009
Number of Days to Update: 131	Next Scheduled EDR Contact: 06/22/2009
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/06/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/25/2013	Telephone: 202-564-6023
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 07/24/2013
Number of Days to Update: 15	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2012	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 01/03/2013	Telephone: 202-366-4555
Date Made Active in Reports: 02/27/2013	Last EDR Contact: 07/01/2013
Number of Days to Update: 55	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Annually

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/12/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/15/2013	Telephone: (404) 562-8651
Date Made Active in Reports: 02/27/2013	Last EDR Contact: 07/01/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 08/07/2012	Telephone: 202-366-4595
Date Made Active in Reports: 09/18/2012	Last EDR Contact: 05/07/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 08/19/2013
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 07/19/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: 10/28/2013
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2011	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 02/26/2013	Telephone: 202-528-4285
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 06/10/2013
Number of Days to Update: 15	Next Scheduled EDR Contact: 09/23/2013
	Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2011	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 01/15/2013	Telephone: Varies
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 06/25/2013
Number of Days to Update: 57	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/18/2012	Source: EPA
Date Data Arrived at EDR: 03/13/2013	Telephone: 703-416-0223
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 06/11/2013
Number of Days to Update: 30	Next Scheduled EDR Contact: 09/23/2013
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 05/28/2013
Number of Days to Update: 146	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Varies

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/05/2013	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 04/18/2013	Telephone: 303-231-5959
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 06/04/2013
Number of Days to Update: 22	Next Scheduled EDR Contact: 09/16/2013
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 09/01/2011	Telephone: 202-566-0250
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 05/29/2013
Number of Days to Update: 131	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006	Source: EPA
Date Data Arrived at EDR: 09/29/2010	Telephone: 202-260-5521
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 06/25/2013
Number of Days to Update: 64	Next Scheduled EDR Contact: 10/07/2013
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 05/28/2013
Number of Days to Update: 25	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 05/28/2013
Number of Days to Update: 25	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 07/24/2013
Next Scheduled EDR Contact: 11/11/2013
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/20/2011
Date Data Arrived at EDR: 11/10/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 07/01/2013
Next Scheduled EDR Contact: 10/28/2013
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/01/2012
Date Data Arrived at EDR: 01/16/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 114

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 07/17/2013
Next Scheduled EDR Contact: 10/28/2013
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/14/2013
Date Data Arrived at EDR: 03/20/2013
Date Made Active in Reports: 07/10/2013
Number of Days to Update: 112

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 07/10/2013
Next Scheduled EDR Contact: 09/23/2013
Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/09/2013
Date Data Arrived at EDR: 04/11/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 29

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 07/12/2013
Next Scheduled EDR Contact: 10/21/2013
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 03/08/2013	Source: EPA
Date Data Arrived at EDR: 03/21/2013	Telephone: (404) 562-9900
Date Made Active in Reports: 07/10/2013	Last EDR Contact: 06/13/2013
Number of Days to Update: 111	Next Scheduled EDR Contact: 09/23/2013
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 05/08/2012	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/25/2012	Telephone: 202-564-8600
Date Made Active in Reports: 07/10/2012	Last EDR Contact: 07/24/2013
Number of Days to Update: 46	Next Scheduled EDR Contact: 11/11/2013
	Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2011	Source: EPA/NTIS
Date Data Arrived at EDR: 02/26/2013	Telephone: 800-424-9346
Date Made Active in Reports: 04/19/2013	Last EDR Contact: 05/30/2013
Number of Days to Update: 52	Next Scheduled EDR Contact: 09/09/2013
	Data Release Frequency: Biennially

UIC: UIC Information

A listing of underground injection control wells.

Date of Government Version: 03/19/2013	Source: State Oil & Gas Board
Date Data Arrived at EDR: 03/20/2013	Telephone: 601-576-4923
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 06/18/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 09/30/2013
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PERMITS: Environmental Site Information System Listing

The purpose of this system is to support the permitting and compliance activities of the Office of Pollution Control. Regulatory programs that are supported by this database are the Surface Water National Pollutant Discharge Elimination System (NPDES) Program; the Air Title V, Construction and Operating Programs; and the Solid and Hazardous Waste Programs.

Date of Government Version: 02/02/2013
Date Data Arrived at EDR: 02/06/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 47

Source: The Office of Pollution Control
Telephone: 601-961-5670
Last EDR Contact: 06/26/2013
Next Scheduled EDR Contact: 09/02/2013
Data Release Frequency: Quarterly

DRYCLEANERS: Drycleaner Facilities Listing

A listing of drycleaner facilities.

Date of Government Version: 06/08/2009
Date Data Arrived at EDR: 06/09/2009
Date Made Active in Reports: 07/02/2009
Number of Days to Update: 23

Source: Department of Environmental Quality
Telephone: 601-961-5670
Last EDR Contact: 06/26/2013
Next Scheduled EDR Contact: 09/02/2013
Data Release Frequency: Varies

NPDES: Industrial & Municipal NPDES Facilities

Water discharge permit data.

Date of Government Version: 02/02/2013
Date Data Arrived at EDR: 02/06/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 47

Source: Department of Environmental Quality
Telephone: 601-961-5666
Last EDR Contact: 06/26/2013
Next Scheduled EDR Contact: 09/02/2013
Data Release Frequency: Quarterly

AIRS: Air Quality Information Listing

Air emissions information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 03/02/2012
Date Made Active in Reports: 04/04/2012
Number of Days to Update: 33

Source: Department of Environmental Quality
Telephone: 601-961-5276
Last EDR Contact: 06/10/2013
Next Scheduled EDR Contact: 09/09/2013
Data Release Frequency: Annually

ASBESTOS: Asbestos Project Listing

A listing of Air Division Asbestos Branch projects.

Date of Government Version: 01/31/2013
Date Data Arrived at EDR: 02/01/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 52

Source: Department of Environmental Quality
Telephone: 601-961-5611
Last EDR Contact: 06/26/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 07/19/2013
Next Scheduled EDR Contact: 10/28/2013
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 07/18/2013
Next Scheduled EDR Contact: 11/04/2013
Data Release Frequency: Varies

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 12/18/2012
Date Data Arrived at EDR: 04/04/2013
Date Made Active in Reports: 07/10/2013
Number of Days to Update: 97

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 07/03/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Quarterly

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 07/19/2013
Next Scheduled EDR Contact: 10/28/2013
Data Release Frequency: N/A

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 01/23/2013
Date Data Arrived at EDR: 01/30/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-5962
Last EDR Contact: 06/25/2013
Next Scheduled EDR Contact: 10/14/2013
Data Release Frequency: Annually

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011
Date Data Arrived at EDR: 05/18/2012
Date Made Active in Reports: 05/25/2012
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 05/17/2013
Next Scheduled EDR Contact: 08/26/2013
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/29/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/14/2013	Telephone: 703-603-8787
Date Made Active in Reports: 02/27/2013	Last EDR Contact: 07/03/2013
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/21/2013
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/03/2011	Telephone: N/A
Date Made Active in Reports: 03/21/2011	Last EDR Contact: 06/14/2013
Number of Days to Update: 77	Next Scheduled EDR Contact: 09/23/2013
	Data Release Frequency: Varies

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 01/23/2013	Source: EPA
Date Data Arrived at EDR: 01/30/2013	Telephone: 202-564-5962
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 06/25/2013
Number of Days to Update: 100	Next Scheduled EDR Contact: 10/14/2013
	Data Release Frequency: Annually

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 12/31/2012	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/18/2013	Telephone: 617-520-3000
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 05/10/2013
Number of Days to Update: 81	Next Scheduled EDR Contact: 08/26/2013
	Data Release Frequency: Quarterly

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/04/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/15/2013	Telephone: 202-566-1917
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 05/20/2013
Number of Days to Update: 56	Next Scheduled EDR Contact: 09/02/2013
	Data Release Frequency: Quarterly

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/19/2011	Telephone: 202-566-0517
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 05/03/2013
Number of Days to Update: 83	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 07/19/2013
Next Scheduled EDR Contact: 10/28/2013
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR US Hist Cleaners: EDR Proprietary Historic Dry Cleaners - Cole

Date of Government Version: N/A	Source: N/A
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR US Hist Auto Stat: EDR Proprietary Historic Gas Stations - Cole

Date of Government Version: N/A	Source: N/A
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 05/01/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/09/2013	Telephone: 518-402-8651
Date Made Active in Reports: 07/10/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: 08/19/2013
	Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/23/2012	Telephone: 717-783-8990
Date Made Active in Reports: 09/18/2012	Last EDR Contact: 07/18/2013
Number of Days to Update: 57	Next Scheduled EDR Contact: 11/04/2013
	Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.
Telephone: (281) 769-2247
U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Child Care Listing

Source: Department of Health

Telephone: 601-576-7613

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

DOWNTOWN MCCOMB
300-399 N BROADWAY
MCCOMB, MS 39648

TARGET PROPERTY COORDINATES

Latitude (North):	31.2449 - 31° 14' 41.64"
Longitude (West):	90.4533 - 90° 27' 11.88"
Universal Tranverse Mercator:	Zone 15
UTM X (Meters):	742542.1
UTM Y (Meters):	3459355.8
Elevation:	414 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	31090-B4 MCCOMB SOUTH, MS
Most Recent Revision:	1972
North Map:	31090-C4 MCCOMB NORTH, MS
Most Recent Revision:	1972

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> PIKE, MS	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	28113C - FEMA DFIRM Flood data
Additional Panels in search area:	Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> NOT AVAILABLE	<u>NWI Electronic Data Coverage</u> YES - refer to the Overview Map and Detail Map
---	---

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era: Cenozoic
System: Tertiary
Series: Pliocene
Code: Tpc (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Continental Deposits

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 3680979.2s



- ★ Target Property
- ∩ SSURGO Soil
- ∩ Water



SITE NAME: Downtown Mccomb
ADDRESS: 300-399 N BROADWAY
Mccomb MS 39648
LAT/LONG: 31.2449 / 90.4533

CLIENT: Eco-Systems, Inc.
CONTACT: Josh Brown
INQUIRY #: 3680979.2s
DATE: July 30, 2013 7:39 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: RUSTON

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	11 inches	fine sandy loam	Not reported	Not reported	Max: 42.34 Min: 14.11	Max: 5.5 Min: 4.5
2	11 inches	38 inches		Not reported	Not reported	Max: 42.34 Min: 14.11	Max: 5.5 Min: 4.5
3	38 inches	79 inches		Not reported	Not reported	Max: 42.34 Min: 14.11	Max: 5.5 Min: 4.5

Soil Map ID: 2

Soil Component Name: BROOKHAVEN

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	18 inches	silt loam	Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5
2	18 inches	29 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5
3	29 inches	57 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5
4	57 inches	62 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5

Soil Map ID: 3

Soil Component Name: ORA

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 84 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	7 inches	25 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
3	25 inches	55 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
4	55 inches	70 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6

Soil Map ID: 4

Soil Component Name: FALAYA

Soil Surface Texture: silt loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 46 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	50 inches	silt loam	Not reported	Not reported	Max: 14.11 Min: 0.42	Max: 5.5 Min: 4.5
2	50 inches	64 inches		Not reported	Not reported	Max: 14.11 Min: 0.42	Max: 5.5 Min: 4.5

Soil Map ID: 5

Soil Component Name: COLLINS

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 107 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 4.5
2	7 inches	48 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 4.5

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A4	USGS40000625712	1/8 - 1/4 Mile NE
C7	USGS40000625661	1/8 - 1/4 Mile East
A11	USGS40000625703	1/8 - 1/4 Mile NE
D12	USGS40000625744	1/8 - 1/4 Mile North
E14	USGS40000625616	1/8 - 1/4 Mile SE
E15	USGS40000625618	1/8 - 1/4 Mile SE
E16	USGS40000625617	1/8 - 1/4 Mile SE
E21	USGS40000625615	1/8 - 1/4 Mile SE
B22	USGS40000625739	1/4 - 1/2 Mile NNE
F26	USGS40000625743	1/4 - 1/2 Mile NE
D28	USGS40000625758	1/4 - 1/2 Mile NNW
G32	USGS40000625757	1/4 - 1/2 Mile NNE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
H35	USGS40000625731	1/4 - 1/2 Mile ENE
J43	USGS40000625639	1/4 - 1/2 Mile ESE
J51	USGS40000625614	1/4 - 1/2 Mile ESE
K53	USGS40000625805	1/4 - 1/2 Mile NE
L55	USGS40000625538	1/4 - 1/2 Mile South
M61	USGS40000625877	1/4 - 1/2 Mile NNE
L63	USGS40000625518	1/2 - 1 Mile South
O69	USGS40000625508	1/2 - 1 Mile SE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	MS0150019	0 - 1/8 Mile South

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	MSU300000000314	1/8 - 1/4 Mile NE
A3	MSC100000044382	1/8 - 1/4 Mile NE
B5	MSU300000000316	1/8 - 1/4 Mile NNE
A6	MSP300000000825	1/8 - 1/4 Mile ENE
A8	MSC100000044387	1/8 - 1/4 Mile NE
C9	MSC100000044338	1/8 - 1/4 Mile ESE
A10	MSH300000000512	1/8 - 1/4 Mile ENE
D13	MSU300000000319	1/8 - 1/4 Mile North
E17	MSC100000044295	1/8 - 1/4 Mile SE
E18	MSC100000044294	1/8 - 1/4 Mile SE
E19	MSC100000044296	1/8 - 1/4 Mile SE
E20	MSC100000044297	1/8 - 1/4 Mile SE
B23	MSC100000044407	1/4 - 1/2 Mile NNE
F24	MSC100000044408	1/4 - 1/2 Mile NE
F25	MSP300000000831	1/4 - 1/2 Mile NE
F27	MSH300000000515	1/4 - 1/2 Mile NE
F29	MSC100000044409	1/4 - 1/2 Mile NE
F30	MSP300000000835	1/4 - 1/2 Mile NNE
G31	MSC100000044424	1/4 - 1/2 Mile NNE
H33	MSP300000000828	1/4 - 1/2 Mile ENE
H34	MSC100000044403	1/4 - 1/2 Mile ENE
I36	MSC100000044053	1/4 - 1/2 Mile SSW
I37	MSC100000044052	1/4 - 1/2 Mile SSW
I38	MSC100000044051	1/4 - 1/2 Mile SSW
I39	MSC100000044048	1/4 - 1/2 Mile SSW
I40	MSC100000044049	1/4 - 1/2 Mile SSW
I41	MSC100000044050	1/4 - 1/2 Mile SSW
J42	MSC100000044311	1/4 - 1/2 Mile ESE
H44	MSU300000000317	1/4 - 1/2 Mile ENE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
G45	MSH300000000521	1/4 - 1/2 Mile NNE
46	MSU300000000322	1/4 - 1/2 Mile North
K47	MSP300000000838	1/4 - 1/2 Mile NE
J48	MSC100000044300	1/4 - 1/2 Mile ESE
J49	MSP300000000821	1/4 - 1/2 Mile ESE
H50	MSH300000000513	1/4 - 1/2 Mile ENE
J52	MSU300000000312	1/4 - 1/2 Mile ESE
K54	MSC100000044452	1/4 - 1/2 Mile NE
L56	MSC100000043910	1/4 - 1/2 Mile South
M57	MSP300000000843	1/4 - 1/2 Mile NNE
M58	MSP300000000844	1/4 - 1/2 Mile NNE
M59	MSC100000044621	1/4 - 1/2 Mile NNE
M60	MSC100000044622	1/4 - 1/2 Mile NNE
L62	MSC100000043863	1/2 - 1 Mile South
64	MSH300000000508	1/2 - 1 Mile SE
65	MSH300000000523	1/2 - 1 Mile NNE
N66	MSC100000044896	1/2 - 1 Mile North
N67	MSC100000044897	1/2 - 1 Mile North
O68	MSPR30000013018	1/2 - 1 Mile SE
O70	MSC100000043850	1/2 - 1 Mile SE
71	MSC100000043741	1/2 - 1 Mile SE
P72	MSC100000044056	1/2 - 1 Mile ESE
P73	MSC100000044055	1/2 - 1 Mile ESE
P74	MSC100000044054	1/2 - 1 Mile ESE
P75	MSC100000044042	1/2 - 1 Mile ESE
P76	MSC100000044043	1/2 - 1 Mile ESE

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	MSOG50000012207	1/2 - 1 Mile West

PHYSICAL SETTING SOURCE MAP - 3680979.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Oil, gas or related wells



SITE NAME: Downtown Mccomb
 ADDRESS: 300-399 N BROADWAY
 Mccomb MS 39648
 LAT/LONG: 31.2449 / 90.4533

CLIENT: Eco-Systems, Inc.
 CONTACT: Josh Brown
 INQUIRY #: 3680979.2s
 DATE: July 30, 2013 7:39 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
South
0 - 1/8 Mile
Higher

FRDS PWS MS0150019

Pwsid:	MS0150019	Epa region:	04
State:	MS	County:	Copiah
Pws name:	HIGHWAY I-55 REST AREA		
Population Served:	25	Pwssvconn:	1
PWS Source:	Groundwater		
Pws type:	TNCWS		
Status:	Active	Owner type:	State_Govt
Facility id:	38926		
Facility name:	DISTRIBUTION DS000		
Facility type:	Distribution_system_zone	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Contact name:	LYONS, WALTER G		
Original name:	LYONS, WALTER G		
Contact phone:	662-248-4174	Contact address1:	P O BOX 630
Contact address2:	Not Reported		
Contact city:	YAZOO CITY		
Contact zip:	39194		
Facility id:	38926		
Facility name:	DISTRIBUTION DS000		
Facility type:	Distribution_system_zone	Treatment process:	inhibitor, polyphosphate
Treatment objective:	iron removal		
Facility id:	38926		
Facility name:	DISTRIBUTION DS000		
Facility type:	Distribution_system_zone	Treatment process:	aeration, packed tower
Treatment objective:	corrosion control		
Facility id:	38926		
Facility name:	DISTRIBUTION DS000		
Facility type:	Distribution_system_zone	Treatment process:	hypochlorination, post
Treatment objective:	disinfection		
Facility id:	31613		
Facility name:	TREATMENT FACILITY TF080		
Facility type:	Treatment_plant	Treatment process:	inhibitor, orthophosphate
Treatment objective:	corrosion control		
Facility id:	31613		
Facility name:	TREATMENT FACILITY TF080		
Facility type:	Treatment_plant	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	31613		
Facility name:	TREATMENT FACILITY TF080		
Facility type:	Treatment_plant	Treatment process:	inhibitor, polyphosphate
Treatment objective:	iron removal		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Facility id: 31613
 Facility name: TREATMENT FACILITY TF080
 Facility type: Treatment_plant Treatment process: aeration, packed tower
 Treatment objective: corrosion control

Facility id: 31613
 Facility name: TREATMENT FACILITY TF080
 Facility type: Treatment_plant Treatment process: hypochlorination, post
 Treatment objective: disinfection

Facility id: 34565
 Facility name: WELL WL001
 Facility type: Well Treatment process: inhibitor, orthophosphate
 Treatment objective: corrosion control

Facility id: 34565
 Facility name: WELL WL001
 Facility type: Well Treatment process: inhibitor, polyphosphate
 Treatment objective: corrosion control

Facility id: 34565
 Facility name: WELL WL001
 Facility type: Well Treatment process: inhibitor, polyphosphate
 Treatment objective: iron removal

Facility id: 34565
 Facility name: WELL WL001
 Facility type: Well Treatment process: aeration, packed tower
 Treatment objective: corrosion control

Facility id: 34565
 Facility name: WELL WL001
 Facility type: Well Treatment process: hypochlorination, post
 Treatment objective: disinfection

Facility id: 38926
 Facility name: DISTRIBUTION DS000
 Facility type: Distribution_system_zone Treatment process: inhibitor, orthophosphate
 Treatment objective: corrosion control

PWS ID: MS0150019
 Date Initiated: 7401 Date Deactivated: Not Reported
 PWS Name: HIGHWAY I-55 REST AREA
 CAREY MOAK
 BOX 627
 MCCOMB, MS 39648

Addressee / Facility: Operator
 HIGHWAY I-55 REST AREA
 CAREY MOAK
 BOX 627
 MCCOMB, MS 39648

Facility Latitude: 31 14 36 Facility Longitude: 090 27 11
 City Served: MCCOMB
 Treatment Class: Treated Population: 00000025

Violations information not reported.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

Truedate:	03/31/2009	Pwsid:	MS0150019
Pwsname:	HIGHWAY I-55 REST AREA		
Retpopsrvd:	25	Pwstypecod:	NC
Void:	103	Contaminant:	NITRATE-NITRITE
Viol. Type:	3		
Complperbe:	1/1/2003 0:00:00		
Complperen:	12/31/2003 0:00:00	Enfdate:	8/16/2004 0:00:00
Enf action:	State Public Notif Received		
Violmeasur:	Not Reported		

System Name:	HIGHWAY I-55 REST AREA		
Violation Type:	3		
Contaminant:	NITRATE-NITRITE		
Compliance Period:	1/1/2003 0:00:00 - 12/31/2003 0:00:00		
Violation ID:	103		
Enforcement Date:	8/16/2004 0:00:00	Enf. Action:	State Public Notif Received

System Name:	HIGHWAY I-55 REST AREA		
Violation Type:	3		
Contaminant:	NITRATE-NITRITE		
Compliance Period:	1/1/2003 0:00:00 - 12/31/2003 0:00:00		
Violation ID:	103		
Enforcement Date:	8/16/2004 0:00:00	Enf. Action:	State Public Notif Received

CONTACT INFORMATION:

Name:	HIGHWAY I-55 REST AREA	Population:	25
Contact:	MAGEE, J KEVIN	Phone:	Not Reported
Address:	P O BOX 630		
Address 2:	YAZOO CITY		
	MS, 39 662-7		

**A2
NE
1/8 - 1/4 Mile
Lower**

MS WELLS MSU300000000314

Latn:	311446	Longn:	902704
Fips:	113	Local no:	D196
Use 1:	P	Aquifer:	122MOCN
Depth:	590	Site id:	MSU300000000314

**A3
NE
1/8 - 1/4 Mile
Lower**

MS WELLS MSC100000044382

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0195		
Aquifer:	Not Reported		
Use 1:	Not Reported		
Owner name:	MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2468		
Longdd:	-90.4515		
Date drill:	02/13/86	Casing len:	0.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 0
 Screen len: 0.000000
 Well depth: 0
 Site id: MSC100000044382

A4
NE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625712

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311448090270501		
Monloc name:	D0195 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2468428
Longitude:	-90.4514869	Sourcemap scale:	Not Reported
Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	400.
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	19860213	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	618
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

B5
NNE
1/8 - 1/4 Mile
Lower

MS WELLS MSU300000000316

Latn:	311450	Longn:	902706
Fips:	113	Local no:	D004
Use 1:	P	Aquifer:	122MOCN
Depth:	586	Site id:	MSU300000000316

A6
ENE
1/8 - 1/4 Mile
Lower

MS WELLS MSP300000000825

Cnty:	113	Aquifer:	MOCN
Latn:	311445	Longn:	902700
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	590		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000825		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

C7
East
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625661

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311439090265901		
Monloc name:	D0159 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2443428
Longitude:	-90.4498201	Sourcemap scale:	Not Reported
Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	405.00
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19730101	Welldepth:	579
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1973-11-01	191.00	

A8
NE
1/8 - 1/4 Mile
Lower

MS WELLS MSC10000044387

County nam:	PIKE	Permit num:	MS-GW-07411
Fip well:	113D0196		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2469		
Longdd:	-90.4506		
Date drill:	05/09/86	Casing len:	505.000000
Casing dia:	16		
Screen len:	80.000000		
Well depth:	590		
Site id:	MSC10000044387		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C9
ESE
1/8 - 1/4 Mile
Lower

MS WELLS MSC10000044338

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0159		
Aquifer:	MIOCENE		
Use 1:	Not Reported		
Owner name:	I C GULF R R		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2443		
Longdd:	-90.4498		
Date drill:	01/01/73	Casing len:	0.000000
Casing dia:	10		
Screen len:	0.000000		
Well depth:	579		
Site id:	MSC10000044338		

A10
ENE
1/8 - 1/4 Mile
Lower

MS WELLS MSH30000000512

Wellid:	570004-05	Name:	CITY OF MCCOMB
Latn:	311446	Longn:	902700
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH30000000512

A11
NE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625703

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311446090270401		
Monloc name:	D0196 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2469222
Longitude:	-90.450525	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	409
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
 Construction date: 19860408 Welldepth: 590
 Welldepth units: ft Wellholedepth: 625
 Wellholedepth units: ft

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1986-05-09	200.8	

D12
North
1/8 - 1/4 Mile
Higher

FED USGS USGS40000625744

Org. Identifier: USGS-MS
 Formal name: USGS Mississippi Water Science Center
 Monloc Identifier: USGS-311453090271302
 Monloc name: D0089 PIKE
 Monloc type: Well
 Monloc desc: Not Reported
 Huc code: 08070205 Drainagearea value: Not Reported
 Drainagearea Units: Not Reported Contrib drainagearea: Not Reported
 Contrib drainagearea units: Not Reported Latitude: 31.2482317
 Longitude: -90.4537092 Sourcemap scale: Not Reported
 Horiz Acc measure: 5 Horiz Acc measure units: seconds
 Horiz Collection method: Interpolated from map
 Horiz coord refsys: NAD83 Vert measure val: 425.
 Vert measure units: feet Vertacc measure val: 10
 Vert accmeasure units: feet
 Vertcollection method: Interpolated from topographic map
 Vert coord refsys: NGVD29 Countrycode: US
 Aquifername: Coastal lowlands aquifer system
 Formation type: Miocene Series
 Aquifer type: Not Reported
 Construction date: 19700501 Welldepth: 606
 Welldepth units: ft Wellholedepth: 700
 Wellholedepth units: ft

Ground-water levels, Number of Measurements: 38

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1995-09-27	235.09		1995-03-15	235.10	
1994-11-02	236.48		1994-04-13	229.36	
1993-10-21	236.47		1993-06-03	232.32	
1993-04-26	228.48		1993-01-28	225.50	
1992-12-15	233.48		1992-10-08	234.38	
1992-04-08	229.69		1992-01-16	231.60	
1991-12-04	232.40		1991-10-29	234.23	
1991-10-03	241.04		1991-01-18	231.46	
1990-11-20	233.67		1990-10-03	242.54	
1990-08-29	243.62		1990-07-18	238.93	
1990-06-06	228.10		1990-04-25	233.76	
1990-03-15	233.20		1990-02-07	238.75	
1989-12-04	233.30		1989-11-15	234.20	
1989-10-04	234.99		1989-08-16	235.35	
1989-07-06	229		1989-05-24	227.03	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1989-04-13	225.99		1989-03-01	228.93	
1989-01-12	225.10		1988-12-01	227.83	
1988-10-12	230.70		1988-09-01	227.02	
1988-07-05	228.95		1971-07-01	198.00	

D13
North
1/8 - 1/4 Mile
Higher

MS WELLS MSU30000000319

Latn:	311453	Longn:	902713
Fips:	113	Local no:	D002
Use 1:	P	Aquifer:	122MOCN
Depth:	590	Site id:	MSU30000000319

E14
SE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625616

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270301		
Monloc name:	D0011 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4509312	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	88
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1954-01-01	24.00	

E15
SE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625618

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270303		
Monloc name:	D0008 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4509312	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19110101	Welldepth:	615
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

E16
SE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625617

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270302		
Monloc name:	D0007 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4509312	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19090101	Welldepth:	100
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

E17
SE
1/8 - 1/4 Mile
Lower

MS WELLS MSC100000044295

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0008		
Aquifer:	MIOCENE		
Use 1:	UNUSED		
Owner name:	CITY OF MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4509		
Date drill:	01/01/11	Casing len:	0.000000
Casing dia:	12		
Screen len:	0.000000		
Well depth:	615		
Site id:	MSC100000044295		

E18
SE
1/8 - 1/4 Mile
Lower

MS WELLS MSC100000044294

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0007		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	CITY OF MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4509		
Date drill:	01/01/09	Casing len:	0.000000
Casing dia:	8		
Screen len:	0.000000		
Well depth:	100		
Site id:	MSC100000044294		

E19
SE
1/8 - 1/4 Mile
Lower

MS WELLS MSC100000044296

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0011		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	IC RAILROAD		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4509		
Date drill:	/ /	Casing len:	0.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 0
 Screen len: 0.000000
 Well depth: 88
 Site id: MSC100000044296

E20
SE
1/8 - 1/4 Mile
Lower

MS WELLS MSC100000044297

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0010		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	IC RAILROAD		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4507		
Date drill:	01/01/54	Casing len:	0.000000
Casing dia:	10		
Screen len:	0.000000		
Well depth:	87		
Site id:	MSC100000044297		

E21
SE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625615

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270201		
Monloc name:	D0010 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4506534	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19540101	Welldepth:	87
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1954-01-01	26.00	

B22
NNE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000625739

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311452090271301		
Monloc name:	D0001 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2479539
Longitude:	-90.4509313	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	397.00
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19260101	Welldepth:	100
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1981-10-28	22.48	

B23
NNE
1/4 - 1/2 Mile
Lower

MS WELLS MSC10000044407

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0001		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	MCCOMB		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.248		
Longdd:	-90.4509		
Date drill:	01/01/26	Casing len:	0.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 18
 Screen len: 0.000000
 Well depth: 100
 Site id: MSC100000044407

F24
NE
1/4 - 1/2 Mile
Lower

MS WELLS MSC100000044408

County nam:	PIKE	Permit num:	MS-GW-01647
Fip well:	113D0002		
Aquifer:	MIOCENE		
Use 1:	ABANDONED		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2481		
Longdd:	-90.4506		
Date drill:	01/01/38	Casing len:	500.000000
Casing dia:	8		
Screen len:	90.000000		
Well depth:	590		
Site id:	MSC100000044408		

F25
NE
1/4 - 1/2 Mile
Lower

MS WELLS MSP300000000831

Cnty:	113	Aquifer:	MOCN
Latn:	311453	Longn:	902702
Use 1:	AB	Source:	MIOCENE AQUIFER SYSTEM
Depth:	590		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000831		

F26
NE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000625743

Org. Identifier:	USGS-MS	Drainagearea value:	Not Reported
Formal name:	USGS Mississippi Water Science Center	Contrib drainagearea:	Not Reported
Monloc Identifier:	USGS-311453090271301	Latitude:	31.2482056
Monloc name:	D0002 PIKE	Sourcemap scale:	Not Reported
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205		
Drainagearea Units:	Not Reported		
Contrib drainagearea units:	Not Reported		
Longitude:	-90.4506667		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	394.00
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19380101	Welldepth:	590
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
-----	-----	-----
1968-09-01	135.00	

F27
NE
1/4 - 1/2 Mile
Lower

MS WELLS MSH30000000515

Wellid:	570004-01	Name:	CITY OF MCCOMB
Latn:	311453	Longn:	902702
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH30000000515

D28
NNW
1/4 - 1/2 Mile
Higher

FED USGS USGS40000625758

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311456090271501		
Monloc name:	D0003 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.249065
Longitude:	-90.4542647	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	395.
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	582
Construction date:	19440101	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 4

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1996-10-17	208.55		1996-05-30	212.40	
1996-02-27	208.41		1996-02-21	203.1	

F29

NE
1/4 - 1/2 Mile
Lower

MS WELLS MSC100000044409

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0003		
Aquifer:	MIOCENE		
Use 1:	OBSERVATION		
Owner name:	MCCOMB		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2481		
Longdd:	-90.45		
Date drill:	01/01/44	Casing len:	0.000000
Casing dia:	12		
Screen len:	0.000000		
Well depth:	582		
Site id:	MSC100000044409		

F30

NNE
1/4 - 1/2 Mile
Lower

MS WELLS MSP300000000835

Cnty:	113	Aquifer:	MOCN
Latn:	311456	Longn:	902703
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	502		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000835		

G31

NNE
1/4 - 1/2 Mile
Lower

MS WELLS MSC100000044424

County nam:	PIKE	Permit num:	MS-GW-01646
Fip well:	113D0150		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2492		
Longdd:	-90.4511		
Date drill:	08/15/73	Casing len:	502.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 16
 Screen len: 80.000000
 Well depth: 594
 Site id: MSC100000044424

G32
NNE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000625757

Org. Identifier: USGS-MS
 Formal name: USGS Mississippi Water Science Center
 Monloc Identifier: USGS-311456090270301
 Monloc name: D0150 PIKE
 Monloc type: Well
 Monloc desc: Not Reported
 Huc code: 03180005 Drainagearea value: Not Reported
 Drainagearea Units: Not Reported Contrib drainagearea: Not Reported
 Contrib drainagearea units: Not Reported Latitude: 31.2492778
 Longitude: -90.4512056 Sourcemap scale: Not Reported
 Horiz Acc measure: .1 Horiz Acc measure units: seconds
 Horiz Collection method: Differentially corrected Global Positioning System (DGPS)
 Horiz coord refsys: NAD83 Vert measure val: 395.00
 Vert measure units: feet Vertacc measure val: 5
 Vert accmeasure units: feet
 Vertcollection method: Interpolated from topographic map
 Vert coord refsys: NGVD29 Countrycode: US
 Aquifername: Coastal lowlands aquifer system
 Formation type: Miocene Series
 Aquifer type: Not Reported
 Construction date: 19730101 Welldepth: 594
 Welldepth units: ft Wellholedepth: Not Reported
 Wellholedepth units: Not Reported

Ground-water levels, Number of Measurements: 2

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1981-10-28	191.00		1973-08-01	192.00	

H33
ENE
1/4 - 1/2 Mile
Lower

MS WELLS MSP300000000828

Cnty: 113 Aquifer: MOCN
 Latn: 311450 Longn: 902654
 Use 1: MU Source: MIOCENE AQUIFER SYSTEM
 Depth: 586
 Ownname: MCCOMB, CITY OF
 Applname: MCCOMB, CITY OF
 Site id: MSP300000000828

H34
ENE
1/4 - 1/2 Mile
Lower

MS WELLS MSC100000044403

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County nam:	PIKE	Permit num:	MS-GW-01648
Fip well:	113D0004		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2475		
Longdd:	-90.4483		
Date drill:	01/01/59	Casing len:	506.000000
Casing dia:	12		
Screen len:	80.000000		
Well depth:	586		
Site id:	MSC100000044403		

H35
ENE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000625731

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311450090270601		
Monloc name:	D0004 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2476333
Longitude:	-90.4483194	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	400.00
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19590101	Welldepth:	586
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

	Feet below	Feet to
Date	Surface	Sealevel

1968-09-01	156.00	

I36
SSW
1/4 - 1/2 Mile
Higher

MS WELLS MSC100000044053

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2207		
Aquifer:	Not Reported		
Use 1:	TEST HOLE		
Owner name:	CN RAILROAD		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	08/19/02	Casing len:	30.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	40		
Site id:	MSC100000044053		

**I37
SSW
1/4 - 1/2 Mile
Higher**

MS WELLS MSC100000044052

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2206		
Aquifer:	Not Reported		
Use 1:	OBSERVATION		
Owner name:	CNIC MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	08/01/02	Casing len:	24.000000
Casing dia:	2		
Screen len:	20.000000		
Well depth:	44		
Site id:	MSC100000044052		

**I38
SSW
1/4 - 1/2 Mile
Higher**

MS WELLS MSC100000044051

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2108		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	THERESA MARTIN		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	09/26/98	Casing len:	75.000000
Casing dia:	2		
Screen len:	10.000000		
Well depth:	85		
Site id:	MSC100000044051		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

I39
SSW
1/4 - 1/2 Mile
Higher

MS WELLS MSC100000044048

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0204		
Aquifer:	Not Reported		
Use 1:	OBSERVATION		
Owner name:	CNIC MC COMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	07/10/02	Casing len:	24.000000
Casing dia:	6		
Screen len:	20.000000		
Well depth:	44		
Site id:	MSC100000044048		

I40
SSW
1/4 - 1/2 Mile
Higher

MS WELLS MSC100000044049

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2071		
Aquifer:	Not Reported		
Use 1:	OBSERVATION		
Owner name:	CITY OF MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	08/02/89	Casing len:	5.000000
Casing dia:	4		
Screen len:	55.000000		
Well depth:	60		
Site id:	MSC100000044049		

I41
SSW
1/4 - 1/2 Mile
Higher

MS WELLS MSC100000044050

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2107		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	THERESA MARTIN		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	09/26/98	Casing len:	113.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
 Screen len: 20.000000
 Well depth: 133
 Site id: MSC100000044050

J42
ESE
1/4 - 1/2 Mile
Lower

MS WELLS MSC100000044311

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0194		
Aquifer:	HATTIESBURG		
Use 1:	Not Reported		
Owner name:	MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.243		
Longdd:	-90.4476		
Date drill:	01/21/86	Casing len:	530.000000
Casing dia:	4		
Screen len:	0.000000		
Well depth:	550		
Site id:	MSC100000044311		

J43
ESE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000625639

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311434090265101		
Monloc name:	D0194 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2429539
Longitude:	-90.4475978	Sourcemap scale:	Not Reported
Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	395.
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Hattiesburg Formation		
Aquifer type:	Not Reported		
Construction date:	19860121	Welldepth:	550
Welldepth units:	ft	Wellholedepth:	800
Wellholedepth units:	ft		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1986-01-25	184.	

H44
ENE
1/4 - 1/2 Mile
Lower

MS WELLS **MSU300000000317**

Latn:	311450	Longn:	902652
Fips:	113	Local no:	D150
Use 1:	P	Aquifer:	122MOCN
Depth:	594	Site id:	MSU300000000317

G45
NNE
1/4 - 1/2 Mile
Lower

MS WELLS **MSH300000000521**

Wellid:	570004-04	Name:	CITY OF MCCOMB
Latn:	311459	Longn:	902704
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH300000000521

46
North
1/4 - 1/2 Mile
Lower

MS WELLS **MSU300000000322**

Latn:	311500	Longn:	902708
Fips:	113	Local no:	D005
Use 1:	P	Aquifer:	122MOCN
Depth:	588	Site id:	MSU300000000322

K47
NE
1/4 - 1/2 Mile
Lower

MS WELLS **MSP300000000838**

Cnty:	113	Aquifer:	MOCN
Latn:	311458	Longn:	902657
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	588		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000838		

J48
ESE
1/4 - 1/2 Mile
Lower

MS WELLS **MSC100000044300**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County nam:	PIKE	Permit num:	MS-GW-07412
Fip well:	113D0198		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2422		
Longdd:	-90.4472		
Date drill:	03/04/86	Casing len:	515.000000
Casing dia:	16		
Screen len:	87.000000		
Well depth:	605		
Site id:	MSC100000044300		

**J49
ESE
1/4 - 1/2 Mile
Lower**

MS WELLS MSP300000000821

Cnty:	113	Aquifer:	MOCN
Latn:	311435	Longn:	902648
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	590		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000821		

**H50
ENE
1/4 - 1/2 Mile
Lower**

MS WELLS MSH300000000513

Wellid:	570004-02	Name:	CITY OF MCCOMB
Latn:	311452	Longn:	902650
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH300000000513

**J51
ESE
1/4 - 1/2 Mile
Lower**

FED USGS USGS40000625614

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090264901		
Monloc name:	D0198 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421417
Longitude:	-90.4471083	Sourcemap scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	384.
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19851211	Welldepth:	605
Welldepth units:	ft	Wellholedepth:	800
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1986-03-04	179.	

J52
ESE
1/4 - 1/2 Mile
Lower

MS WELLS MSU30000000312

Latn:	311431	Longn:	902649
Fips:	113	Local no:	D198
Use 1:	P	Aquifer:	122MOCN
Depth:	605	Site id:	MSU30000000312

K53
NE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000625805

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311500090270801		
Monloc name:	D0005 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	03180005	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2498972
Longitude:	-90.4491333	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	405.
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	588
Construction date:	19620101	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1996-02-21	213.95	

K54
NE
1/4 - 1/2 Mile
Lower

MS WELLS MSC10000044452

County nam:	PIKE	Permit num:	MS-GW-01644
Fip well:	113D0005		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.25		
Longdd:	-90.4492		
Date drill:	05/01/62	Casing len:	508.000000
Casing dia:	16		
Screen len:	80.000000		
Well depth:	588		
Site id:	MSC10000044452		

L55
South
1/4 - 1/2 Mile
Lower

FED USGS USGS40000625538

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311418090271301		
Monloc name:	D0013 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2385095
Longitude:	-90.453709	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	100
Construction date:	19320101	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

L56
South
1/4 - 1/2 Mile
Lower

MS WELLS MSC100000043910

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0013		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	ATLANTIC CO		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2385		
Longdd:	-90.4537		
Date drill:	01/01/32	Casing len:	0.000000
Casing dia:	0		
Screen len:	0.000000		
Well depth:	100		
Site id:	MSC100000043910		

M57
NNE
1/4 - 1/2 Mile
Higher

MS WELLS MSP300000000843

Cnty:	113	Aquifer:	MOCN
Latn:	311505	Longn:	902702
Use 1:	AB	Source:	MIOCENE AQUIFER SYSTEM
Depth:	606		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000843		

M58
NNE
1/4 - 1/2 Mile
Higher

MS WELLS MSP300000000844

Cnty:	113	Aquifer:	MOCN
Latn:	311505	Longn:	902700
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	610		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000844		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

M59
NNE
 1/4 - 1/2 Mile
 Higher

MS WELLS MSC100000044621

County nam:	PIKE	Permit num:	MS-GW-01645
Fip well:	113D0089		
Aquifer:	MIOCENE		
Use 1:	ABANDONED		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2517		
Longdd:	-90.4508		
Date drill:	01/01/70	Casing len:	607.000000
Casing dia:	16		
Screen len:	0.000000		
Well depth:	606		
Site id:	MSC100000044621		

M60
NNE
 1/4 - 1/2 Mile
 Higher

MS WELLS MSC100000044622

County nam:	PIKE	Permit num:	MS-GW-15009
Fip well:	113D0200		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2517		
Longdd:	-90.4508		
Date drill:	09/20/96	Casing len:	520.000000
Casing dia:	16		
Screen len:	70.000000		
Well depth:	628		
Site id:	MSC100000044622		

M61
NNE
 1/4 - 1/2 Mile
 Higher

FED USGS USGS40000625877

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311508090270001		
Monloc name:	D0200 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.251725
Longitude:	-90.4507861	Sourcemap scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	425.
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Catahoula Formation, Lower		
Aquifer type:	Not Reported		
Construction date:	19960326	Welldepth:	605
Welldepth units:	ft	Wellholedepth:	628
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1996-09-20	204.	

L62
South
1/2 - 1 Mile
Higher

MS WELLS

MSC10000043863

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0012		
Aquifer:	MIOCENE		
Use 1:	UNUSED		
Owner name:	MCCOMB MFG. CO		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2377		
Longdd:	-90.4545		
Date drill:	01/01/55	Casing len:	0.000000
Casing dia:	8		
Screen len:	0.000000		
Well depth:	596		
Site id:	MSC10000043863		

L63
South
1/2 - 1 Mile
Higher

FED USGS

USGS40000625518

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311415090271601		
Monloc name:	D0012 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2376762
Longitude:	-90.4545424	Sourcemap scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	400.00
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19550101	Welldepth:	596
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1955-02-01	119.00	

64
SE
1/2 - 1 Mile
Lower

MS WELLS MSH30000000508

Wellid:	570004-06	Name:	CITY OF MCCOMB
Latn:	311422	Longn:	902649
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Ciname:	Pike	Site id:	MSH30000000508

65
NNE
1/2 - 1 Mile
Higher

MS WELLS MSH30000000523

Wellid:	570004-03	Name:	CITY OF MCCOMB
Latn:	311508	Longn:	902656
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Ciname:	Pike	Site id:	MSH30000000523

N66
North
1/2 - 1 Mile
Higher

MS WELLS MSC100000044896

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2077		
Aquifer:	Not Reported		
Use 1:	INDUSTRIAL		
Owner name:	CAVENHAM		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2556		
Longdd:	-90.4557		
Date drill:	10/15/91	Casing len:	116.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
 Screen len: 20.000000
 Well depth: 136
 Site id: MSC100000044896

N67
North
1/2 - 1 Mile
Higher

MS WELLS MSC100000044897

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2078		
Aquifer:	Not Reported		
Use 1:	COMMERCIAL		
Owner name:	WASTE MANAGEMENT INC.		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2556		
Longdd:	-90.4557		
Date drill:	08/20/91	Casing len:	125.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	135		
Site id:	MSC100000044897		

O68
SE
1/2 - 1 Mile
Lower

MS WELLS MSPR30000013018

Latn:	311414	Longn:	902632
Local no:	E086	Use 1:	H
Aquifer:	121CRNL	Depth:	75
County:	PIKE	Fips:	113
Site id:	MSPR30000013018		

O69
SE
1/2 - 1 Mile
Lower

FED USGS USGS40000625508

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311414090263201		
Monloc name:	E0086 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2373984
Longitude:	-90.4423198	Sourcemap scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	10	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19700101	Welldepth:	75
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1970-04-01	33.00	

O70
SE
1/2 - 1 Mile
Lower

MS WELLS MSC100000043850

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0086		
Aquifer:	CITRONELLE		
Use 1:	DOMESTIC		
Owner name:	CROFT ALUMN CO		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2374		
Longdd:	-90.4423		
Date drill:	01/01/70	Casing len:	0.000000
Casing dia:	4		
Screen len:	0.000000		
Well depth:	75		
Site id:	MSC100000043850		

71
SE
1/2 - 1 Mile
Lower

MS WELLS MSC100000043741

County nam:	PIKE	Permit num:	MS-GW-16512
Fip well:	113E0264		
Aquifer:	MIOCENE		
Use 1:	IRRIGATION		
Owner name:	MCCOMB, CITY OF		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2361		
Longdd:	-90.4431		
Date drill:	04/16/08	Casing len:	160.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
 Screen len: 20.000000
 Well depth: 180
 Site id: MSC100000043741

P72
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044056

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2066		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	EDGAR FOWLER		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2404		
Longdd:	-90.439		
Date drill:	10/05/87	Casing len:	100.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	110		
Site id:	MSC100000044056		

P73
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044055

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2065		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	EDGAR FOWLER		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2404		
Longdd:	-90.439		
Date drill:	10/09/87	Casing len:	40.000000
Casing dia:	4		
Screen len:	40.000000		
Well depth:	80		
Site id:	MSC100000044055		

P74
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044054

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2062		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	LOURINDA BULLOCK		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2404		
Longdd:	-90.439		
Date drill:	07/23/86	Casing len:	88.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
Screen len: 10.000000
Well depth: 98
Site id: MSC100000044054

P75
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044042

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0237		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	LAUS, MARGIE		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2403		
Longdd:	-90.4389		
Date drill:	12/28/05	Casing len:	105.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	113		
Site id:	MSC100000044042		

P76
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044043

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0238		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	LAWS, MARGE		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2403		
Longdd:	-90.4389		
Date drill:	12/28/05	Casing len:	105.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	115		
Site id:	MSC100000044043		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

1
West
1/2 - 1 Mile

OIL_GAS MSOG50000012207

Wellid:	2311300300		
Well name:	MCCOMB 11-8		
Operator:	SUN OIL COMPANY		
Field name:	McComb		
County name:	PIKE	Well type:	DH
Well status:	PA		
Section:	11		
Twon :	3		
Twon dir :	N		
Rng :	7		
Rng dir :	E		
Lat :	31.242851		
Long :	-90.466597		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: MS Radon

Radon Test Results

County	Num Sites	Avg Pci/L	Max Pci/L	Median Pci/L	% > 4 Pci/L	% > 20 Pci/L
PIKE	9	1.4	3.1	1.2	0	0

Federal EPA Radon Zone for PIKE County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 39648

Number of sites tested: 5

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.120 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	2.700 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Health Department Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Public supply water wells monitored by the Environmental Division of the Department of Health.

Permitted Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Water wells, 6-inches in diameter or larger that are permitted and monitored by the Office of Land and Water Resources.

USGS Private Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Privately owned water wells monitored by the USGS.

USGS Public Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Publicly owned water wells monitored by the USGS.

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Location Listing

Source: Mississippi Oil and Gas Board

Telephone: 601-354-7119

RADON

State Database: MS Radon

Source: Department of Health

Telephone: 601-987-6893

Radon Levels

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX D

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
UST DATABASE SEARCH RESULTS**

Facility Id	Facility Name	Address	City	Zip	County	Latitude	Longitude	Facility Status	Owner Name	Total Tanks	Active Tanks	Permanently Out Of Use Tanks	Reported Release
6098	Alexander's Gulf	201 North Broadway	McComb	39648	Pike	31° 14' 45.0200"	90° 27' 15.5300"	Active	Pat Brumfield	8	3	5	
6102	Brumfield Oil Company	500 Pearl River Avenue	McComb	39648	Pike	31° 14' 44.8700"	90° 26' 53.0700"	Inactive	Pat Brumfield	2	0	2	Yes
6985	Ray Deer Texaco	131 South Broadway	McComb	39648	Pike	31° 14' 35.3800"	90° 27' 11.8300"	Inactive	Buffalo Services Inc	4	0	4	Yes
6999	Summit Street Chevron	200 Summit Street	McComb	39648	Pike	31° 14' 57.5160"	90° 27' 7.0884"	Inactive	Buffalo Services Inc	3	0	3	
2252	Hughey's Gulf	501 Pearl River Avenue	McComb	39648	Pike	31° 14' 45.8800"	90° 26' 53.0300"	Inactive	Hughey Greer	4	0	4	
12382	Conner Abandoned Station	202 S Broadway	McComb	39648	Pike	31° 14' 31.5100"	90° 27' 12.0300"	Inactive	MS Department Of Transportation	3	0	3	
7058	Mathis Texaco	200 East Georgia Avenue & Summitt Street	McComb	39648	Pike	31° 15' 1.3700"	90° 27' 9.5000"	Active	W A Mathis	3	0	0	Yes
4619	Holmes North Broadway Shell	500 North Broadway	McComb	39648	Pike	31° 14' 55.9800"	90° 27' 16.8200"	Inactive	Magruder Oil LLC	6	0	6	Yes
8727	B & E Quick Mart	Georgia Avenue & Highway 51	McComb	39648	Pike	31° 15' 0.8400"	90° 27' 9.3800"	Inactive	Vincent Paciera	2	0	2	
9280	Bst Mccomb Co 76107	408 Michigan Avenue	McComb	39648	Pike	31° 14' 49.6300"	90° 27' 22.1400"	Inactive	Bellsouth Telecommunications	3	0	3	
3792	Love Food Mart #1	503 North Broadway	McComb	39648	Pike	31° 14' 56.8000"	90° 27' 18.4500"	Active	Lakhwinder Singh	2	2	0	
6984	Landrews Auto Service	429 W Georgia Avenue	McComb	39648	Pike	31° 14' 59.1180"	90° 27' 25.8624"	Inactive	Buffalo Services Inc	6	0	6	
6397	Greyhound Bus Line	207 Front Street	McComb	39648	Pike	31° 14' 42.8964"	90° 27' 9.1332"	Inactive	F Allen Jones	1	0	1	
614	Warehouse	200 North Railroad Boulevard	McComb	39648	Pike	31° 14' 43.6740"	90° 27' 5.6448"	Inactive	Susan Jackson	1	0	1	
4627	Farmers Milling	300 East Railroad Avenue	McComb	39648	Pike	31° 14' 28.3200"	90° 27' 2.6604"	Inactive	Magruder Oil Company	1	0	1	
1282	Mccomb Public Works Department	122 East Michigan Street	McComb	39648	Pike	31° 14' 53.0000"	90° 27' 3.0000"	Inactive	City Of McComb	5	0	5	Yes
343	Mccomb Police Division	100 5th Street	McComb	39648	Pike	31° 14' 41.8668"	90° 27' 21.8232"	Inactive	City of McComb	1	0	1	Yes
955	Mccomb Fire Division	407 East Michigan Avenue	McComb	39648	Pike	31° 14' 53.6352"	90° 26' 58.2072"	Inactive	City of McComb	1	0	1	
7060	Circle B #2	540 Pearl River Ave	McComb	39648	Pike	31° 14' 44.5000"	90° 26' 50.0000"	Active	Ballew Enterprises LLC	4	4	0	Yes

APPENDIX E



Downtown Mccomb

300-399 N BROADWAY

Mccomb, MS 39648

Inquiry Number: 3506533.5

January 30, 2013

The EDR Aerial Photo Decade Package

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography January 30, 2013

Target Property:

300-399 N BROADWAY

McComb, MS 39648

<u><i>Year</i></u>	<u><i>Scale</i></u>	<u><i>Details</i></u>	<u><i>Source</i></u>
1971	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Date: February 23, 1971	EDR
1992	Aerial Photograph. Scale: 1"=750'	Panel #: 31090-B4, McComb South, MS;/Flight Date: February 01, 1992	EDR
2005	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Year: 2005	EDR



INQUIRY #: 3506533.5

YEAR: 1971

 = 500'





INQUIRY #: 3506533.5

YEAR: 1992

| = 750'





INQUIRY #: 3506533.5

YEAR: 2005

| = 500'





Downtown Mccomb

300-399 N BROADWAY

Mccomb, MS 39648

Inquiry Number: 3506533.4

January 29, 2013

EDR Historical Topographic Map Report

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map




	TARGET QUAD	SITE NAME: Downtown Mccomb	CLIENT: Eco-Systems, Inc.
	NAME: MCCOMB SOUTH	ADDRESS: 300-399 N BROADWAY	CONTACT: Josh Brown
	MAP YEAR: 1972	Mccomb, MS 39648	INQUIRY#: 3506533.4
	SERIES: 7.5	LAT/LONG: 31.2449 / -90.4533	RESEARCH DATE: 01/29/2013
	SCALE: 1:24000		

Historical Topographic Map




<p>N</p> 	<p>TARGET QUAD</p> <p>NAME: MCCOMB</p> <p>MAP YEAR: 1984</p>	<p>SITE NAME: Downtown McComb</p> <p>ADDRESS: 300-399 N BROADWAY</p> <p>McComb, MS 39648</p> <p>LAT/LONG: 31.2449 / -90.4533</p>	<p>CLIENT: Eco-Systems, Inc.</p> <p>CONTACT: Josh Brown</p> <p>INQUIRY#: 3506533.4</p> <p>RESEARCH DATE: 01/29/2013</p>
	<p>SERIES: 30</p> <p>SCALE: 1:100000</p>		

Historical Topographic Map



	TARGET QUAD NAME: MCCOMB MAP YEAR: 1994	SITE NAME: Downtown McComb ADDRESS: 300-399 N BROADWAY McComb, MS 39648 LAT/LONG: 31.2449 / -90.4533	CLIENT: Eco-Systems, Inc. CONTACT: Josh Brown INQUIRY#: 3506533.4 RESEARCH DATE: 01/29/2013
	SERIES: 30 SCALE: 1:100000		

Historical Topographic Map



	ADJOINING QUAD	SITE NAME: Downtown Mccomb	CLIENT: Eco-Systems, Inc.
	NAME: MCCOMB NORTH	ADDRESS: 300-399 N BROADWAY	CONTACT: Josh Brown
	MAP YEAR: 1972	Mccomb, MS 39648	INQUIRY#: 3506533.4
	SERIES: 7.5	LAT/LONG: 31.2449 / -90.4533	RESEARCH DATE: 01/29/2013
	SCALE: 1:24000		

APPENDIX F



Downtown Mccomb

300-399 N BROADWAY

Mccomb, MS 39648

Inquiry Number: 3506533.3

January 30, 2013

Certified Sanborn® Map Report

Certified Sanborn® Map Report

1/30/13

Site Name:

Downtown Mccomb
300-399 N BROADWAY
Mccomb, MS 39648

Client Name:

Eco-Systems, Inc.
6360 I-55 North
Jackson, MS 39211



EDR Inquiry # 3506533.3

Contact: Josh Brown

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Eco-Systems, Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: Downtown Mccomb
Address: 300-399 N BROADWAY
City, State, Zip: Mccomb, MS 39648
Cross Street:
P.O. # 11183
Project: McComb
Certification # 501C-40A5-B963



Sanborn® Library search results
Certification # 501C-40A5-B963

Maps Provided:

1961	1904
1949	1898
1925	1893
1918	1886
1913	
1907	

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Eco-Systems, Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1961 Source Sheets



Volume 1, Sheet 4



Volume 1, Sheet 5



Volume 1, Sheet 11



Volume 1, Sheet 13




Volume 1, Sheet 17

1949 Source Sheets



Volume 1, Sheet 11



Volume 1, Sheet 4



Volume 1, Sheet 5



Volume 1, Sheet 17



Volume 1, Sheet 13

1925 Source Sheets




Volume 1, Sheet 4



Volume 1, Sheet 5



Volume 1, Sheet 13



Volume 1, Sheet 17



Volume 1, Sheet 11

1918 Source Sheets



Volume 1, Sheet 5



Volume 1, Sheet 4



Volume 1, Sheet 14




Volume 1, Sheet 12


1913 Source Sheets



Volume 1, Sheet 2



Volume 1, Sheet 7



Volume 1, Sheet 3



Volume 1, Sheet 6


1907 Source Sheets




Volume 1, Sheet 5



Volume 1, Sheet 4




Volume 1, Sheet 3



Volume 1, Sheet 2

1904 Source Sheets




Volume 1, Sheet 2



Volume 1, Sheet 5



Volume 1, Sheet 4



Volume 1, Sheet 3


1898 Source Sheets




Volume 1, Sheet 5



Volume 1, Sheet 4



Volume 1, Sheet 3




Volume 1, Sheet 2

1893 Source Sheets



Volume 1, Sheet 2




Volume 1, Sheet 1

1886 Source Sheets



Volume 1, Sheet 1

1961 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 501C-40A5-B963

Site Name: Downtown Mccomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 4
- Volume 1, Sheet 5
- Volume 1, Sheet 13
- Volume 1, Sheet 17
- Volume 1, Sheet 19



1949 Certified Sanborn Map


The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
501C-40A5-B963


Site Name: Downtown Mccomb
Address: 300-399 N BROADWAY
City, ST, ZIP: Mccomb MS 39648
Client: Eco-Systems, Inc.
EDR Inquiry: 3506533.3
Order Date: 1/30/2013 12:09:04 PM
Certification #: 501C-40A5-B963




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 11
- Volume 1, Sheet 4
- Volume 1, Sheet 5
- Volume 1, Sheet 17
- Volume 1, Sheet 13



1925 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 501C-40A5-B963

Site Name: Downtown Mccomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 4
- Volume 1, Sheet 5
- Volume 1, Sheet 13
- Volume 1, Sheet 17
- Volume 1, Sheet 11



1918 Certified Sanborn Map





The certified Sanborn Map Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 501C-40A5-B963

Site Name: Downtown Mccomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963
 Copyright: 1918




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 5
- Volume 1, Sheet 4
- Volume 1, Sheet 14
- Volume 1, Sheet 12



1913 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
501C-40A5-B963

Site Name: Downtown Mccomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963
 Copyright: 1913



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 2
- Volume 1, Sheet 7
- Volume 1, Sheet 3
- Volume 1, Sheet 6



1907 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 501C-40A5-B963

Site Name: Downtown Mccomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




- Volume 1, Sheet 5
- Volume 1, Sheet 4
- Volume 1, Sheet 3
- Volume 1, Sheet 2



1904 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.





Certification # 501C-40A5-B963

Site Name: Downtown Mccomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 2
- Volume 1, Sheet 5
- Volume 1, Sheet 4
- Volume 1, Sheet 3




1898 Certified Sanborn Map

Site Name: Downtown Mcomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mcomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963
 Copyright: 1898





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 501C-40A5-B963



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1, Sheet 5
- Volume 1, Sheet 4
- Volume 1, Sheet 3
- Volume 1, Sheet 2




1893 Certified Sanborn Map



Site Name: Downtown Mcomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mcomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963
 Copyright: 1893



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 2
 Volume 1, Sheet 1





1886 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



Certification # 501C-40A5-B963

Site Name: Downtown Mccomb
 Address: 300-399 N BROADWAY
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3506533.3
 Order Date: 1/30/2013 12:09:04 PM
 Certification #: 501C-40A5-B963
 Copyright: 1886



*I have this day examined
 Sanborn's Map of McComb
 City, Miss. and find the
 same correct.
 June 24 1886
 J. J. Price*

This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 1



APPENDIX G

Downtown Mccomb

300-399 N BROADWAY
Mccomb, MS 39648

Inquiry Number: 3506533.6
February 01, 2013

The EDR-City Directory Image Report

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Target Street</u>	<u>Cross Street</u>	<u>Source</u>
2012	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
2007	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
2002	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1996	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1991	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1986	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1981	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1976	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1972	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1968	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory
1963	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk's City Directory

RECORD SOURCES

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

FINDINGS

TARGET PROPERTY STREET

300-399 N BROADWAY
Mccomb, MS 39648

<u>Year</u>	<u>CD Image</u>	<u>Source</u>
-------------	-----------------	---------------

N BROADWAY

2012	pg A1	Polk's City Directory
2007	pg A2	Polk's City Directory
2002	pg A3	Polk's City Directory
1996	pg A4	Polk's City Directory
1991	pg A5	Polk's City Directory
1986	pg A6	Polk's City Directory
1981	pg A7	Polk's City Directory
1976	pg A8	Polk's City Directory
1972	pg A9	Polk's City Directory
1968	pg A10	Polk's City Directory
1963	pg A11	Polk's City Directory

FINDINGS

CROSS STREETS

<u>Year</u>	<u>CD Image</u>	<u>Source</u>
<u>State St</u>		
2012	pg. A12	Polk's City Directory
2007	pg. A13	Polk's City Directory
2002	pg. A14	Polk's City Directory
1996	pg. A15	Polk's City Directory
1991	pg. A16	Polk's City Directory
1986	pg. A17	Polk's City Directory
1986	pg. A18	Polk's City Directory
1981	pg. A19	Polk's City Directory
1976	pg. A20	Polk's City Directory
1972	pg. A21	Polk's City Directory
1968	pg. A22	Polk's City Directory
1963	pg. A23	Polk's City Directory

City Directory Images

N BROADWAY 2012

✓ @601-684-6077
200 ERA WILD REALTY real estate consultants ✓ @601-684-2131
201 B LINE DOWNTOWN convenience stores ✓601-250-6981
213 No Current Listing	
215 CHURCH OF THE MEDIATOR/REDEMPT churches ✓601-684-5662
216 Walker Wade ✓ [2]	
218 ATIN FOR SMALL BUSINESS LLC business serv @601-250-0356
305 No Current Listing	
315 Barron Norma H ✓ @ [20] ♣ (1942)	
Barron Morris J	
317 Jones Albert ✓ [7]601-680-1327
318 Rooney J C ✓ [51] ♣ (1942)601-684-7189
320 GREYHOUND LINES bus lines ✓ @601-684-0705
Ⓜ James Felicia ✓	
323 Ⓜ Isaac Adwina ✓	
422 Robinson Tameca L ✓ @ [16] ♣ (1946)	
423 Roundtree Joe W ✓ @ [9] ♣ (1946)	
Roundtree Hancie W	
Williams Kenya D ✓ @ [16] ♣ (1946)	
Williams Leana C	
424 Ⓜ Martin Michelle @	
426 Johnson Roshunda ✓ @ [3]	
Johnson Victoria	
McGhee Herbert ✓ [5]601-680-4842
428 Hawthorne William H Jr [13] ♣ (1946)	
QUALITY DETAIL auto detail & clean-up serv ✓ @601-680-0347
429 Ross-McCray Tracey D ✓ @ [6] ♣ (1946)	
500 HOLMES NORTH BROADWAY SHELL serv station	
equip ✓ @601-684-9764

N BROADWAY 2007

.....	601-684-6677
144 RODRIGUE ADA C CPA accountants ..	601-249-3031
+ STATE ST ENDS	
200 WILD REALTY INC real estate	601-684-2131
201 B LINE DOWNTOWN serv stations- gasoline & oil	
.....	601-250-6981
213 Huber H [2]	
215 CHURCH OF THE MEDIATOR churches	
.....	601-684-5682
216 No Current Listing	
218 Hutson Sam [2]	
+ MARYLAND AVE INTERSECTS	
+ CLARK AVE INTERSECTS	
305 No Current Listing	
315 Barron Norma H & Bobby D [15] ▲	
317 No Current Listing	
318 Rooney Sarah C [46] ▲	601-684-7189
Rooney J C	601-684-7189
320 GREYHOUND STATION bus lines	601-684-0705
WAP TRANSPORTATION transportation	
.....	601-684-0934
323 No Current Listing	
+ W MICHIGAN AVE ENDS	
422 No Current Listing	
423 Houston Willie J Jr [9] ▲	
Roundtree Hancie L [4] ▲	
Williams Hancie L [11] ▲	
Williams Leana C	
424 No Current Listing	
426 Ⓜ Powers Pearlene	
428 ANGELA'S BEAUTY SALONS beauty salons	
.....	601-684-0546
429 Rhodes Curtis & Rita J [2]	601-684-1884
+ W NEW YORK AVE INTERSECTS	
• ZIP CODE 39648 CAR-RT C008	
503 Ⓜ Alamry Nadher A	
LOVE FOOD MARKET food markets	601-684-8608
511 Toney Kathy M [14] ▲	

N BROADWAY 2002

N BROADWAY (MCCOMB)

• **ZIP CODE 39648 CAR-RT C002**

- 110 BROADWAY DELI & SANDWICH SHOP
restaurants601-249-2430
- WATKINS & COX architects601-684-6181
- 116 THOMAS FASHIONS FOR MEN formal wear-rental
.....601-684-0521
- 118 MC COMB NEUROLOGY physicians & surgeons
.....601-249-2491
- 124 REPUBLIC FINANCE INC financing ..601-684-1911
- 144 RODRIGUE ADA C CPA accountants
.....601-249-3031

• **ZIP CODE 39648 CAR-RT C008**

- 200 MC COLGAN INVESTMENT & LOAN CO loans
MONEY CENTER real estate loans
WILD REALTY INC real estate
- 201 ALEXANDER'S GULF SVC serv stations-gasoline
& oil601-684-7805
- 215 CHURCH OF THE MEDIATOR churches
.....601-684-5682
- MC COMB NUTRITION SITE nutritionists
.....601-250-4740
- 216 - 426 Not Verified (8 Hses)
- 429 Dillon Beverly B [7]
- 503 LOVES FOOD MART convenience stores
.....601-684-6254
- 511 Toney Kathy M & Angus [5]601-684-6253
- 512 - 518 Not Verified (2 Hses)
- 523 Wynne Brenda [2]601-249-2205
- Wynne Latoya601-249-2205
- 524 Not Verified

BUSINESSES 13

HOUSEHOLDS 14

N BROADWAY 1996

N BROADWAY ST (MC) cont'd

201 ALEXANDER'S B P STATION gas
sta..... 684-7805

215 CHURCH OF THE MEDIATOR
class rooms

216½ Not Verified

217 CHURCH OF THE MEDIATOR
..... 684-5682

218 Alford Duane H & Jackie [2]
..... 249-4178
Hutson Sam..... 249-4178

7

+ CLARK ST INTERSECTS

300 ENTERGY 684-3171

305 Mann Robert W & Mary [2]
..... 684-8754

315 [N] Lambert Millard P & Angela ▲
..... 684-2372

317 Williams Eula [3]

318 Rooney Sarah C [9]+ ▲ .. 684-7189

Rodrigue Ada Cecile..... 684-7189

Rodrigue Teresa M..... 684-7189

320 EXPRESS CAR WASH & RESTR
car det & carry out restr. 684-0424

323 [N] Issac Adwina

331 Not Verified

+ W MICHIGAN AV INTERSECTS

5

422 Anderson Morris L & Lillie [8]
..... 684-6813

423 [N] Brook Jasmine M

424 Marsalis J T & Linda [5] ▲
..... 684-1821

426 Miller Lee [2] 249-1056

428 Vacant

429 [N] Miller Tameka

+ NEW YORK AV INTERSECTS

500 HOLMES NORTH BROADWAY
SHELL SERVICE gas sta
..... 684-9764

500 S. S. QUICK MART NO. 1

N BROADWAY 1991

N BROADWAY ST (MC)-Contd

136 Vacant
 144 Rodrigue Ada C cpa 249-3031
 STATE ST ENDS
 MARYLAND AV INTERSECTS
 4TH ST ENDS
 200 Wild W G Real Estate Agency Inc
 684-2131
 Money Center Inc the broker 684-2131
 Mc Colgan Investment & Loan Co Inc
 684-2131
 201 Alexander's Gulf Station gas sta
 684-7805
 210 No Return
 215 Church of the Mediator (Class Rms)
 217 Church of the Mediator 684-5682
 218 Gorsky Philippe ©
 CLARK ST INTERSECTS

CLARK ST INTERSECTS

300 Mississippi Power & Light Co 684-3171
 305 Vacant
 315 Barron Bobby D © 249-2386
 317 Williams Bill Mrs 684-6964
 318 Rooney Sarah C © 684-7189
 320 Julian's TV Center 684-8198
 323 Mc Daniels
 331 Vacant
 W MICHIGAN AV INTERSECTS

420 Vacant
 422 Anderson Morris L © 684-6813
 423 Vacant
 424★Marsalis J T © 684-1821
 426-429 Vacant (3 Hses)
 NEW YORK AV INTERSECTS
 500 Holmes North Broadway Shell Service
 gas sta 684-9764
 503 Charter gro 684-1012
 511 Mc Cosker Cath W © 684-4098
 511½ Vacant
 Brumfield Tom R 684-6565
 512 No Return
 517a-517c Vacant (3 Hses)
 518 Carter Willie Earl © 684-6509
 523 Walker W C © 684-3039
 524 Holmes Robt C © 249-2109
 530 Maranatha Bible Church 249-3987
 GEORGIA AV INTERSECTS
 KENTUCKY AV INTERSECTS

N BROADWAY 1986

N BROADWAY ST (MC)	
—Contd	
120 Pet Cottage The 684-6496	207 Trustmark National Bank (Accounting)
122½ Masonic Temple	208 White John H Jr lwyr 684-5832
FLOORS	209 Trustmark (Proof)
2dfl Mc Comb Assembly No 4 org	211 Trustmark (Storage)
2d Fl Mc Comb City Chapter No 4 (R S M)	136 Denman-Alford Co Inc dept store 684-3631
2d Fl Mc Comb City Chapter No 90 (R A M)	144 Rodrigue Ada C acct 249-3031
2d Fl Mc Comb City Chapter No 364 (O E S)	STATE ST ENDS
2d Fl Mc Comb City Council No 29 (R & Sm)	MARYLAND AV INTERSECTS
2d Fl Mc Comb City Lodge No 382 (F & Am) 684-1181	4TH ST ENDS
2d Fl Mc Comb Commandery No 34	200 Wild W G Real Estate Agency Inc 684-2131
2d Fl Order Of Demolay	Money Center Inc The Mc Colgan Investment & Loan Co Inc 684-2131
2d Fl Queen Esther No 4 (O E S)	201 Alexander's Gulf Station gas 684-7805
2d Fl Southwest Mississippi Shrine Club	215 Church Of The Mediator (Class Rms)
123 Garner Blossman & Wild Insurance Inc 684-5931	217 Church Of The Mediator 684-5682
124 Republic Finance Inc 684-1911	218 No Return
125 Hainer Jewelers 684-5531 Harper Jim Trophies	CLARK ST INTERSECTS
126 Goodyear Auto Service Store 684-7270	CLARK ST INTERSECTS
127 Mc Comb Enterprise-Journal (Overflow)	300 Mississippi Power & Light Co 684-3171
129 Mc Comb Enterprise - Journal newspaper 684-2421	305 George W Kendall © 684-7208
Emmerich J O & Associates Inc publs 684-2421	315 Barron Bobby D © 249-2386
129c Commonwealth Venture Systems Inc cable tv 684-4487	317 Williams Eula W Mrs 684-6964
Enterprise-Journal Building	318 Rooney Sarah C © 684-7189
ROOMS	320 Julian's Circuit Center 249-2508
203 Select-T V 684-4487	323 Jamison
206 Vacant	331 Vacant
131 Mc Comb Enterprise Journal (Circulation Dept)	W MICHIGAN AV INTERSECTS
Felder & Stogner ins 684-1141	MICHIGAN AV INTERSECTS
133 Trustmark 684-6411	419 Vacant
ROOMS	422 Bussey Willie © 249-3385
201 Trustmark (Bd Dirs Rm)	423 No Return
202 Wilmesherr Herbert E ofc	424 Vore C Jill Mrs ©
205 Trustmark (Acct Servs)	426 Vacant
206 Watkins Ragland archt 684-6181	428 Car Wash self service
	429 Vacant
	NEW YORK AV INTERSECTS
	500 Holmes North Broadway Shell Service gas sta 684-9764

N BROADWAY 1981

28

- 123 Goodall Matt Insurance
684-5931
- 124 Republic Finance Inc 684-1911
- 125 Photo-Art Shop 684-3891
- 126 Goodyear Service Store
684-7270
- 127 U S A Recruiting Ofc
684-4722
- 129 Mc Comb Enterprise - Journal
newspaper 684-2421
Emmerich J O & Associates
Inc publs
- 129½ Enterprise-Journal Building
ROOMS
 - 203 Brock & Brock acct
684-6683
 - 206 Barrett Thos R archt
684-0676
 - 207 Barrett Thos R
(overflow)
- 131 Felder Insurance Agency
684-1141
- 133 First National Bank Of Mc
Comb 684-6411
ROOMS
 - 201 First Natl Bank (Bd Dirs
Rm)
 - 202 Starnes D Wayne dentist
684-8635
 - 205 First Natl Bk (Acct Servs)
 - 206 Watkins W Ragland archt
684-6181
 - 207 First National Bank
(Accounting)
 - 208 White John H Jr lwyr
684-5832
 - 209 First National Bank
(Proof)
 - 211 First National Bank
(Storage)
- 136 Denman-Alford Co Inc dept
store 684-3631
- STATE ST ENDS
- MARYLAND AV INTERSECTS
- 4TH ST ENDS
- 200 Wild W G Real Estate
Agency Inc 684-2131
- 201 Alexander's Gulf Service
684-7805
- 215 Church Of The Mediator
(Class Rms)
- 216 Vacant
- 217 Church Of The Mediator
684-5682
- 218 Carr Ruth M Mrs

7

- CLARK ST INTERSECTS
- 300 Mississippi Power & Light Co
684-3171
- 305 Sunny South Tea Room
684-8801

N BROADWAY ST (MC)

—Contd

- Decorative Arts Center The
684-1381
- Watson Virginia G Mrs ©
684-1445
- 315★Barron Bobby © 684-2968
- 317 Williams Bill 684-6964
- 318 Rooney Sarah C © 684-7189
- 320 D & S Exxon Station
- 323 Garner John S © 684-5564
- 331★Tuttle Jas

5

MICHIGAN AV INTERSECTS

- 419 Vacant
- 422 Kirby Vacuum Of Mc Comb
684-9910
Welch L Saml © 684-9971
- 423 Vacant
- 424 Vore General Construction
bldg contr 684-0251
Vore Gary G © 684-0251
- 426 Delatte Theo L ©
- 428 Car Wash self service
- 429 Vacant

NEW YORK AV INTERSECTS

- 500 Holmes North Broadway Shell
Service 684-9764
- 503 Fast Lane Foods No 525
684-1012
- 511 Mc Cosker Cath W ©
684-4098
- 511½★Felder Anne 684-1702
Brumfield T R 684-6565
- 512 Moore Harry ©
- 517a★Jackson Frances
- 517b Anderson Thelma
- 517c★Lewis Julia 684-5946
- 518 Jones Ardel © 684-1259
- 523 Walker Wm C © 684-3039
- 524★Williams Howard 684-1969
- 530 Tisdale Dennis R ©

GEORGIA AV INTERSECTS

- 630★Parker Sandra

KENTUCKY AV INTERSECTS

1

**BROADWAY ST S (MC
COMB)—FROM 230 MAIN
ST SOUTH 2 WEST OF ICRR**

- ZIP CODE 39648
- 100 First National Bank Of Mc
Comb 684-2231
- 115 Continental Motel 684-5710
Continental Restaurant
684-8873
- 118 Mc Comb City Hall
Mc Comb City Clk 684-3641
Mc Comb City Mayor
684-1440

N BROADWAY 1976

- 2d Fl Mc Comb City Council
No 29 (R & Sm)
- 2d Fl Mc Comb City Lodge
No 382 (F & Am)
684-1181
- 2d Fl Mc Comb Commandery
No 34
- 2d Fl Order Of Demolay
- 2d Fl Queen Esther No 4 (O
E S)
- 2d Fl Southwest Mississippi
Shrine Club
- 123 Goodall Matt Insurance genl
ins 684-5931
- 124 Denman-Alford Fabrics
684-3631
- 125 Specialty Shop The women's
clo 684-2243
- 126 Goodyear Service Store
684-7270
- 127 U S A Recruiting Ofc
684-4722
- 129 Mc Comb Enterprise - Journal
newspaper 684-2421
Emmerich J O & Associates
Inc publs
- 129½ Enterprise-Journal Building
Rooms
203 Brock R Sones acct
684-6683
- 206 Vacant
- 131 Felder Insurance Agency
684-1141
- 133 First National Bank Of Mc
Comb 684-6411
- ROOMS**
- 201 First Natl Bank (Bd Dirs
Rm)
- 202 Starnes D Wayne dentist
- 205 Vacant
- 206 Watkins W Ragland archt
684-6181
- 208 White John H Jr atty
684-5832
- 136 Denman-Alford Co Inc dept
store 684-3631
- STATE ST ENDS**
- MARYLAND AV INTERSECTS**
- 4TH ST ENDS**
- 200 Vacant
- 201 Pigott's Gulf Service 684-7805
- 215 Vacant
- 216★King Lloyd
- 217 Church Of The Mediator
684-5682
- 218★Chisholm Lawrence

N BROADWAY ST (MC)
—Contd

- 7**
- CLARK ST INTERSECTS**
- 300 Mississippi Power & Light Co
684-3171
 - 305 Sunny South Delicatessen
Decorative Arts Center The
684-1381
★Watson Virginia G Mrs ©
 - 684-1131
 - 315 Vacant
 - 317★Williams Wm 684-6964
 - 318 Rooney Sarah C © 684-7189
 - 320 Vacant
 - 323 Garner John S © 684-5564
 - 331★Lee Gary 684-7869

- 5**
- MICHIGAN AV INTERSECTS**
- 420★Dixon Paul V ©
 - 421 Vacant
 - 422 White Hugh L 684-9536
 - 422½ Dunaway Ensla L Mrs
 - 423 Vacant
 - 424 Hay Nell L Mrs © 684-6997
 - 426 Feirr Gary
 - 428 Car Wash self service
 - 429 Vacant

- NEW YORK AV INTERSECTS**
- 500 Turners Shell Service
684-4291
 - 503 Pik & Pak Food Store No 2
684-1012
 - 511 Mc Cosker Cath W ©
684-4098
 - 511½ Brumfield Winnie R Mrs
684-6576
Brumfield T R 684-6565
 - 512 Vacant
 - 517★Mitchell Ora M
Vacant
 - 518 Jones Ardel © 684-1259
 - 523 Walker Wm C © 684-3039
 - 524 Vacant
 - 530 Vacant
- GEORGIA AV INTERSECTS**
- 630 Vacant
- KENTUCKY AV INTERSECTS**

N BROADWAY 1972

- 208 Associated Doctors Health & Life Insurance Co 684-3332
- 210 Olan Mills Studio
- 212 USA Recruiting Ofc (Test Rm)
- 131 Felder's Finance Co 684-1141
Felder Insurance Agency
684-1141
- 133 First National Bank Of Mc Comb 684-6411

ROOMS

- 201 First Natl Bank (Bd Dirs Rm)
 - 202 Mc Donald John K dentist 684-1971
 - 205 Pressler James W phys 684-6132
 - 206 Watkins W Ragland archt 684-6181
 - 208 Vacant
 - 136 Denman-Alford Co Inc 684-3631
- STATE ST ENDS**
- 144 Boyd John W phys 684-4111
- MARYLAND AV INTERSECTS**
- 4TH ST ENDS**
- 200 Riley's Standard Station 684-9580
Riley's Ambulance Service 684-2713
 - 201 Turner's Gulf Service 684-2191
 - 215 Yerger Norval Rev 684-5682
 - 216 No Return
 - 217 Church Of The Mediator 684-5682
 - 218 No Return

CLARK ST INTERSECTS

- 300 Mississippi Power & Light Co 684-3171
- 305 Brashear Dolly E © 684-4203
- 315 No Return
- 317 Smith Leslie Jr 684-9918
- 318 Rooney Sarah C © 684-7189
- 320 Broadway Premier Service Station 684-9602
- 323 Garner John S © 684-5564
- 331 Gerald Lorena D Mrs © 684-2063

MICHIGAN AV INTERSECTS

- 419 Vacant

N BROADWAY ST (MC)

—Contd

- 422 Bennington Martha G 684-6083
 - 422½ Vacant
 - 423 Vacant
 - 424 Hay Nell L Mrs © 684-6997
 - 426 Tate Alfred J
 - 429 Moak Carlie M 684-8291
- NEW YORK AV INTERSECTS**
- 500 Johnson Shell Service 684-4291
 - 503 Pik & Pak Food Store No 2 gro 684-1012
 - 511 Mc Cosker Cath W © 684-4098
 - 511½ Brumfield Winnie R Mrs 684-6576
Brumfield T R 684-6565
 - 512 Mc Guire Michl R © 684-7256
 - 517 Williams Floyd L Jr
Reeves Robt
 - 518 Jones Ardel © 684-1259
 - 523 Walker Wm C © 684-3039
 - 524 Hainer Dorothy © 684-4643
 - 529 Vacant
 - 530 Vacant
- GEORGIA AV INTERSECTS**
- 630 Kennon Paul E
- KENTUCKY AV INTERSECTS**

BROADWAY ST S (MC COMB)—FROM 230 MAIN ST SOUTH 2 WEST OF ICRR

ZIP CODE 39648

- 100 Bank Of Mc Comb 684-2231
- 115 Continental Motor Hotel 684-5710
Continental Motor Hotel Restaurant 684-5710
- 118 Mc Comb City Hall
Mc Comb City Clk 684-3641
Mc Comb City Mayor 684-1440
Mc Comb Bldg Insp Dept 684-8213
Mc Comb Tax Assessor 684-6061
Mc Comb Tax Collr 684-4031
Mc Comb Water Dept (Colln Dept) 684-5491

N BROADWAY 1968

BROADWAY N (MC)—CONTD	
123 SINGER CO 684-3141	217 CHURCH OF THE MEDIATOR 684-4079
124 HALPERN'S FABRICS 684-3631	218 BACOT BOBBY ANDREWS KENNETH
125 SPECIALTY SHOP THE WOMEN'S CLO 684-2243	200 RILEY'S STANDARD STATION 684-9309
126 GOODYEAR SERVICE STORE 684-7270	7
127 U S A RECRUITING OFC 648-4722	---CLARK ST INTERSECTS
129 MC COMB ENTERPRISE - JOURNAL NEWSPAPER 684-2421	300 MISSISSIPPI POWER & LIGHT CO 684-3171
129½ ENTERPRISE-JOURNAL BUILDING ROOMS	305 BRASHEAR DOTTIE E • 684-4203
203 BROCK R SONES ACCT 684-6683	315 ELLIS LIZZIE H MRS • 684-5063
203 BROCK ROBT S JR ACCT 684-6683	REAR VACANT
206 VACANT	317 HENDRICKS LOYCE 684-1905
207 US DEPT AGR	318 ROONEY SARAH C •
208 VACANT	320 D X SERVICE STATION 684-9266
210 VACANT	323 GARNER JOHN S • 684-5564
212 ASSOCIATED DRS HEALTH & LIFE INS CO 684-3332	331 DIXON EARNEST GERALD LORENA D MRS • 684-2063
131 FELDER'S DRY CLEANERS 684-6891	5
FELDER'S FINANCE CO 684-1141	---MICHIGAN AV INTERSECTS
FELDER INSURANCE AGENCY 684-1141	419 MC GUIRE MIKE 684-7256
133 FIRST NATIONAL BANK OF MC CCMB 648-6411 ROOMS	420 VACANT
202 MC DONALD JOHN K DENTIST 684-1971	422 GUY ALLIE B • 684-6589
203 PRESSLER JAMES W PHYS 684-6132	424 HAY NELL L MRS • 684-6997
206 WATKINS & REED ARCHTS 684-6181	426 LAWSON BILLY J
208 WHITE JOHN H JR LWYR 684-5832	428 VACANT
136 DENMAN-ALFORD CO INC 684-3631	429 NO RETURN
144 BOYD JOHN W PHYS	--- NEW YORK AV INTERSECTS
---STATE ST ENDS	500 JOHNSON'S SERVICE STATION 684-4291
---MARYLAND AV INTERSECTS	503 PIK & PAK NO 2 GRO 684-1012
---4TH ST ENDS	511 MC COSKER CATH W • 684-4098
201 TURNER'S GULF SERVICE GAS STA 684-2191	REAR BRUMFIELD WINNIE R MRS 684-6576
	511½ BRUMFIELD T R 684-6565
	512 BOYD NEEDHAM H 684-1035
	514 VACANT

N BROADWAY 1963

Broadway N—Contd

- 112 Domestic Loans of McComb Inc 684-4810
- 113 Klotz Studio photog 684-5131
- 115 Stewart's Youth Shoppe 684-7211
- 116 Better Telev Co Inc cable serv 684-6881
- 117 Five Points Barber Shop 684-4091
- 118 Hollywood Annex shoes 684-2582
- 119 Broadway Cafe
- 120-22 Denman Alford (Annex)
- 122½ **Masonic Temple**
- 2d fl Masonic Hall
- McComb City Chapter No 382 (F&AM)
- McComb City Chapter No 90 (R&SM)
- McComb City Chapter No 4 (RAM)
- McComb City Council No 29 (R&SM)
- Queen Esther No 4 (OES)
- McComb City Chapter No 338 (OES)
- Southwest Miss Shrine Club
- McComb Commandery No 34 Order of Demolay
- McComb Assembly No 4 (Order of Rainbow Girls)

Rooms:

- 201-02 Vacant
- 204 Am Natl Red Cross Pike County Chapter 684-3911

Street continued

- 123 Singer Sewing Mach Co 684-3141
- 124 Farmer's Drug Store 684-2941
- 125 Specialty Shop The clo 684-2243
- 126 Goodyear Serv Store 684-7270-71
- 127 Vacant
- 129 McComb Enterprise Journal 684-2421-22-23
- 129½ **Enterprise Journal Building**

Rooms:

- 201-02 Vacant
- 203-04 Brock R Sones acct 684-6683
- 206 US Selective Serv Sys Local Bd No 62 684-5194
- 207 Vacant
- 208 Vacant
- 210 Vacant
- 211 Camellian Oil Co geol 684-2183
- 212 Vacant

Street continued

- 131 Felder's Dry Clns 684-6891
- 133 Felder's Ins Agcy 684-1141
- Felder's Finance Co 684-1141
- 135 First Natl Bank of McComb City The 684-6411
- 136 Denman-Alford Co dept store 684-3631-32-33

State ends

- 144 Klotz S Paul phys (side ent) Maryland av intersects

4th ends

- 200 Brumfield Serv Sta 684-4891
- 201 Turner's Gulf Serv 684-2191
- 215 Smith Colton M Rev 684-4079
- 217 Church of the Mediator 684-4079
- 218 Boyd Darrell E 684-7478
- Hughey Linda L 684-6888

7

Clark intersects

- 300 Miss Power & Light Co 684-3171
- 305 Brashear Dollie E © 684-4203
- 315 Ellis Lizzie H Mrs © 684-5063 rear Vadier Marie
- 317 Johnson J C 684-7348
- 318 Rooney John C © 684-7189
- 323 Garner John S © 684-5564
- 328 State Farm Ins 684-4531
- Hatcher Harvey ins 684-4531
- Porter Ethel Mrs 684-3495
- Bacot E Glynn
- 331 Gerald Lorena D Mrs © 684-2063

5

W Michigan av intersects

- 419-23 Matthews Nursing Home 684-7381
- Matthews Gladys B Mrs 684-7381
- 420 Grantham Gurwyn M 684-5240
- 422 Guy Allie B © 684-6589
- 424 Hay Nell L Mrs © 684-6997
- 426 Hay Olive © 684-4039
- 428 Burt R Gordon © 684-2137
- 429 Hunt Carlton E © 684-2078

W New York av intersects

- 502 Under constn
- 503 Brumfield Thos R 684-6565
- 511 McCosker Cath W © 684-4098
- rear No return
- 511½ Vacant
- 512 Smith Prentiss B 684-2044
- 514 Yawn Chas L
- 517 Gordon Julia B Mrs © 684-6789
- 518 Jones Ardel © 684-1259
- 523 Walker Wm C © 684-3039

State St 2012

BUSINESSES	HOUSEHOLDS
STATE ST (MCCOMB)-FROM 207 N FRONT ST WEST	
+ N RAILROAD BLVD CONTINUES	
+ N RAILROAD BLVD INTERSECTS	
• ZIP CODE 39648 CAR-RT C004	
201 O'QUIN SAFE & LOCK locks & locksmiths ✓@	601-249-241
210 STATE BANK & TRUST CO banks ✓@	601-684-460
219 GILLIS DRUG STORE pharmacies ✓@	601-684-260
222 PIKE COUNTY ARTS COUNCIL theatres-movie ✓@	601-684-520
STATE THEATRE theatres-movie ✓@	601-250-450
224 1 SOUTHERN CASH & PAWN INC pawnbrokers ✓@	601-684-160
4 HABITAT FOR HUMANITY social serv & welfare org ✓@	601-250-620
225 STYLES & MORE beauty salons ✓@	601-250-680
228 SOLACE MEDICAL LLC physicians & surgeons equip ✓@	601-600-417
230 CORNERSTONE CHURCH churches ✓	601-600-418
+ N BROADWAY INTERSECTS	
BUSINESSES 10	

APPENDIX F

State St 2007

BUSINESSES 2

HOUSEHOLDS 14

**STATE ST (MCCOMB)-FROM 207 N FRONT ST WEST
+ N RAILROAD BLVD CONTINUES
+ N RAILROAD BLVD INTERSECTS
• ZIP CODE 39648 CAR-RT C010**

- 201 O'QUIN SAFE & LOCK locks & locksmiths
.....601-249-2418
O'Quin Danny [11]▲601-249-2418
- 206 PIKE COUNTY LITTLE THEATRE theatres-live
.....601-250-7258
- 210 STATE BANK & TRUST CO banks601-684-4606
- 211 MC COMB MARTIAL ARTS martial arts instruction
.....601-250-0550
- 215 SASSY CHIC beauty salons601-249-2244
- 219 GILLIS DRUG STORE pharmacies601-684-2621
- 221 ONE HOUR PHOTO photo finishing- retail
.....601-684-3337
- 222 PIKE COUNTY ARTS COUNCIL non-profit org
.....601-684-5229
STATE THEATRE theatres-movie601-250-4525
- 223 TRIPLE C INSURANCE insurance601-249-0701
- 224 HABITAT FOR HUMANITY PIKE CNTY home builders
.....601-250-6257
SOUTHERN CASH & PAWN INC pawnbrokers
.....601-684-1653
- 3 LOVE COMMUNICATIONS CO advertising-
television601-684-3915
- 225 STYLES & MORE beauty salons601-250-6895

+ N BROADWAY INTERSECTS

BUSINESSES 14

HOUSEHOLDS 1

STATELINE RD (OSYKA)

State St 2002

BUSINESSES 2

HOUSEHOLDS 17

STATE ST (MCCOMB)-FROM 401 PEARL RIVER AVE WEST

+ N RAILROAD BLVD BEGINS

+ N FRONT ST BEGINS

• ZIP CODE 39648 CAR-RT C002

200 J C FINANCIAL SVC-MC COMB INC loans601-684-1192

201 O'QUIN SAFE & LOCK locks & locksmiths601-249-2418

206 PIKE COUNTY LITTLE THEATRE theatres-live601-684-5104

208 DISCOVERY DEPOT educational materials601-250-1433

210 FBI nonclassified establishments601-684-2500

FEDERAL BUREAU-*INVESTIGATION* federal

government-police601-684-2500

STATE BANK & TRUST CO banks ..601-684-4606

US JUSTICE DEPT federal government

.....601-684-2500

211 QUINN'S MENSWEAR formal wear-rental601-684-2288

218 MAIN STREET MC COMB INC chambers of commerce601-249-0116

219 GILLIS DRUG STORE pharmacies ..601-684-2621

222 PIKE COUNTY ARTS COUNCIL county

government-genl offices601-684-5229

223 TRIPLE C INSURANCE insurance-auto601-249-0701

224 3 LOVE COMMUNICATIONS CO advertising-television601-684-3915

224 SOUTHERN CASH & PAWN INC pawnbrokers

.....601-684-1653

225 KIMBRELL DIGITAL SOLUTIONS INC copying/duplicating mach/supl601-684-5664

226 SPIERS MUSIC CTR musical instruments-dlrs601-250-0201

228 HAYDEN MUSIC CO musical instruments-dlrs601-684-6655

230 RADIO SHACK electronic equip/supl-retail601-684-4730

SMITH ELECTRONICS INC electronic equip/supl-

retail601-684-4730

+ BROADWAY INTERSECTS

BUSINESSES 20

State St 1996

<p>SMITHDALE RD (MC) <i>cont'd</i></p> <p>FRIEDMAN JEWELERS .. 684-1155 T JO'S PIZZA restr..... 684-1412 SA C'EST BON restr..... 249-3857 GENERAL NUTRITION CENTER hlth food store 684-4817 HI FASHIONS clothing.... 684-5099 FACTORY OUTLET DRESS SHOP THE dress shop 684-2148 SOUND SHOP tape & compact discs-retail 684-3141 TACO CASA restr..... 684-5315 TOWNE COBBLER shoe ret 684-6127 WAL-MART dept store..... 684-1074 HASKINS & ASSOCIATES rtr 684-4964 COST CUTTERS FAMILY HAIR CARE CNTR 249-3144 EMPHASIS clo 684-0875</p> <p>+ US HWY 55 INTERSECTS 2100 B-KWIK 249-3013</p> <p>+ APACHE DR INTERSECTS 2101 Stickney Jane ☐+ ▲ 684-4096 2200 ABDALLA GERALD atty 684-7786 2102 TRADEMARK MOTOR COMPANY INC ford dealership..... 684-3970</p> <p>+ NATCHEZ DR INTERSECTS + CHEROKEE DR INTERSECTS + DELAWARE AV INTERSECTS BUSINESSES 48 HOUSEHOLDS 4</p> <p>STADIUM DR (SUMMIT)-FROM COLLEGE DR 110</p> <p>· ZIP CODE 39666 + COLLEGE DR INTERSECTS FOOTBALL OFFICE..... 276-3892</p> <p>+ ALUMNI DR INTERSECTS BUSINESSES 1</p> <p>STARNES RD (MC COMB)-FROM 43 OLD STATE HWY 24 E SOUTHWEST 8</p> <p>· ZIP CODE 39648 + OLD HWY 24 INTERSECTS 1035 Pine Ouida ☐ ▲ 684-3944 1026 Starnes W F & Edith ☐ ▲ 684-1158 1031 Not Verified 1028 Harden Doris A ☐ ▲ 684-4387 1027 SWEET GARDEN OF PRAYER 249-3085 1014 Thornhill Leslie S & Thelma ☐ ▲ 684-1875 1003 Not Verified 1018 Case Garland & Lila ▲ 684-0605 Case Lila A 684-0605 1004 Barclay 1013 Peters 1015 Cutrer Alton & Julia ☐ ▲ 1011 Vacant 1024 William Johnnie & Vergie ☐ ▲ 684-7508 1020 Boyd Brian ☐ 1021 Vacant 1024 JOHNNY'S AUTOMOTIVE SUPPLY 684-7508 111 Arickson Erma ▲ 684-7086 Arickson Robert L & Ruth 684-7086 1003 Mohr Randi L 684-5905 1027 Vacant</p> <p>+ BERTHADALE RD INTERSECTS BUSINESSES 2 HOUSEHOLDS 14</p> <p>STATE ST (MC COMB)-FROM 200 N RAILROAD BLVD WEST 1</p> <p>· ZIP CODE 39648 + N RAILROAD BLVD INTERSECTS 114 MC COMB PUBLIC LIBRARY 684-2661 PIKE-AMITE-WALTHALL LIBRARY SYSTEM 684-2661</p> <p>+ N FRONT ST INTERSECTS 201 GILLIS REXALL DRUGS. 684-2621 202½ CHARLIE PLACE 206 PIKE CNTY ARTS (OVERFLOW) 208 SOUTHWEST OFFICE EQUIPMENT 684-9937 209 Vacant</p>	<p>STATE ST (MC) <i>cont'd</i></p> <p>211-213 GUY'S LIQUIDATOR. 249-0300 210 MAGNOLIA FEDERAL BUILDING MAGNOLIA FEDERAL BANK FOR SAVINGS 684-5371</p> <p>+ ROOMS 201 STATE BUR NARCOTICS 684-1071 202 SOUTHWEST DIVISION OFFICES OF MAGNOLIA FED BD bank 250-5000 206 U S FEDERAL BUR OF INVESTIGATION (RESIDENT AGCY) 684-2500</p> <p>215 HUNT'S CLOTHIER FOR CHILDREN 684-9009</p> <p>218 MC COMB MAIN STREET PROJECT merchant assn 249-0116</p> <p>219 Vacant 220 PIKE CNTY ARTS COUNCIL (OVERFLOW) 221 TRIPLE C INS AGENCY auto home comm bonds 249-0701</p> <p>222 PIKE COUNTY ARTS COUNCIL INC 684-5229</p> <p>223 TUMINELLO'S PHOTOGRAPHY 249-2929</p> <p>224 Office Building Suites 1 CONSOLIDATED FINANCIAL RESOURCES INC municipality leasing 249-0769 2 UNION NATIONAL INSURANCE 249-3294 3 COURT WATCH alternative sent sys 4-6 Vacant (3 Suites) 7 CANAL WOOD CORP timber buyer 9 Vacant SOUTHERN CASH & PAWN INC 684-1653</p> <p>225 LANIER BY APPOINTMENT copier sls serv 249-3155</p> <p>226 J C FINANCIAL SERVICES 684-1192</p> <p>228 BEANS SERVICE CENTER appl sls & serv 684-3831</p> <p>229 MC COMB MUSIC CO (side entrance) 230 RADIO SHACK-SMITH ELECTRONICS 684-4730</p> <p>+ S BROADWAY ST INTERSECTS BUSINESSES 28</p> <p>STATHAM-SIMMONS RD (MC COMB)-FROM PARK DR EXTN WEST 109</p> <p>· ZIP CODE 39648 + PARK DR EXTN INTERSECTS 1051 Cook Robbie & Lorán ☐ ▲ 684-1988 1052 Smith Marlene S ☐ ▲ 249-2157 1100 Beesley Walter ☐ 684-9177 HOUSEHOLDS 3</p> <p>STEWART ST (MC COMB)-FROM LAKE VIEW AV WEST 103</p> <p>· ZIP CODE 39648 + LAKEVIEW AV INTERSECTS 1145 Boyd Debbie R ☐ 684-4854</p> <p>+ MAXINE AV INTERSECTS 1503 Phelp Talmadge & Mavis ☐ ▲ 684-5958</p> <p>+ MARION AV INTERSECTS HOUSEHOLDS 2</p> <p>STOKES AV (MC COMB)-FROM GAY ST WEST 109</p> <p>· ZIP CODE 39648 + GAY ST INTERSECTS 1400 Rooker J P & Elizabeth ☐+ ▲ 684-6011 1402 Gray Gene & Mary Ann ☐+ ▲ 684-8288 1403 Crossley Charles & Fern ▲ 249-0823 1404 Truex D ☐+ ▲ 684-3356 1405 Harold Hilton & Twilla ☐ Harold Twilla</p>
---	---

State St 1991

STATE ST (MC)–Contd

FRONT ST INTERSECTS

201 Gillis Rexall Drugs 684-2621

202½-209 Vacant (4 Hses)

210 Magnolia Federal Building

Magnolia Federal Bank for Savings
684-5371

ROOMS

201 State Bur Narcotics

202-204 Vacant (3 Stes)

210 U S Federal Bur of Investigation
(Residence Agcy) 684-2500

211 Vacant

215 Hunt's Youth Fashions 684-5691

218 Mc Comb Main Street Project 249-0116

219 Tailor's Bench Inc the 684-6454

220 Pike Cnty Arts Council (Over Flow)

221 Hodo Shoe Shop reprs

222 Pike County Art Council Inc 684-5229

223 Tuminello's Photography photog
249-2929

224 Office Building

Suites

2 American General Insurance 249-2180

3 Union National Inc Co ins adjusters
442-2791

4 Southern Cash & Pawn Inc 684-1653

225 Credit Center finance 249-3176

226 J C Financial Services 684-1192

228 Beans Service Center 684-3831

229 Mc Comb Music Co (side entrance)

230 Smith Electronics 684-4730

BROADWAY ST INTERSECTS

State St 1986

1

STATE ST (MC COMB)
FROM 200 N BOULEVARD
WEST 1 NORTH OF MAIN
ST

ZIP CODE 39648

114 Mc Comb Public Library
684-2661

Pike-Amite-Walthall Library
Systems 684-7034

124 Vacant

FRONT ST INTERSECTS

201 Gillis Rexall Drugs 684-2621

202½ Stowers Insurance &
Financial Servs 684-2457

206 Mc Comb Stationery
(Showrm)

208 Mc Comb Stationery Co Inc
684-4580

209 Hobby Time Inc 684-4048

210 First Federal Building
First Federal Savings & Loan
Assn Of Mc Comb 684-5371

ROOMS

200 Alford J Louis lwyr
684-1942

203 Smith Mike lwyr 684-0651

204 State Bur Narcotics
684-1071

210 F B I (Residence Agcy)
684-2500

211 Nunnery's Men's Wear Inc
684-2221

215 Hunt's Youth Fashions
684-5691

218 U S N Recruiting Station
684-4314

219 Tailor's Bench Inc The
684-6454

220 Pike Cnty Arts Council
(Over Flow)

221 Hodo Shoe Shop

State St

1986

STATE ST (MC)—Contd

222 Pike County Art Council Inc
684-5229

223 Tuminello's Studio photog
249-2929

224 Footprints shoe store 684-9702
Equifax 684-7432

G A B Bsuiness Services Inc
249-3142

224½ Spinning Richd H acct
684-1631

Gulf Life Insurance
249-2180

225 Credit Center finance
249-3176

226 C & F Financial Services
684-1192

228 Mc Comb Piano & Music
Center 684-6338

229 Denman-Alford Co side ent

230 Photo-Art Shop 684-3891

BROADWAY ST INTERSECTS

State St

1981

16

530 Ren Drive In Theatre ———
684-5081 ———
618 Vacant
Rushing's Body & Glass Shop
684-4756

111

BENDAT ST ENDS

16

**STATE HWY 48 W RT 2
(MAGNOLIA)—A
CONTINUATION OF W BAY
ST**

BOX NUMBERS

Andrews W Hinton © 783-3325
bx225 Simmons Dennis C ©
783-3327
bx 343 Garner Valda Mrs ©
783-3543

CITY LIMITS

1

**STATE ST (MC COMB)
FROM 200 N BOULEVARD
WEST 1 NORTH OF MAIN
ST**

ZIP CODE 39648

114 Mc Comb City Library
684-2661
124 Vacant
FRONT ST INTERSECTS
200 Gillis Rexall Drugs Inc
684-2621
202½ Gillis Building
Mutual Of New York ins
684-2457
Jones Donald H lwyr
684-9585
Equifax Service 684-7432²omb
Credit Bureau Of Mc Co
& Pike County 684-6910^{au}
Pike County Credit Bureau
684-6910
Felder Alfred L lwyr
684-3362
Spinning Richd H acct
684-1631ⁿ⁾
206 Mc Comb Stationery (Showrm)
208 Mc Comb Stationery Co Inc
684-4580
210 First Federal Building
First Federal Savings & Loan
Assn Of Mc Comb 684-5371

ROOMS

201 Alford J Louis lwyr
684-1942
202 Smith Mike lwyr 684-0651
203 Smith Mike lwyr 684-0651

STATE ST (MC)—Contd

204 Alford James L Jr
independent oil opr
682-1942
204 Carlisle Duke independent
oil opr 684-3948
210 F B I (Residence Agcy)
684-2500
211 Nunnery's Men's Wear Inc
684-2221
215 Hunt's Youth Fashions
684-5691
218 USn Recruiting Sta 684-4314
219 Tailor's Bench The 684-6454
220 Vacant
221 Hodo Shoe Shop
222 Vacant
223 Tuminello's Studio photog
249-2929
224 Footprints shoe store 684-9702
225 Vacant
226 Tower Credit Corp 684-1192
228 Mc Comb Piano Co 684-8183
229 Denman-Alford Co side ent
230 State Pharmacy 684-3511
Williams Grocery Co whol
684-3571

BROADWAY ST INTERSECTS

103

**STEWART ST (MC COMB)
FROM LAKE VIEW AV
WEST 1 NORTH OF LAIRD
ST**

ZIP CODE 39648

MAXINE AV INTERSECTS
1503★Rovito Dean J © 684-8194
MARION AV INTERSECTS

109

**STOKES AV (MC COMB)
FROM GAY ST WEST 1
NORTH OF PARK DR**

ZIP CODE 39648

1400 Rooker John P © 684-6011
1402 Gray W Gene © 684-8288
1403 White Dewitt © 684-6234
1404 Rimes Geo L 684-8887
1405 Kennedy Jerry L © 684-3643
1406 Haden Milton R © 684-3785
1408 Byrd Janell
1410 Alford Sam N © 684-7146
1500★Cullom Curtis S © 684-7747
1501 Vacant
1504 Turner James M Jr ©
684-7822
1505 Walker Raymond D ©
684-5568
1506 Gibson Geo Roy © 684-2826
1510 White Jack © 684-2404

State St

1976

Petty Claude V Jr © 783-2434 REAGEN DR BEGINS ★Simmons Dennis C bx233★Simmons Joe bx238★Estess Ken © 783-5366 bx230 Lansing Mary S Mrs © 783-2344 bx229 Lansing Geo E Jr © 783-3533 222 Prescott Robt J Jr © 783-2125	
0 bx231 Coussens W Ollie © 783-3249 Leggett A Thad Jr © 783-3356 bx375 Rodgers Harry K © 783-3671 bx343 Garner A C © 783-3543 Andrews W Hinton © 783-3325	
<hr/>	
11	1
STATE ST (MC COMB) FROM 200 N BOULEVARD WEST 1 NORTH OF MAIN ST	
ZIP CODE 39648 114 Mc Comb City Library 684-2661 FRONT ST INTERSECTS 200 Gillis Rexall Drugs Inc 684-2621 202½ Gillis Building Mutual Of New York ins 684-7949 Equifax Inc 684-7432 206 Mc Comb Stationery (Showrm) 208 Mc Comb Stationery Co Inc 684-4580	
0 210 First Federal Building First Federal Savings & Loan Assn Of Mc Comb 684-5371 ROOMS 201 Alford J Louis lwyr 684-1942	
16 202 Leggett Ben appraiser 684-3712 203 Smith Mike lwyr 684-0651 204 Vacant 210 F B I (Residence Agcy) 684-2500	
4 211 Nunnery's Men's Wear Inc 684-2221 215 Hunt's Youth Fashions 684-5691	
	STATE ST (MC)—Contd 218 Republic Finance Corp 684-1911 219 Tailor's Bench The 684-6454 220 Vacant 221 Hodo Shoe Shop 222 Alford Realty Co 684-5911 Alford Insurance Agency 684-5911 223 Tuminello's Studio photog 249-2929 224 Photo Art Shop 684-3891 224½ American National Red Cross Pike County Chapter 684-3911 United Insurance Co Of America Life Insurance Co Of Georgia 684-6283 Spinning Richd H acct 684-1631 Herring Charles F justice of the peace 684-4331 National Credit Service & Collection Agency Inc 684-8623 225 Mc Colgan Investment & Loan Co Inc 684-2131 226 Tower Credit Corp 684-1192 228 Mc Comb Piano Co 684-8183 Craftsmen Supply House paint & wall paper 684-6981 229 Denman-Alford Co side ent 230 State Pharmacy 684-3511 BROADWAY ST INTERSECTS
	103
	STEWART ST (MC COMB) FROM LAKE VIEW AV WEST 1 NORTH OF LAIRD ST
	ZIP CODE 39648 MARION AV INTERSECTS
	109
	STOKES AV (MC COMB) FROM GAY ST WEST 1 NORTH OF PARK DR
	ZIP CODE 39648 1400 Rooker John P © 684-6011 1402★Gray W Gene © 884-8288 1403 Dykes Paul A © 684-5257 1404 Hallin Peter R © 684-8693 1405 Kennedy Jerry L © 684-3643

State St

1972

STATE HWY 24 W (MC)

—Contd

618 Seago D G & Son Lumber Co
Inc 684-4380620 Somisco Oil Inc distrs
684-4380**STATE ST (MC COMB)
FROM 200 N BOULEVARD
WEST 1 NORTH OF MAIN
ST**

ZIP CODE 39648

107 Vacant

114 Mc Comb City Library
684-2661

FRONT ST INTERSECTS

200 Gillis Rexall Drugs Inc
684-2621202½ Gillis Building
Vacant

206 Vacant

208 Mc Comb Stationery Co Inc
684-4580210 First Federal Building
First Federal Savings & Loan
Assn Of Mc Comb 684-5371Southwest General Insurance
Agency Inc 684-1741

ROOMS

201 Alford Louis lwyr 684-1942

202 Gay-Wardlaw Agency real
est 684-1291204 U S Selective Serv Sys
Local Bd 62 684-5194210 F B I (Residence Agcy)
684-2500211 Nunnery's Mens Wear Inc
684-2221215 Hunt's Youth Fashions
684-5691218 Republic Finance Corp
684-1911

219 Hainer Jewelers 684-5531

220 Vacant

221 Hodo Shoe Shop

222 Alford Realty Co 684-5911

Alford Insurance Agency
684-5911223 Buckley's Book & Card Center
684-4040

224 Mississippi Fabrics 684-9960

224½ Guy & Dowdy lwyr
684-2793American National Red
Cross Pike County Chapter
684-3911Interstate Life & Accident
Insurance CoUnited Insurance Co Of
AmericaLife Insurance Co Of
Georgia 684-6283

Retail Credit Co 684-7432

Spinning Richd H acct
684-1631225 Mc Colgan Investment &
Loan Co Inc 684-2131

226 Tower Credit Corp 684-1192

228 Mc Comb Piano Co 684-8183
Craftsmen Supply House paint
& wall paper 684-6981

229 Denman-Alford Co side ent

230 State Pharmacy 684-3511

BROADWAY ST INTERSECTS

103

**STEWART ST (MC COMB)
FROM LAKE VIEW AV
WEST 1 NORTH OF LAIRD
ST**

ZIP CODE 39648

MARION AV INTERSECTS

109

**STOKES AV (MC COMB)
FROM GAY ST WEST 1
NORTH OF PARK DR**

ZIP CODE 39648

1400 Roach John Gordon Jr ©
684-2377

1402 Smith Shelby 684-7805

1403 Dykes Paul A © 684-5257

1404 Vacant

State St 1968

126

STATE ST (MC)—CONTD

107 PIKE HOTEL 684-9341
 111 P & E SERVICES
 114 MC COMB CITY LIBRARY
 684-2661
 ---FRONT ST INTERSECTS
 200 GILLIS REXALL DRUGS
 INC 684-2621
 202½ GILLIS BUILDING
 SUN OIL CO 684-1410
 204 MC COMB STATIONERY CO
 INC DISPLAY RM
 208 MC COMB STATIONERY CO
 INC 684-4580
 210 FIRST FEDERAL
 BUILDING
 FIRST FEDERAL SAVINGS
 & LOAN ASSN OF
 MCCOMB 684-5371
 ROOMS
 210 ALFORD LOUIS LWYR
 684-1942
 U S SELECTIVE SERV
 SYS LOCAL BD 62
 684-5194
 210½ GAY WARDLAW AGENCY
 REAL EST AND INS
 684-1291
 211 NUNNERY'S MENS WEAR
 INC MENS CLO
 684-2221
 215 HUNT'S YOUTH FASHIONS
 CLO 684-5691
 218 REPUBLIC FINANCE CO
 684-1911
 218½ CLARK LARRY H CIVIL
 ENG 684-2021
 LIFE INSURANCE CO OF
 GA 684-6283
 219 HAINER JEWELERS
 684-5531
 220 STATE THEATRE
 684-5891
 220½ STATE THEATRE STGE
 221 HODO SHOE SHOP
 222 ALFORD REALTY CO
 684-5911
 223 BELLAS HESS CATALOGUE
 STORE 684-1250
 224 FABRIC CENTER
 684-4982
 224½ GUY WM S LWYR
 684-2793
 HOGAN JAMES F INS
 MUTUAL OF OMAHA
 684-7123
 SPINNING RICHD H
 ACCT 684-1631
 225 MC COLGAN INVESTMENT
 & LOAN CO INC
 684-2131

MC COLGAN INSURANCE
 AGENCY 684-2131
 226 TOWER CREDIT CORP
 684-1192
 228 VACANT
 229 DENMAN ALFORD SIDE
 ENT
 230 STATE PHARMACY
 684-3511
 ---BROADWAY ST INTERSECTS

 STEWART ST (MC COMB)—FROM
 LAKE VIEW AV WEST TO
 MARION AV
 ---ZIP CODE 39648

 STOKES AV (MC COMB)—FROM
 WILSON DR WEST, 1 NORTH
 OF PARK DR

---ZIP CODE 39648
 1400 ROACH GORDON JR HDN
 684-2377
 1403 DYKES PAUL A •
 684-5257
 1406 BEVILL JAMES •
 684-3125
 1408 BRUMFIELD JOAN A MRS
 • 684-4925
 1410 ALFORD SAM N •
 684-7146
 1501 RODRIGUE ANGELO H •
 684-5186

 SUMMIT MISS -AN
 INCORPORATE TOWN 3
 MILES NORTH OF MC COMB
 (ALL NUMBERS ESTIMATED)

---ZIP CODE 39666

 SUMMIT ST (MC COMB)—FROM
 E MICHIGAN AV NORTHWEST
 TO PINE ST EAST OF ICRR

---ZIP CODE 39648
 127 HALEY'S MACHINE SHOP
 REPRS
 208 VACANT
 ---NEW YORK AV INTERSECTS
 304 TARVER WILLIE L JUNK
 DLR • 684-2242

State St

1963

SINCLAIR — From 1320 Delaware av south, 1 west of S West
106 Crawford Sarah S Mrs ☉ 684-6070

111 Kennedy Jos P ☉ 684-1149
Kennedy Imogene B Mrs nurse

113 Gatlin Clifford L ☉ 684-3869

128 Nunnery Christopher M ☉ 684-6476

Louisiana av ends**Washington av begins**

201 Marsalis J H jr ☉ 684-4774

202 Smith Wm H ☉ 684-4366

207 Blailock Bernard K ☉ 684-8178

209 Gent Alf ☉ 684-2085

Montana begins

322 Smith Richd W ☉ 684-2075

224 Brumfield Harold L ☉ 684-4891

226 Malone Eddie L ☉ 684-2575

228 Easley Lucius T ☉ 684-6146

311 Greer Chas S ☉ 684-2947

382 DaQuilla Phillip jr ☉ 684-4357

329 Brown Eug C ☉ 684-1157

330 Campbell L E ☉ 684-1156

Virginia av intersects

SMITHDALE ROAD — From Northwest av north west, 1 north of Stewart (numbers estimated)

102 Welch Clouis N ☉ 684-3154

Marion av intersects

240 Sherman Constn Co bldg
contrs 684-4710

242 Sherman Prescott A ☉ 684-3786

SMITHDALE ROAD (Summit) — From city limits southwest

STATE — From 200 N Boulevard west, 1 north of Main

100 Lone Star Serv Sta

107 Pike Hotel 684-4221

bsmt Southwestern Broadcasting
Co of Miss 684-7470

WAPF Radio Sta 684-7470

111 Vacant

114 Vacant

N Front intersects

200-02 Gillis Drug Store Inc 684-2621

202½ Gillis Building

Sun Oil Co oil producers
(ofc) 684-1410-11

204-06 McComb Stationery Co
Inc display rm

7 208 McComb Stationery Co Inc
ofc sup 684-4831

209 Doerr Furn Co (side ent)

210 First Fed Savings & Loan
Assn of McComb 684-5371

210½ **First Federal Building**
Suites:

A-B-C Gay-Wardlaw Agency
real est & ins 684-1291

D Alford Louis lwyr 684-1942

E Vacant

Street continued

211-13 Fly J D Store The men's
clo 684-7441

214-16 State Pharm (stge)

215 Hunt's Youth Fashions 684-5691

217-19 Vacant

218 Republic Finance Co 684-1911

218½ Watkins W Ragland III
archt 684-6181

Life Ins Co of Ga

220-22 State Theatre 684-5891

220½ State Theatre (ofc & stge)

221 Hodo Shoe Shop reprs

223 Hainer's Jewelers 684-5531

224-26 Mullins-Reeves Furn Co
684-2031

225 McColgan Bldg & Loan Assn
684-2131

McColgan Ins Agcy 684-2131

228 Sears Roebuck and Co 684-5010

229 Denman-Alford (side ent)

230 State Pharm 684-3511-12

Klotz S Paul phys 684-3511-12

N Broadway intersects

STATE HIGHWAY 24 W — From 1230 LaSalle west (numbers estimated)

100 Causey & Sanders Pharm
684-4541

102 Martin's Nell Beauty Salon
684-2343

104 Boyt's Restr 684-5433

106 Carter Mary Pnt Store 684-6221

108 Deluxe Barber Shop

110 McComb Frozen Food &
Locker Plant 684-3718

110(2) McLean & Barnes Hdw Co
Inc whol 684-5393

112 State Farm Ins Co 684-4193

114 Lott Plmb Co contrs 684-1840

116 Vacant

118 Shop Rite Food Store gro
684-2881

LaBranch ends

200 L&M Tire Serv Inc 684-1710

201 McComb Lanes 684-5831

204 Martin's Cabt Shop 684-1500

APPENDIX H



EMSL Analytical, Inc.

11931 Industriplex, Suite 100, Baton Rouge, LA 70809

Phone/Fax: (225) 755-1920 / (225) 755-1989

<http://www.emsl.com>

batonrougelab@emsl.com

EMSL Order: 251303767

CustomerID: ECOS55

CustomerPO:

ProjectID:

Attn: **Josh Brown**
Eco-Systems, Inc.
6360 I-55 North Suite 300
Jackson, MS 39211

Phone: (601) 936-4440
Fax: (601) 936-4463
Received: 06/25/13 10:00 AM
Analysis Date: 6/26/2013
Collected: 6/20/2013

Project: 12183 City of McComb

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 and/or EPA 600/M4-82-020 Method(s) using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
SP-1 251303767-0001	Hospital - ceiling tile	Gray Fibrous Homogeneous		75% Non-fibrous (other)	25% Chrysotile
SP-3 251303767-0002	Hospital - floor tile	Tan Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
SP-4 251303767-0003	Hospital - floor tile	Cream Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
SP-5-Floor Tile 251303767-0004	Hospital - tile/mastic	Cream Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
SP-5-Mastic 251303767-0004A	Hospital - tile/mastic	Black Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
SP-6-Floor Tile 251303767-0005	Hospital - tile	Green Non-Fibrous Homogeneous		97% Non-fibrous (other)	3% Chrysotile
SP-6-Mastic 251303767-0005A	Hospital - tile	Black Non-Fibrous Homogeneous		90% Non-fibrous (other)	10% Chrysotile
SP-7-Floor Tile 251303767-0006	Harlan Building - outside tile/mastic	Black Non-Fibrous Homogeneous		95% Non-fibrous (other)	5% Chrysotile

Analyst(s)

Leah Delahoussaye (14)

Michael Katsorichis, Laboratory Manager
or other approved signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Samples received in good condition unless otherwise noted. Estimated accuracy, precision and uncertainty data available upon request. Reporting limit is 1%

Samples analyzed by EMSL Analytical, Inc. Baton Rouge, LA NVLAP Lab Code 200375-0, LELAP 01950, TX 300238

Initial report from 06/26/2013 10:26:54



EMSL Analytical, Inc.

11931 Industriplex, Suite 100, Baton Rouge, LA 70809
Phone/Fax: (225) 755-1920 / (225) 755-1989
<http://www.emsl.com> batonrougelab@emsl.com

EMSL Order: 251303767
CustomerID: ECOS55
CustomerPO:
ProjectID:

Attn: **Josh Brown**
Eco-Systems, Inc.
6360 I-55 North Suite 300
Jackson, MS 39211

Phone: (601) 936-4440
Fax: (601) 936-4463
Received: 06/25/13 10:00 AM
Analysis Date: 6/26/2013
Collected: 6/20/2013

Project: 12183 City of McComb

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 and/or EPA 600/M4-82-020 Method(s) using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
SP-7-Mastic 251303767-0006A	Harlan Building - outside tile/mastic	Black Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
SP-8-Floor Tile 251303767-0007	McCoglan Building - floor tile/mastic	Cream Non-Fibrous Homogeneous		97% Non-fibrous (other)	3% Chrysotile
SP-8-Mastic 251303767-0007A	McCoglan Building - floor tile/mastic	Black Non-Fibrous Homogeneous		100% Non-fibrous (other)	None Detected
SP-12-Floor Tile 251303767-0008	Enterprise Journal - floor tile/mastic	Tan Non-Fibrous Homogeneous		98% Non-fibrous (other)	2% Chrysotile
SP-12-Mastic 251303767-0008A	Enterprise Journal - floor tile/mastic	Black Non-Fibrous Homogeneous		90% Non-fibrous (other)	10% Chrysotile
SP-13 251303767-0009	McComb Electric - wall paint & material	Gray Fibrous Homogeneous		75% Non-fibrous (other)	25% Chrysotile

Analyst(s)
Leah Delahoussaye (14)

Michael Katsorichis
Michael Katsorichis, Laboratory Manager
or other approved signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Samples received in good condition unless otherwise noted. Estimated accuracy, precision and uncertainty data available upon request. Reporting limit is 1%
Samples analyzed by EMSL Analytical, Inc. Baton Rouge, LA NVLAP Lab Code 200375-0, LELAP 01950, TX 300238

Initial report from 06/26/2013 10:26:54

