

Phase I Environmental Site Assessment

**McComb Feed Mill Site
McComb, Mississippi 39648**

Prepared for:

**The City of McComb
Brownfields Assessment Project**

Prepared by:

Eco-Systems, Inc.
6360 Highway I-55 North, Suite 330
Jackson, Mississippi 39211

SEPTEMBER 2013

Eco-Systems, Inc.
Consultants, Engineers, and Scientists



Executive Summary

The City of McComb commissioned Eco-Systems to conduct a Phase I Environmental Site Assessment (Phase I ESA) in downtown McComb, Mississippi. The review area for this report is one of several areas currently under evaluation and consists of an irregular shaped area located south of Pearl River Avenue and east of Railroad Boulevard in downtown McComb, Mississippi. This area is specifically identified as the McComb Feed Mill site. This work was part of the Brownfields Assessment Program. The Brownfield's Program is being utilized to evaluate a number of areas within the City of McComb in order to revitalize abandoned or under-utilized areas. The project activities are being conducted as part of the city's ongoing efforts to improve the areas within the business district as part of a Brownfields Assessment Grant funded through and implemented under the direction of the U.S. Environmental Protection Agency (EPA)

Eco-Systems completed the Phase I ESA of the review area in accordance with the scope and limitations of ASTM Standard E1527-05. Through the process of completing the Phase I ESA, Areas of potential Environmental Concern (AECs) and more specifically, Historical Recognized Environmental Conditions (HRECs), were identified. The following findings and recommendations are based upon conditions observed at the time of reconnaissance, a "good faith" reliance on the information gathered from interviews and records, the information available for review within the time frame allowed by this project, and the limitations of the procedures and methodologies utilized:

AEC-1/REC-1: Onsite 55-gallon Drums of Unknown Contents. During the site reconnaissance, four (4) plastic 55-gallon drums of unknown contents were observed within a secondary containment unit. One of the drums was observed cracked and uncapped. These drums and the potential release of hazardous substances at levels that would pose a threat to human health and the environment likely exist on the subject site.

Recommendation: Eco-Systems recommends a Phase II ESA be performed at targeted locations to further investigate the groundwater and surrounding soils of this immediate area. In addition, Eco-Systems recommends that any damaged containers and containers with unknown contents such as the drums observed should be immediately contained, characterized, removed from the site, and properly disposed of in accordance with federal, state, and local government requirements.

AEC-2/Historical-REC-2: Onsite Miscellaneous Debris: During the site reconnaissance, multiple areas of scattered debris was observed on site. Scrap metal, industrial equipment, piping, plumbing materials, and broken glass were the predominantly observed items within the site boundaries.

Recommendation: Eco-Systems believes that these items, though dangerous, are likely not a threat to human health and the environment. Eco-Systems does not recommend any further assessment associated with this AEC. However, Eco-Systems recommends that the

debris be removed and disposed of properly and carefully. In addition, Eco-Systems reserves its rights to change its opinion if new or additional information should come to light.

AEC-3/HREC-3: Offsite Area of Stressed Vegetation. During review of aerial photography, a large irregular-shaped area with stressed vegetation was observed southward of the subject site and believed to be owned by the Illinois Central Gulf Railroad (ICGR). Interviews with Mississippi Department of Environmental Quality (MDEQ) personnel revealed the area to be the ICGR gravel and concrete waste pile. According to MDEQ personnel, a single surficial soil sample was extracted, analyzed, and revealed a low level of arsenic. The levels of arsenic were found to be below the background levels.

Recommendation: Eco-Systems believes that because a single surficial soil sample revealed arsenic with no further subsurface investigation conducted at this immediate area, that an additional soil and groundwater investigation at the subject site may be warranted. Eco-Systems recommends a Phase II ESA be performed at targeted locations at the subject site to investigate groundwater and soil conditions potentially impacted from this offsite area.

AEC-4/HREC-4: Offsite Metal Slag Railyard, Illinois Central Railroad & Undifferentiated Areas of Concern Site During the review of the Environmental Data Resources (EDR) Report, ICGR was identified in the Comprehensive Environmental Response, Compensation, and Liability Information System-No Further Remedial Action Planned CERCLIS-NFRAP database. CERCLIS-NFRAP sites are those that have had previous site assessments and that the U.S. Environmental Protection Agency (EPA) has determined no further steps will be taken to list the site under the National Priorities List (NPL) database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. In addition, ICGR was identified as a SHWS site with soils contaminated with Total Petroleum Hydrocarbons (TPH). The site was observed to be in close proximity to the subject site. The site is active and currently being remediated. Eco-Systems reviewed the site files at the MDEQ. Significant levels of soil and groundwater impact were identified across multiple areas of concern in the ICGR; these areas include the Locomotive Fueling Area, Railroad Car Repair Area, Former AST/UST locations, and Automotive Shop

Recommendation: Eco-Systems believes that the MDEQ's close involvement in this potential offsite source of soil and groundwater impact limits the need to complete additional groundwater assessment on the subject site. Therefore, no additional investigation is warranted or recommended in association with this AEC.

AEC-5/HREC-5: Offsite Undifferentiated Bulk Oil Facilities: During the review of the EDR Report, Sanborn Fire Insurance Maps, and Historical Aerial Photographs revealed at least three (3) historical and one (1) current Bulk Oil facilities are located within close proximity to the subject site. The current Bulk Oil facility is located

approximately 75 feet east of the subject site. According to interviews with the owner the facility, monitoring wells exist on the facilities property. The historical operation of bulk petroleum storage tanks (ASTs) has typically had a history of petroleum product releases. The number of Bulk Oil facilities and known monitoring wells suggest the potential for significant releases of petroleum product to the soils and groundwater exist at the subject site. These areas are suspect in regard to a potential release of hazardous substances and/or petroleum products that would pose a threat to human health and the environment.

Recommendation: Eco-Systems does recommend a Phase II ESA be performed to further investigate the groundwater and soil conditions at the site for the potential impacts from a release of hazardous substances at levels that would pose a threat to human health and the environment.

AEC-6/HREC-6: Offsite Undifferentiated Leaking Underground Storage Tanks (LUST) Sites. During the review of the EDR Report, seven (7) LUST sites were identified within the required search radius of the subject site. Two facilities (Mathis Texaco and Circle B#2) are listed as **open** and **active** LUST sites. According to interviews with MDEQ personnel, Mathis Texaco's received high vapor readings from the USTs and their eligibility is undetermined until analytical results from soil samples are received.. However, the USTs have been reported to be "Temporarily out of service". The Circle B#2 is reported with high vapor readings and minor spills from spill buckets around the fuels ports of the facilities USTs. Additionally, Circle B#2 is currently undergoing Preliminary Subsurface Investigations (PSI) as part of the assessment phase for the facility to determine the extent of the release. The facility is located approximately 300 feet northeast and cross-gradient of the subject site. According to the EDR Report McComb Public Works Department and Holmes North Broadway Shell are listed as **open** and **inactive** and located greater than 1,500 feet northwest of the subject site. The remaining three LUST sites were indicated by the EDR Report to have received No Further Action letters.

Recommendation: Eco-Systems does recommend a Phase II ESA be performed to further investigate the groundwater and soil conditions at the site for the potential impacts from a release of hazardous substances at levels that would pose a threat to human health and the environment.

AEC-7/HREC-7: Offsite Undifferentiated Historic Filling Stations/Auto Repair Shops. A review of the 1925, 1949, and 1961 Environmental Data Resource (EDR) Sanborn Maps revealed that numerous historic filling stations and auto repair shops with several gasoline tanks were located in close proximity to the subject site. An historic filling station was identified approximately 400 feet northeast of the subject site. An historic automobile repair shop was identified approximately 300 feet northwest of the subject site. Historic filling stations and automobile repair facilities are known to have commonly released petroleum. These releases are a result of spills and leaks that occur over the years during the handling and storage of petroleum constituents and degreasing

solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to a certain group of these site's close proximity to the subject site location.

Recommendation: Based on the number and location of several historical automobile filling stations and repair shops, Eco-Systems recommends a targeted Phase II soil and, if necessary a vapor-phase and groundwater investigation be completed on the subject site.

AEC-8/HREC-8: Offsite Historic Dry Cleaners. A review of the 1949 and 1961 EDR Sanborn Maps revealed a historic dry cleaning facility was located less than 550 feet northwest of the subject site. Historical dry cleaners are known to have commonly released chlorinated or Stoddard solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to the close proximity to the subject site location.

Recommendation: Although historical dry cleaners are known to have commonly released hazardous solvents, no lines of evidence were found indicating the listed dry cleaner releasing any hazardous substances. Based on this explanation and the distance from the subject site, Eco-Systems does not recommend any further assessment associated with this AEC.

AEC-9: Potential Asbestos Containing Materials (ACMs) and Lead Based Paint (LBP). During the site reconnaissance, multiple piles of debris believed to be associated with the historic feed mill were observed on the subject site. Considering the age and dilapidated nature of the historic feed mill area and condition of the miscellaneous items observed on site, Eco-Systems believes that ACMs and LBP materials are likely present throughout the site.

Recommendation: Eco-Systems recommends an asbestos survey be conducted by a certified asbestos professional prior to any remodeling or demolition activities conducted on the subject site. In addition, Eco-Systems recommends a lead-based paint survey be conducted by an EPA-certified professional prior to any remodeling or demolition activities conducted on the subject site.

It is important to note **that designation as an AEC does not necessarily equate to a REC.** The designation of an AEC provides unified terminology for the discussion of potential on-site or off-site issues during the investigative process.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	I
1.0 INTRODUCTION.....	1
1.1 PURPOSE	1
1.2 DETAILED SCOPE-OF-SERVICES	1
1.3 SIGNIFICANT ASSUMPTIONS	2
1.4 LIMITATIONS AND EXCEPTIONS.....	2
1.5 SPECIAL TERMS AND CONDITIONS	2
1.6 USER RELIANCE	2
1.7 EPA “ALL APPROPRIATE INQUIRY” STATUTORY CRITERIA COMPLIANCE	3
2.0 REVIEW AREA DESCRIPTION.....	4
2.1 LOCATION AND LEGAL DESCRIPTION	4
2.2 REVIEW AREA AND VICINITY GENERAL CHARACTERISTICS	4
2.3 CURRENT USE OF THE PROPERTY	4
2.4 DESCRIPTIONS OF STRUCTURES, ROADS, OTHER IMPROVEMENTS	4
2.5 CURRENT USES OF THE ADJOINING PROPERTIES	4
3.0 USER PROVIDED INFORMATION.....	5
3.1 TITLE RECORDS.....	5
3.2 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS	5
3.3 SPECIALIZED KNOWLEDGE.....	5
3.4 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION	5
3.5 VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES.....	5
3.6 OWNER, PROPERTY MANAGER, AND OCCUPANT INFORMATION	5
3.7 REASON FOR PERFORMING PHASE I ESA	5
3.8 PREVIOUS ENVIRONMENTAL REPORTS	5
4.0 RECORDS REVIEW	6
4.1 STANDARD ENVIRONMENTAL RECORD SOURCES.....	6
4.1.1 <i>National Priorities List (NPL)</i>	8
4.1.2 <i>Proposed NPL Sites</i>	8
4.1.3 <i>Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)</i>	8
4.1.4 <i>Comprehensive Environmental Response, Compensation and Liability Information System – No Further Remedial Action Planned (CERCLIS-NFRAP)</i>	8
4.1.5 <i>Corrective Action Report (CORRACTS)</i>	9
4.1.6 <i>Resource Conservation and Recovery Act (RCRA)</i>	9
4.1.7 <i>Emergency Response Notification System (ERNS)</i>	9
4.1.8 <i>State Hazardous Waste Sites (SHWS)</i>	10
4.1.9 <i>Solid Waste Landfill (SWF/LF)</i>	10
4.1.10 <i>Leaking Underground Storage Tanks (LUST)</i>	10

4.1.11	<i>Underground Storage Tanks (UST)</i>	11
4.1.12	<i>Above Ground Storage Tanks (ASTs)</i>	11
4.1.13	<i>Indian Lands</i>	12
4.1.14	<i>SWRCY Mississippi Recycling Directory</i>	12
4.1.15	<i>Facility Index System/Facility Identification Initiative Program Summary Report</i> 12	
4.1.16	<i>High Risk Historical Automobile Stations</i>	12
4.1.17	<i>High Risk Historical Cleaners</i>	13
4.1.18	<i>Orphan Site Summary</i>	13
4.2	ADDITIONAL ENVIRONMENTAL RECORD SOURCES.....	13
4.3	PHYSICAL SETTING SOURCE(S).....	13
4.4	HISTORICAL USE INFORMATION ON THE PROPERTY.....	14
4.4.1	<i>Historical Aerial Photographs</i>	14
4.4.2	<i>Sanborn Maps</i>	14
4.4.3	<i>City Directory Reports</i>	15
5.0	REVIEW AREA RECONNAISSANCE	16
5.1	METHODOLOGY AND LIMITING CONDITIONS.....	16
5.2	GENERAL REVIEW AREA SETTING.....	16
5.3	EXTERIOR OBSERVATIONS.....	16
5.4	INTERIOR OBSERVATIONS.....	17
5.5	ADJACENT PROPERTIES.....	17
6.0	INTERVIEW(S)	18
7.0	ADDITIONAL SERVICES	20
8.0	OPINION	21
9.0	CONCLUSIONS	22
10.0	DEVIATIONS	26
11.0	REFERENCES	27
12.0	SIGNATURE(S) OF ENVIRONMENTAL PROFESSIONAL(S)	28
13.0	QUALIFICATION(S) OF ENVIRONMENTAL PROFESSIONAL(S)	29

FIGURES

FIGURE 1	SITE LOCATION AND TOPOGRAPHIC MAP
FIGURE 2	EXISTING CONDITIONS MAP
FIGURE 3	REVIEW AREAS OF ENVIRONMENTAL CONDITIONS (AEC) MAP

APPENDICES

APPENDIX A	REVIEW AREA PHOTOGRAPHS
------------	-------------------------

APPENDIX B	USER PROVIDED DEED INFORMATION
APPENDIX C	EDR MAP AND REPORT(S)
APPENDIX D	MDEQ UST DATABASE SPREADSHEET
APPENDIX E	EDR AERIAL DECADE PHOTO PACKAGE and HISTORIC TOPOGRAPHIC MAPS
APPENDIX F	SANBORN MAPS
APPENDIX G	CITY DIRECTORY

1.0 Introduction

The City of McComb commissioned Eco-Systems to conduct a Phase I Environmental Site Assessment (Phase I ESA) of a historic commercial property located east of the I.G.C. Railroad, south of Pearl River Avenue, and west of Magnolia Street in McComb, Pike County, Mississippi. The Phase I ESA was conducted in accordance with the ASTM *Standard E 1527-05, Standard Practice for Environmental Site Assessments, Phase I Environmental Site Assessment Process*. The review area consists of a commercial building identified as McComb Feed Mill. A review area location map depicting portions of the United States Geological Survey (USGS) 7.5-Minute Series *McComb, Mississippi* quadrangle is provided as **Figure 1**.

1.1 Purpose

The purpose of the *Phase I ESA* portion of the ESA scope of work was to identify potential or identified Recognized Environmental Conditions (RECs) associated with the subject property. RECs, as defined by American Society for Testing and Materials (ASTM) *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* (ASTM E 1527-05), means the presence or likely presence of any hazardous substances (contaminants regulated by the Comprehensive Environmental Response, Compensation, and Liability Act, or CERCLA) or petroleum products on the subject property under conditions that indicate an existing release, a past release, or a material threat of a release into structures on the property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not RECs.

1.2 Detailed Scope-of-Services

This *Phase I ESA* conforms to ASTM E 1527-05. In general, the *Phase I ESA* included four components:

- Records review,
- Review area reconnaissance,
- Interviews with key personnel, and
- Preparation of a report with the findings of the Phase I ESA.

To fulfill the ASTM requirements, a commercially-available report was obtained to review federal and state environmental databases for environmental concerns associated with the review area and nearby properties that could potentially impact the review area. A walking visual reconnaissance was conducted of the subject site on June 20, 2013 to observe general conditions and evidence of possible environmental impacts, and to document review area features and conditions. Photographs from the field reconnaissance are available in **Appendix A**. Interviews

were conducted with key personnel with knowledge of past activities conducted within and near the subject site. The work also included review of other readily-obtainable records including topographic maps and historical aerial photographs.

1.3 Significant Assumptions

Eco-Systems has relied on information provided by others in assessing the subject site. Such information included site documents provided by client (see Section 3.0), historical and environmental database information provided by Environmental Data Resources (EDR) of Milford, Connecticut (Section 4.0), and Mississippi Department of Environment Quality database information. In most cases, the provided information could not be independently verified.

1.4 Limitations and Exceptions

This *Phase I ESA* conforms to the ASTM Standard Practice for environmental site assessments (ASTM-E 1527-05). Even so, no *Phase I* can completely eliminate uncertainty about a property's potential for environmental problems. No statement of certainty can be made regarding subsurface conditions from any onsite or offsite sources of contamination. Eco-Systems relied on information provided by others in assessing the site and in some cases the information has not been independently verified. This report is a prudent and reasonable evaluation of the subject property's observed environmental condition.

Eco-Systems assumes no responsibility for conditions or information not practically reviewable, nor does it guarantee the accuracy or completeness of information obtained from other parties. This report should not be construed as verifying the present property owner or operator's compliance with federal, state, and local regulations, or as a recommendation to purchase, sell, or develop the subject property. The assessment is not intended to include *de minimis* conditions that generally do not put the public health or the environment at risk and generally would not be the subject of an enforcement action if brought to the attention of a government agency.

Please note, this assessment did not include sampling of surface water, asbestos, lead, radon, mold, or general indoor air quality; wetlands, ecological, or endangered species studies; or evaluation of high-voltage power lines and associated equipment.

1.5 Special Terms and Conditions

No special terms or conditions were specified for this *Phase I ESA*.

1.6 User Reliance

Eco-Systems was retained by The City of McComb to perform a *Phase I ESA* at the subject property. This assessment was prepared for the exclusive use of The City of McComb in evaluating the current condition of the subject property prior to potential transfer of facility

operations and assets. Any other party's reliance on this report is at his/her own risk, unless specifically granted authorization in writing by Eco-Systems.

1.7 EPA "All Appropriate Inquiry" Statutory Criteria Compliance

This assessment is intended to permit the *user* to satisfy one of the requirements to qualify for the *innocent landowner defense* to CERCLA liability and to complete "all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice" as defined in 42 United States Code Section 9601(35)(B).

2.0 Review area Description

2.1 Location and Legal Description

The subject site consists of a historically developed property in McComb, Mississippi. The site is situated south of Pearl River Avenue, west of Magnolia Street, and east and north of the I.G.C Railroad in McComb, Pike County, Mississippi. The site is centrally specifically located at latitude 31° 14' 42.36" North, longitude -90° 26' 54.60" West (**Figure 1**). A legal description for the site was provided by the user and included in **Appendix B**. The approximate review area boundaries are illustrated on **Figure 2**.

2.2 Review Area and Vicinity General Characteristics

The review area consists of an un-maintained and densely vegetated area containing multiple abandoned and dilapidated structures in McComb, Pike County, Mississippi (**Photo 1**) found in **Appendix A**. The subject site is located south of Pearl River Avenue and east of the I.C.G. Railroad with an elevation of approximately 391 feet above mean sea level (msl). The review area is located within the eastern portion of the downtown area of McComb. The area surrounding the subject site is primarily used for commercial purposes. The vicinity of the review area contains moderate slopes and characteristic of the surrounding areas. Stormwater generally flows eastward into Town Creek.

2.3 Current Use of the Property

There are no current uses of the subject property.

2.4 Descriptions of Structures, Roads, Other Improvements

The subject site is located along the western bank of Town Creek. The site was unoccupied with multiple abandoned grain silos interspersed within the densely-vegetated ground. A number of the existing structures were observed to be at various stages of dilapidation. Intentionally barricaded or blocked access roads are located to the north off Pearl River Avenue and west across the I.C.G. Railroad.

2.5 Current Uses of the Adjoining Properties

The Illinois Central Gulf Railroad utilizes the property to the south and west of the subject site. There are no current uses of the adjoining property to the north of the subject site. A Bulk Oil facility is currently active and located east of the subject site.

3.0 User Provided Information

3.1 Title Records

A chain of title was not provided by the user. However, a copy of the current quitclaim deed (Instrument #176821) dated March 3, 2005, for the Old Feed Mill property was provided by the user and is found in **Appendix B**.

3.2 Environmental Liens or Activity and Use Limitations

No indication of any environmental liens or activity and use limitations were observed while reviewing the current quitclaim deed.

3.3 Specialized Knowledge

The user did not provide specialized knowledge regarding this property.

3.4 Commonly Known or Reasonably Ascertainable Information

No commonly known or reasonably-ascertainable information was specified by the user for this Phase I ESA.

3.5 Valuation Reduction for Environmental Issues

A valuation reduction due to existing or potentially-existing environmental issues related to the subject site was not indicated by the user.

3.6 Owner, Property Manager, and Occupant Information

The property is owned by the City of McComb.

3.7 Reason for Performing Phase I ESA

The review area is part of an area of properties that are being targeted for redevelopment under the U.S. Environmental Protection Agency's Brownfields Assessment Program and funded through the City of McComb Brownfields Assessment Grant.

3.8 Previous Environmental Reports

No previous environmental reports were obtained during this Phase I ESA.

4.0 Records Review

To expedite the records review process, Eco-Systems contracted Environmental Data Resources, Inc. (EDR), a national environmental data records research and reporting service, to conduct a search of applicable state and federal regulatory databases.

4.1 Standard Environmental Record Sources

The results of this search are included in **Appendix C**. The EDR report included a search of the following federal databases:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
NPL	National Priority List	1
Proposed NPL	Proposed NPL Sites	1
CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Information System	1/2
CERCLIS-NFRAP	No Further Remedial Action Planned	1/2
CORRACTS	Corrective Action Report	1
RCRA	Resource Conservation and Recovery Information System	1
TSDf	Treatment, Storage, and/or Disposal	1/2
LQG	Large Quantity Generator	1/4
SQG	Small Quantity Generator	1/4
ERNS	Emergency Response Notification System	Review area

Supplemental federal databases included in the EDR report include the following:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
CONSENT	CERCLA Consent Decrees	1
ROD	NPL Records of Decision	1
Delisted NPL	NPL Deletions	1
FINDS	Facility Index System/Facility Identification Initiative Program Summary Report	Review area
HMIRS	Hazardous Materials Information Reporting System	Review area
MLTS	Material Licensing Tracking System	Review area
MINES	Mines Master Index File	1/4
NPL Liens	Cost Recovery Liens against CERCLA Sites	Review area
PADS	PCB Activity Database System	Review area
FUDS	Formerly Used Defense Sites	1

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
UMTRA	Uranium Mill Tailings Sites	1/2
ODI	Open Dump Inventory	1/2
INDIAN RESERV	Indian Reservations	1
DOD	Department of Defense Sites	1
RAATS	RCRA Administrative Action Tracking System	Review area
TRIS	Toxic Chemical Release Inventory System	Review area
TSCA	Toxic Substances Control Act	Review area
SSTS	FIFRA Section 7 Tracking System	Review area
FTTS	Tracks enforcement action related to FIFRA, TSCA, and EPCRA	Review area

The State of Mississippi databases required by ASTM 1527-05 reviewed by EDR are as follows:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
State Haz. Waste (MS & LA)	CERCLA/Uncontrolled Sites	1
State Landfill (MS & LA)	Solid Waste Landfills	1/2
LUST	Leaking Underground Storage Tank Database	1/2
UST	Underground Storage Tanks	1/4
Indian UST	USTs on Indian Land	1/4
Indian LUST	LUSTs on Indian Land	1/2
SWRCY	Voluntary Evaluation Program Sites	1/2
VCP	Voluntary Evaluation Program Sites	1/2

The State of Mississippi databases not required by ASTM 1527-05 reviewed by EDR are as follows:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
NPDES	Water Discharge Permit Data	Review area
AST	Above Ground Storage Tanks regulated by the Department of Commerce	Review area
ENG CONTROLS	Sites with Engineering Controls	1/2

Brownfields Databases:

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
US	Listing of Brownfields Sites	1/2
BROWNFIELDS INST CONTROL	Sites with institutional controls	1/2

<u>Database</u>	<u>Description</u>	<u>Search Radius (Miles)</u>
BROWNFIELDS	Uncontrolled Sites List	1/2
VCP	Voluntary Evaluation Program Sites	1/2

4.1.1 National Priorities List (NPL)

The NPL is the U.S. Environmental Protection Agency (USEPA) database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. A site must surpass a predetermined hazard ranking system score, be chosen as a state’s top priority site, or meet three (3) specific criteria set jointly by the US Department of Health and Human Services and the USEPA in order to become an NPL site. The EDR report **did not** indicate any NPL sites within the one-mile search radius.

4.1.2 Proposed NPL Sites

The Proposed NPL Sites are those sites that have been recommended for entry into the NPL but the decision to include sites on the NPL is pending. The EDR report **did not** indicate any Proposed NPL sites within a one-mile radius of the review area.

4.1.3 Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)

The CERCLIS list contains sites that are either proposed to or appear on the National Priorities List (NPL). The EDR report **did not** indicate any CERCLIS sites within a one-half mile radius of the review area.

4.1.4 Comprehensive Environmental Response, Compensation and Liability Information System – No Further Remedial Action Planned (CERCLIS-NFRAP)

CERCLIS sites designated “No Further Remedial Action Planned” (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. USEPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to redevelopment of these properties and has archived them as historical records so USEPA does not needlessly repeat the investigations in the future. This policy change is part of the USEPA’s Brownfields Redevelopment Program to help cities, states, private investors, and affected citizens to promote economic redevelopment of unproductive urban sites. The EDR report **identified** the presence of one CERCLIS-NFRAP site listed within a one-half mile radius of the review area.

Sites at lower elevation than the review area:

1. Illinois Central Gulf Railroad is located at South Railroad Boulevard, approximately 0.19 miles west-southwest of the subject site.

4.1.5 Corrective Action Report (CORRACTS)

CORRACTS is a USEPA database of Resource Conservation and Recovery Act (RCRA) facilities that are undergoing “corrective action”. A “corrective action order” is issued pursuant to RCRA Section 3008 (h) when there has been a release of hazardous waste into the environment from a RCRA facility. The EDR report **did not** indicate the presence of any CORRACTS sites listed within a one-mile radius of the review area.

4.1.6 Resource Conservation and Recovery Act (RCRA)

The RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities databases are a compilation by the USEPA of facilities that report storage, transportation, treatment or disposal (TSD) of hazardous waste or generators of hazardous waste. Hazardous waste generators are further divided into Large Quantity Generators (LQG), Small Quantity Generators (SQG), and Conditionally Exempt Small Quantity Generators (CESQG). LQGs are facilities that generate more than 1000 kg/month of non-acutely hazardous waste or more than 1 kg/month of acutely hazardous waste. SQGs generate less than the 1000 kg/month of non-acutely hazardous waste or less than 1 kg/month of acutely hazardous waste. The EDR report **identified** the presence of one RCRA-CESQG sites listed within a one-quarter mile radius of the review area:

Sites at an equal or higher elevation than the review area:

1. East McComb Body Shop Inc., 501 Pearl River Avenue, located approximately 0.078 miles northeast of the subject site.
 - East McComb Body Shop Inc. is listed in the RCRA-CESQG database for ignitable hazardous wastes, spent halogenated solvents, and non-spent halogenated solvents with no violations present.

4.1.7 Emergency Response Notification System (ERNS)

ERNS is a national database used to collect information on reported releases of oil and hazardous substances. The database contains information from spill reports made to the federal authorities including the USEPA, the US Coast Guard, the National Response Center and the Department of Transportation. The EDR report **did not** identify any spill reports related to the review area.

4.1.8 State Hazardous Waste Sites (SHWS)

The state hazardous waste site inventory includes sites that are included in the Mississippi Uncontrolled Sites List which is the state equivalent of CERCLIS. The EDR report **identified** the presence of one SHWS site located within the one-mile search radius.

Sites at lower elevation than the review area:

1. Illinois Central Gulf Railroad-MC is located approximately 0.428 miles south of the subject site.
 - Illinois Central Gulf Railroad-MC is listed as a SHWS listed as **active** and reported with soil and groundwater contamination. The major contaminants are listed as Lead, Arsenic, and Total Petroleum Hydrocarbons (TPH) with a high concentration of 32,200 mg/Kg. The site was issued a federal no further action on February 25, 1998.

4.1.9 Solid Waste Landfill (SWF/LF)

The SWF/LF is a database of solid waste disposal sites. The EDR report **did not** identify any SWF/LF sites within a one-half-mile radius of the review area.

4.1.10 Leaking Underground Storage Tanks (LUST)

The leaking underground storage tank (LUST) database contains an inventory of reported LUST incidents. The EDR report **identified** the presence of seven LUST sites within a one-half-mile radius of the review area:

Sites at an equal or higher elevation than the review area:

1. Brumfield Oil Company is located at 500 Pearl River Avenue, approximately 0.059 miles (approximately 50 feet) north-northeast of the subject site.
 - Brumfield Oil Company is listed as **inactive**. The LUST status is listed as closed with a no further action date of December 11, 1992.
2. Circle B #2 is located at 540 Pearl River Avenue, approximately 0.077 miles (approximately 275 feet) northeast of the subject site.
 - Circle B #2 is listed as **active**. The LUST status is listed as open.
3. McComb Public Works Department is located at 122 East Michigan Street, approximately 0.36 miles north of the subject site.
 - McComb Public Works Department is listed as **inactive**. The LUST status is listed as open.
4. McComb Police Division is located at 100 5th Street, approximately 0.297 miles south-southwest of the subject site.
 - McComb Police Division is listed as **inactive**. The LUST status is listed as closed with a no further action date of October 11, 1989.
5. Ray Deer Texaco is located at 131 South Broadway Street, approximately 0.323 miles west-southwest of the subject site.

- Ray Deer Texaco is listed as **inactive**. The LUST status is listed as closed with a no further action date of May 8, 2000.
- 6. Holmes North Broadway Shell is located at 500 North Broadway, approximately 0.457 miles northwest of the subject site.
 - Holmes North Broadway Shell is listed as **inactive**. The LUST status is listed as open.
- 7. Mathis Texaco is located at 200 East Georgia Avenue, approximately 0.459 miles north-northwest of the subject site.
 - Mathis Texaco is listed as **active**. The LUST status is listed as open.

4.1.11 Underground Storage Tanks (UST)

The underground storage tank (UST) database contains an inventory of registered USTs. The EDR report **identified** the presence of 6 UST sites within the one-quarter-mile radius of the review area:

Sites at an equal or higher elevation than the review area:

1. Brumfield Oil Company is located at 500 Pearl River Avenue, approximately 0.059 miles (approximately 50 feet) north-northeast of the subject site.
 - Brumfield Oil Company is listed as inactive with 2 permanently out of use tanks.
2. Circle B #2 is located at 540 Pearl River Avenue, approximately 0.077 miles (approximately 275 feet) northeast of the subject site.
 - Circle B #2 is listed as active with 4 currently in use tanks.
3. Hughey's Gulf is located at 501 Pearl River Avenue, approximately 0.078 miles (approximately 300 feet) northeast of the subject site.
 - Hughey's Gulf is listed as inactive with 4 permanently out of use tanks.
4. Illinois Central Gulf Railroad is located at South Railroad Boulevard, approximately 0.189 miles west-southwest of the subject site.
 - Illinois Central Gulf Railroad is listed as inactive with 4 permanently out of use tanks.
5. McComb Fire Division is located at 407 East Michigan Avenue, approximately 0.191 miles north-northwest of the subject site.
 - McComb Fire Division is listed as inactive with 1 permanently out of use tank.
6. Warehouse is located at 200 North Railroad Boulevard, approximately 0.194 miles west of the subject site.
 - Warehouse is listed as inactive with 1 permanently out of use tank.

4.1.12 Aboveground Storage Tanks (ASTs)

The aboveground storage tank (AST) database contains an inventory of registered ASTs. The EDR Report **did not** identify the presence of AST sites within the 1/4-mile radius of the review area.

4.1.13 Indian Lands

The EDR report **did not** indicate any environmental records associated with Indian land within the search radius of the review area.

4.1.14 SWRCY Mississippi Recycling Directory

The EDR report **identified** one State listed recycling facilities located within one-half mile of the review area.

Sites at an equal or higher elevation than the review area:

1. Andrews Metal Inc. is located at 304 Summit Street, approximately 0.299 miles northwest of the subject site.
 - Andrews Metal Inc. recycles aluminum cans, steel cans, brass, bronze, stainless steel, copper, and lead.

4.1.15 Facility Index System/Facility Identification Initiative Program Summary Report

FINDS contains both facility information and “pointers” to other sources that contain more detail. The EDR report includes the following FINDS databases: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and tract information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control) C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System). The EDR report **did not** identify any FINDS issues within the review area.

4.1.16 High Risk Historical Automobile Stations

The EDR US Historical Automobile Station database is a collection of potential historical gas stations, filling stations, and service station sites. This database falls within a category of information EDR classifies as “High Risk Historical Records” or HRHR. The EDR report **identified** the following three HRHR Automobile sites within issues within a one-quarter mile radius of the review area.

1. 501 Pearl River Avenue, located approximately 0.078 miles northeast of the subject site, is listed as a historical East McComb Body Shop.
2. 601 Pearl River Avenue, located approximately 0.122 miles east-northeast of the subject site, is listed as a historical Q & R Auto LLC facility.
3. 103 Main Street, located approximately 0.20 miles west-southwest of the subject site, is listed as a Morgan Small Engine Repair facility.

4.1.17 High Risk Historical Cleaners

The EDR US Historical Cleaners database is a collection of potential historical dry cleaner sites. This database falls within a category of information EDR classifies as “High Risk Historical Records” or HRHR. The EDR report **did not** identify any HRHR Dry Cleaner sites within a one-quarter mile radius of the review area.

4.1.18 Orphan Site Summary

The Orphan Summary is a list of poorly mapped facilities due to inadequate address information in the neighboring area of the subject site. As part of the site reconnaissance, Eco-Systems conducted a survey of nearby properties searching for Orphan sites listed from the EDR report to determine their significance in relation to subject site distance. Eco-Systems could not readily identify any Orphan sites listed on the EDR report within a one-half mile radius of the subject site.

4.2 Additional Environmental Record Sources

The MDEQ’s UST database was reviewed for the presence of USTs and their proximity to the subject site. The MDEQ database did not reveal any additional sites, not recognized by the EDR Report, with registered USTs located within the required search radius. A copy of the registered USTs in the McComb, MS area is included in **Appendix D**.

4.3 Physical Setting Source(s)

Various physical setting sources were used to further investigate the history of the review area. The sources reviewed and the findings are discussed in the following paragraphs.

The USGS 7.5-minute topographic maps for the area (*McComb, Mississippi*) were reviewed to provide physical setting information at the review area (**Figure 1**). Historical topographic maps of the subject site and review area were obtained from EDR. The available maps were from 1972, 1984 and 1994. The map was reviewed for the presence of structures, equipment, or changes to drainage patterns. Copies of the historic topographic maps from EDR are provided in **Appendix E**.

1972 – The 1972 topographic map indicated that the subject site was developed and the surrounding areas are similar to current conditions.

1984 – The 1984 topographic map indicated that the subject site and the surrounding area are developed and similar to current conditions.

1994 – The 1994 topographic map indicated that the subject site and the surrounding area are developed and similar to current conditions.

The EDR Report indicated that the subject site is located on the western banks of Town Creek underlain with Falaya silt loam soils. According to the EDR Report, National Cooperative Soil Survey and Pike County Soil Survey, this soil association is somewhat poorly drained and does not meet the requirements for a hydric soil.

4.4 Historical Use Information on the Property

4.4.1 Historical Aerial Photographs

Aerial photographs were obtained from EDR. The available aerial photographs from the EDR were from 1971, 1992, 1996, 2005, 2006, 2007, 2009, and 2010. The photographs were reviewed for the presence of structures, equipment, or other environmental factors. Copies of the aerial photographs from EDR are provided in **Appendix E**:

Pre-1970 – No aerials before 1970 were obtained and therefore considered a data gap. This data gap and additional deviations are further discussed in Section 10.0.

1971 – The subject site appears to be developed, including; cleared areas and structures present.

1972-1991 – Aerials for 1972-1991 were not available and therefore considered a data gap. This data gap and additional deviations are further discussed in Section 10.0.

1992 - The review area appears similar to the 1971 aerial with exception of missing structures located northwest of the subject site.

1996 - The review area appears similar to the 1992 aerial.

2005 - The subject site and surrounding area appears similar to current conditions.

2006 - The subject site and surrounding areas appear similar to current conditions.

2007 - The subject site and surrounding areas appear similar to current conditions.

2009 - The subject site and surrounding areas appear similar to current conditions.

2010 - The subject site and surrounding areas appear similar to current conditions.

4.4.2 Sanborn Maps

Based on the EDR Certified Sanborn Map Report, the subject site has been developed since the late 1880's. Sanborn Maps were obtained from 1886, 1893, 1898, 1904, 1907, 1913, 1918, 1925, 1949, and 1961. A summary of the Sanborn Map Report is provided below. The complete Certified Sanborn Map Report from EDR is provided in **Appendix F**.

Map Date	Description
1886	No coverage
1893	No coverage
1898	No coverage
1904	No coverage
1907	No coverage
1913	No coverage
1918	No coverage for the subject site. The Illinois Gulf Railroad Motor Car Shop is identified west of the subject site.
1925	The 1925 map indicated a Wholesale Grocery and Grocery with Gasoline Tanks and Warehouse under a single roof were located north of the subject site. A railroad spur was identified within the general review area. A General Storage building was identified east of the review area.
1949	The 1949 map indicates the McComb Milling Company with multiple structures including a Grist & Flour Mill, Laboratory Shed, Paint Shop, Truck Grease Rack, Cabinet Shop, Blacksmith Shop, Automobile Shop and two Molasses Houses' were identified north and northwest of the subject site. A dry cleaning facility was located less than 550 feet northwest of the subject site
1961	The Feed Mill area (subject site) appears fully developed with two main structures including a dumping and waste bin area. The surrounding areas appear similar to the 1949 map.

4.4.3 City Directory Reports

The City Directory Report did not provide any historic information or coverage on the subject site for the years 1969, 1974, 1980, 1986, 1991, 1996, 2002, 2007, and 2013. The 1963 City Directory indicated the subject site was operated by the McComb Milling Company. The City Directory Report is included as **Appendix G**.

5.0 Review area Reconnaissance

A walking visual reconnaissance of the review area was performed on June 20, 2013 by Eco-Systems. The review area visit was conducted to observe general conditions of the subject site and evidence of the existence of possible environmental impacts. The visual reconnaissance included an investigation of property features such as stained soil and stressed vegetation that may indicate the presence of contamination from discharges, leaks, or spills of chemicals of potential concern. Adjacent properties were also observed from the subject site boundary to assess the potential for environmental impacts from off-site activities that could affect the review area. Photographs of the review area taken during the review area reconnaissance are provided in **Appendix A**.

5.1 Methodology and Limiting Conditions

Site reconnaissance was conducted on the exterior of the subject site. The interior of the remaining structures was inaccessible due to hazardous conditions. Visual reconnaissance of adjacent properties was conducted from the subject site and public access areas.

5.2 General Review Area Setting

The general setting of the review area is comprised of the eastern portion of downtown McComb, Mississippi. The review area contains an open and densely vegetated area on the western bank of Town Creek in McComb, Pike County Mississippi. The review area contains moderate slopes and characteristic of the surrounding areas. Modes of drainage for the review area generally occur flowing eastward towards Little Tangipahoa River and Town Creek. The City of McComb provides the water and sewer utilities to the site. Entergy provides the electricity to the review area. Centre Point provides the natural gas to the review area. General site characteristics can be seen in the **Figure 2 – Existing Conditions**. Photos of the review area taken during reconnaissance are provided in **Appendix A**.

5.3 Exterior Observations

The subject site is located along the western bank of Town Creek (**Photo 1**). The site was observed to be unoccupied with multiple abandoned grain silos interspersed within the densely-vegetated ground (**Photos 2 & 3**). A number of the existing structures were observed to be at various stages of dilapidation. Multiple areas of illegal dumping of broken glass, scrap metal, construction materials, plumbing materials, metal piping, broken concrete blocks, and household debris were observed throughout the site (**Photos 4, 5, 6, & 7**). Undifferentiated debris was found along and within the banks of Town Creek although it appears the majority of the debris has been transported in from upgradient offsite sources. Four (4) 55-gallon plastic drums containing an unknown liquid were observed on the subject site (**Photo 8**). One drum appeared to be cracked and damaged with an uncapped bung hole (**Photo 9**). The abandoned drums were observed within a secondary containment area littered with miscellaneous debris.

5.4 Interior Observations

Interior observations of the structures were not conducted due to the integrity and hazardous conditions currently on the subject site.

5.5 Adjacent Properties

The Illinois Gulf Central Railroad and Railcar Museum Exhibit are located west and south of the subject site. Brumfield Bulk Oil facility is located across Town Creek and east of the subject site (**Photos 10 & 11**). A Firestone Tire Shop and East McComb Body Shop are located north of the subject site (**Photos 12 & 13**). A densely vegetated area, historically containing the former McComb Milling Company and Ready Mix Concrete facility, was identified north of the subject site (**Photo 14**).

6.0 Interview(s)

1. B.J. Nettles, McComb Fire Chief (26 years)
 - August 16, 2013
 - Communication by telephone
 - Chief Nettles stated that he is aware of multiple historic fires associated with the former Feed Mill site.

2. Pat Brumfield, current owner, Brumfield Bulk Oil Plant
 - August 27, 2013
 - Communication by telephone
 - Mr. Brumfield stated that his facility is located east of the subject site.
 - Mr. Brumfield stated that his facility has numerous ASTs and no USTs.
 - Mr. Brumfield stated that he believes his facility contains monitoring wells.
 - Mr. Brumfield stated that he believes the monitoring wells were installed several years ago, with no additional information regarding the installation dates and monitoring activities.
 - Mr. Brumfield stated that his facility has had no former or current environmental issues.
 - Mr. Brumfield stated that an explosion occurred at the former feed mill in the 1960's.
 - Mr. Brumfield stated that a potential 1,000 gallon UST may be located on the western portion of the former Pike County Ready Mix facility historically located north of the subject site.
 - Mr. Brumfield stated that he was unsure if the aforementioned UST is still existing within the ground or been removed from the site.
 - Mr. Brumfield stated that a historical railroad spur transecting the subject site caved into Town Creek, but was unsure of the occurrence date.
 - Mr. Brumfield stated that the subject site and surrounding site was heavily damaged by Hurricane Katrina in 2005.

3. Robin Boyd, Manager of the Pike County Ready Mix facility (historically located north of the subject site).
 - August 27, 2013
 - Communication by telephone
 - Mr. Boyd stated that he purchased the property north of the subject site in the late 1980's.
 - Mr. Boyd stated that he operated the property as the Pike County Ready Mix concrete facility until the mid-1990s.
 - Mr. Boyd stated that he was advised by an unnamed attorney not to purchase adjoining properties, because of a drum of unknown contents was intentionally dumped on the site.

- Mr. Boyd stated that the contents were likely non-hazardous and potentially out-of-date molasses associated with the former feed mill.
4. Sandra Dowty, OPC/Groundwater Assessment & Remediation/Underground Storage Tanks Division.
 - August 27, 1013
 - Communication by telephone
 - Ms. Dowty stated that the Mathis Texaco facility has three (3) USTs temporarily out of service.
 - Ms. Dowty stated that the subsurface adjacent to the USTs had high petroleum vapor readings.
 - Ms. Dowty stated the facility has intentions to pull the tanks from the ground and have the soil analyzed.
 - Ms. Dowty stated that the MDEQ has not had any further contact and are still awaiting analytical results from Mathis Texaco.
 - Ms. Dowty stated that the facility eligibility status is undetermined at this time.
 5. Heather Pitts, OPC/Groundwater Assessment & Remediation/Underground Storage Tanks Division.
 - August 28, 2013
 - Communication by telephone
 - Ms. Pitts stated that the Circle B#2 has 4 active USTs.
 - Ms. Pitts stated that the subsurface adjacent to the USTs had high petroleum vapor readings.
 - Ms. Pitts stated that an inspector documented that the spill buckets from the fuel ports were leaking.
 - Ms. Pitts stated that MDEQ requested Circle B#2 to address the leaks and that the facility is currently in the Preliminary Subsurface Investigation phase.
 - Ms. Pitts stated the facility is currently in compliance within the UST and Trust Fund programs.
 6. Jimmy Crellin, OPC/Groundwater Assessment & Remediation/Underground Storage Tanks Division.
 - September 12, 2013
 - Communication by telephone
 - Mr. Crellin stated that the area of stressed vegetation is owned by the ICG-Railroad.
 - Mr. Crellin stated that a representative of the ICGR revealed that the area is a mound of gravel, concrete, and railroad waste area.
 - Mr. Crellin also stated that the soils contaminated with Total Petroleum Hydrocarbons associated with the ICGR will not likely impact the subject site.

7.0 Additional Services

No additional services were completed by Eco-Systems.

8.0 Opinion

Based on the information obtained during the Phase I ESA process, Eco-Systems identified potential RECs associated with the review area. Four (4) 55-gallon drum with unknown contents were observed on the subject site. Additionally, one (1) 55-gallon drum with unknown contents was observed damaged and uncapped. Miscellaneous debris was observed scattered throughout the subject site. In addition, at least three (3) former Bulk Oil facilities were identified during the site reconnaissance and the EDR Sanborn Maps. These facilities were identified within close proximity of the subject site. One current Bulk Oil facility was observed within approximately 75 feet east of the subject site. Several historical and current filling stations, auto repair facilities, and a dry cleaners facility identified during the site reconnaissance and the EDR Sanborn Maps were determined to be within close proximity of the subject site. Illinois Central Gulf Railroad was identified by the EDR Report as a CERLIS-NFRAP site. According to the EDR Report two active and permitted UST service facilities are located in close proximity of the subject site. These facilities had been reported to the MDEQ for high subsurface vapor readings resulting from the operation of their USTs. The facilities are currently in the assessment phase and awaiting further analytical information for potential and future soil and groundwater monitoring.

These areas are suspect in regard to a potential release of hazardous substances and/or petroleum products that would pose a threat to human health and the environment. It is recommended that a Phase II ESA be performed at targeted locations to further investigate the groundwater and surrounding soils at the site for the potential evidence of hazardous substances at levels that would pose a threat to human health and the environment. In addition, it is Eco-Systems opinion that any damaged containers and containers with unknown contents such as the drums observed should be immediately contained, characterized, removed from the site, and properly disposed of in accordance with federal, state, and local government requirements.

Based on the information gathered and reviewed during this Phase I ESA, Eco-Systems recommends further investigation of the underlying soils and groundwater to evaluate the potential for soil and groundwater impact from the subject site and off-site properties known to have had previous releases into the environment. In addition, Eco-Systems recommends that an Asbestos Survey and Lead-Based Survey be conducted prior to any demolition or restoration activities planned at the site. Eco-Systems reserves its rights to change its opinion if new or additional information should come to light.

9.0 Conclusions

Eco-Systems was commissioned by The City of McComb to complete a Phase I ESA of the review area in accordance with the scope and limitations of ASTM Standard E1527-05. Eco-Systems conducted all subject property reconnaissance, review of public database records, topographic maps, aerial photographs, and other historical maps and records, and interviewed persons familiar with the subject property in accordance with the American Society for Testing and Materials (ASTM) *Standard E 1527-05, Standard Practice for Environmental Site Assessments, Phase I Environmental Site Assessment Process*. Through the process of completing the Phase I ESA, Areas of potential Environmental Concern (AECs) and/or Recognized Environmental Conditions (RECs) were identified.

AEC-1/REC-1: Onsite 55-gallon Drums of Unknown Contents. During the site reconnaissance, four (4) plastic 55-gallon drums of unknown contents were observed within a secondary containment unit. One of the drums was observed cracked and uncapped. These drums and the potential release of hazardous substances at levels that would pose a threat to human health and the environment likely exist on the subject site.

Recommendation: Eco-Systems recommends a Phase II ESA be performed at targeted locations to further investigate the groundwater and surrounding soils of this immediate area. In addition, Eco-Systems recommends that any damaged containers and containers with unknown contents such as the drums observed should be immediately contained, characterized, removed from the site, and properly disposed of in accordance with federal, state, and local government requirements.

AEC-2/Historical-REC-2: Onsite Miscellaneous Debris: During the site reconnaissance, multiple areas of scattered debris was observed on site. Scrap metal, industrial equipment, piping, plumbing materials, and broken glass were the predominantly observed items within the site boundaries.

Recommendation: Eco-Systems believes that these items, though dangerous, are likely not a threat to human health and the environment. Eco-Systems does not recommend any further assessment associated with this AEC. However, Eco-Systems recommends that the debris be removed and disposed of properly and carefully. In addition, Eco-Systems reserves its rights to change its opinion if new or additional information should come to light.

AEC-3/HREC-3: Offsite Area of Stressed Vegetation. During review of aerial photography, a large irregular-shaped area with stressed vegetation was observed southward of the subject site and believed to be owned by the Illinois Central Gulf Railroad (ICGR). Interviews with Mississippi Department of Environmental Quality (MDEQ) personnel revealed the area to be the ICGR gravel and concrete waste pile. According to MDEQ personnel, a single surficial soil sample was extracted, analyzed,

and revealed a low level of arsenic. The levels of arsenic were found to be below the background levels.

Recommendation: Eco-Systems believes that because a single surficial soil sample revealed arsenic with no further subsurface investigation conducted at this immediate area, that an additional soil and groundwater investigation at the subject site may be warranted. Eco-Systems recommends a Phase II ESA be performed at targeted locations at the subject site to investigate groundwater and soil conditions potentially impacted from this offsite area.

AEC-4/HREC-4: Offsite Metal Slag Railyard, Illinois Central Railroad & Undifferentiated Areas of Concern Site During the review of the Environmental Data Resources (EDR) Report, ICGR was identified in the Comprehensive Environmental Response, Compensation, and Liability Information System-No Further Remedial Action Planned CERCLIS-NFRAP database. CERCLIS-NFRAP sites are those that have had previous site assessments and that the U.S. Environmental Protection Agency (EPA) has determined no further steps will be taken to list the site under the National Priorities List (NPL) database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. In addition, ICGR was identified as a SHWS site with soils contaminated with Total Petroleum Hydrocarbons (TPH). The site was observed to be in close proximity to the subject site. The site is active and currently being remediated. Eco-Systems reviewed the site files at the MDEQ. Significant levels of soil and groundwater impact were identified across multiple areas of concern in the ICGR; these areas include the Locomotive Fueling Area, Railroad Car Repair Area, Former AST/UST locations, and Automotive Shop

Recommendation: Eco-Systems believes that the MDEQ's close involvement in this potential offsite source of soil and groundwater impact limits the need to complete additional groundwater assessment on the subject site. Therefore, no additional investigation is warranted or recommended in association with this AEC.

AEC-5/HREC-5: Offsite Undifferentiated Bulk Oil Facilities: During the review of the EDR Report, Sanborn Fire Insurance Maps, and Historical Aerial Photographs revealed at least three (3) historical and one (1) current Bulk Oil facilities are located within close proximity to the subject site. The current Bulk Oil facility is located approximately 75 feet east of the subject site. According to interviews with the owner the facility, monitoring wells exist on the facilities property. The historical operation of bulk petroleum storage tanks (ASTs) has typically had a history of petroleum product releases. The number of Bulk Oil facilities and known monitoring wells suggest the potential for significant releases of petroleum product to the soils and groundwater exist at the subject site. These areas are suspect in regard to a potential release of hazardous substances and/or petroleum products that would pose a threat to human health and the environment.

Recommendation: Eco-Systems does recommend a Phase II ESA be performed to further investigate the groundwater and soil conditions at the site for the potential impacts from

a release of hazardous substances at levels that would pose a threat to human health and the environment.

AEC-6/HREC-6: Offsite Undifferentiated Leaking Underground Storage Tanks (LUST) Sites. During the review of the EDR Report, seven (7) LUST sites were identified within the required search radius of the subject site. Two facilities (Mathis Texaco and Circle B#2) are listed as **open** and **active** LUST sites. According to interviews with MDEQ personnel, Mathis Texaco's received high vapor readings from the USTs and their eligibility is undetermined until analytical results from soil samples are received.. However, the USTs have been reported to be "Temporarily out of service". The Circle B#2 is reported with high vapor readings and minor spills from spill buckets around the fuels ports of the facilities USTs. Additionally, Circle B#2 is currently undergoing Preliminary Subsurface Investigations (PSI) as part of the assessment phase for the facility to determine the extent of the release. The facility is located approximately 300 feet northeast and cross-gradient of the subject site. According to the EDR Report McComb Public Works Department and Holmes North Broadway Shell are listed as **open** and **inactive** and located greater than 1,500 feet northwest of the subject site. The remaining three LUST sites were indicated by the EDR Report to have received No Further Action letters.

Recommendation: Eco-Systems does recommend a Phase II ESA be performed to further investigate the groundwater and soil conditions at the site for the potential impacts from a release of hazardous substances at levels that would pose a threat to human health and the environment.

AEC-7/HREC-7: Offsite Undifferentiated Historic Filling Stations/Auto Repair Shops. A review of the 1925, 1949, and 1961 Environmental Data Resource (EDR) Sanborn Maps revealed that numerous historic filling stations and auto repair shops with several gasoline tanks were located in close proximity to the subject site. An historic filling station was identified approximately 400 feet northeast of the subject site. An historic automobile repair shop was identified approximately 300 feet northwest of the subject site. Historic filling stations and automobile repair facilities are known to have commonly released petroleum. These releases are a result of spills and leaks that occur over the years during the handling and storage of petroleum constituents and degreasing solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to a certain group of these site's close proximity to the subject site location.

Recommendation: Based on the number and location of several historical automobile filling stations and repair shops, Eco-Systems recommends a targeted Phase II soil and, if necessary a vapor-phase and groundwater investigation be completed on the subject site.

AEC-8/HREC-8: Offsite Historic Dry Cleaners. A review of the 1949 and 1961 EDR Sanborn Maps revealed a historic dry cleaning facility was located less than 550 feet northwest of the subject site. Historical dry cleaners are known to have commonly

released chlorinated or Stoddard solvents. Although, unsubstantiated by other lines of evidence, these sites are of concern due to the close proximity to the subject site location.

Recommendation: Although historical dry cleaners are known to have commonly released hazardous solvents, no lines of evidence were found indicating the listed dry cleaner releasing any hazardous substances. Based on this explanation and the distance from the subject site, Eco-Systems does not recommend any further assessment associated with this AEC.

AEC-9: Potential Asbestos Containing Materials (ACMs) and Lead Based Paint (LBP). During the site reconnaissance, multiple piles of debris believed to be associated with the historic feed mill were observed on the subject site. Considering the age and dilapidated nature of the historic feed mill area and condition of the miscellaneous items observed on site, Eco-Systems believes that ACMs and LBP materials are likely present throughout the site.

Recommendation: Eco-Systems recommends an asbestos survey be conducted by a certified asbestos professional prior to any remodeling or demolition activities conducted on the subject site. In addition, Eco-Systems recommends a lead-based paint survey be conducted by an EPA-certified professional prior to any remodeling or demolition activities conducted on the subject site.

It is important to note **that designation as an AEC does not necessarily equate to a REC.** The designation of an AEC provides unified terminology for the discussion of potential on-site or off-site issues during the investigative process.

10.0 Deviations


This subject site historically contained a former feed mill. According to the interviews, the feed mill was victim to multiple historical fires and hurricane damage, including an explosion resulting severe damage to the facility. The uncertainty of the cause of the fires and explosion present a data gaps. The available aerial photographs were from 1971, 1992, 1996, 2005, 2006, 2007, 2009, and 2010. Data gaps are present for the following time periods: Prior to 1971 and 1992. The absence of these aerial photographs presents additional data gaps. Historical topographic maps were also reviewed including maps from 1972, 1984, and 1994. A city directory was requested and revealed historical ownership details in 1963 associated with the subject site. Coverage for 1969, 1974, 1980, 1986, 1991, 1996, 2002, 2007, and 2013 was not available. Eco-Systems believes that these data gaps, if filled, could potentially yield discovery of additional RECs that may warrant further investigation.

11.0 References

Documents referenced during preparation of this Phase I ESA are cited in the report section that contains the referenced information.

12.0 Signature(s) of Environmental Professional(s)

I declare that, to the best of my professional knowledge and belief, I meet the definition of *Environmental Professional* as defined in §312.10 of 40 CFR 312 and I have the specific qualifications based on education, training, and experience to assess a *property* of the nature, history, and setting of the review area. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312. My qualifications and the qualifications of personnel conducting the review area reconnaissance and interviews are discussed in Section 13.0.


A handwritten signature in blue ink, consisting of several overlapping loops and a long horizontal stroke extending to the right.

Date: September 12, 2013

13.0 Qualification(s) of Environmental Professional(s)

ASTM E 1527-05 requires that the firm conducting the ESA provide information regarding the qualifications of the firm with respect to the performance of the ESA. Eco-Systems is an environmental consulting engineering firm serving the needs of Mississippi and the surrounding states. The firm is staffed by professionals with graduate and undergraduate degrees in engineering, biology, chemistry, geology, environmental sciences and urban planning. These professionals maintain a strong technical proficiency and sound scientific approach to the conduct of ESAs. The performance of this Phase I ESA and preparation of this report were conducted by Mr. Joshua Brown and Mr. John Ryan, CHMM, RPG. Mr. Joshua Brown holds a B.S. degree in Fisheries Science and Aquaculture and is a Professional Scientist with extensive experience in Phase I ESAs and other environmental assessments. Mr. Ryan completed his Bachelor of Arts and Master of Science-level geological studies at the University of Maine-Farmington and University of Arkansas-Fayetteville, respectively. Mr. Ryan is a Registered Professional Geologist in Mississippi and is a Certified Hazardous Materials Manager. Mr. Ryan is also the residing chapter President of the Alliance of Hazardous Materials Professionals of Mississippi. Mr. Ryan has over 19 years of experience in conducting environmental investigations.

FIGURES



Approximate Site Location



PROJECT LOCATION

LEGEND
 Approximate McComb Feed Mill Site Location



**MCCOMB BROWNFIELDS
 PIKE COUNTY, MISSISSIPPI**

Eco•Systems, Inc.
Consultants, Engineers, and Scientists



SCALE: 1"=2,000'	DRAWN BY: PML	DATE: 08-26-2013
	CHKD BY: JB	DATE: 08-26-2013

PROJECT NO. 12183.01.01	FILE 12183 082613 FIG01 R00 D Site Location
----------------------------	--

SITE LOCATION MAP MCCOMB FEED MILL SITE	FIGURE 1
--	-------------

Source: MARIS - McComb North, McComb South, Auburn, Lake Tangipahoa: Mississippi



Disclaimer:
 The information contained in this map was generated from GIS data maintained by different sources and agencies. Some limitations may apply based upon restrictions imposed by other sources or agencies providing data directly to Eco-Systems, Inc. (Eco-Systems) or making data available to download via internet. Areas depicted by these products are approximate, and are not necessarily accurate to mapping, surveying, or engineering standards. These digital products are for illustration purposes only, are not suitable for site-specific decision making, are subject to constant changes, and may not be complete, accurate or current. Any specific coordinates may be in error by several hundred feet or more. A data layer may have registration errors and not overlay with other data layers correctly.

Eco-Systems makes no warranties, expressed or implied as to the accuracy, completeness, currency, reliability, or suitability for any particular purpose of any data or information contained in or generated from this map. Eco-Systems assumes no liability associated with this map. Conclusions drawn from this information are the responsibility of the user. Every effort has been made to ensure the accuracy, correctness and timeliness of the materials presented. Eco-Systems assumes no liability for damages incurred directly or indirectly as a result of incomplete, incorrect or omitted information. The user of this information assumes all liability for their dependence on this information and assumes responsibility for the information.

LEGEND



Approximate McComb Feed Mill Site Location - 1.6 Ac. +/-

Source: MARIS - 2012 NAIP Aerial

**MCCOMB BROWNFIELDS
PIKE COUNTY, MISSISSIPPI**

Eco-Systems, Inc.
Consultants, Engineers, and Scientists

SCALE: 1"=2,000'	DRAWN BY: PML	DATE: 08-26-2013	
	CHKD BY: JB	DATE: 08-26-2013	
PROJECT NO. 12183.01.01	FILE 12183 082613 FIG02 R00 D Exist. Cond.		
EXISTING CONDITIONS MAP MCCOMB FEED MILL SITE			FIGURE 2



Disclaimer:
 The information contained in this map was generated from GIS data maintained by different sources and agencies. Some limitations may apply based upon restrictions imposed by other sources or agencies providing data directly to Eco-Systems, Inc. (Eco-Systems) or making data available to download via internet. Areas depicted by these products are approximate, and are not necessarily accurate to mapping, surveying, or engineering standards. These digital products are for illustration purposes only, are not suitable for site-specific decision making, are subject to constant changes, and may not be complete, accurate or current. Any specific coordinates may be in error by several hundred feet or more. A data layer may have registration errors and not overlay with other data layers correctly.

Eco-Systems makes no warranties, expressed or implied as to the accuracy, completeness, currency, reliability, or suitability for any particular purpose of any data or information contained in or generated from this map. Eco-Systems assumes no liability associated with this map. Conclusions drawn from this information are the responsibility of the user. Every effort has been made to ensure the accuracy, correctness and timeliness of the materials presented. Eco-Systems assumes no liability for damages incurred directly or indirectly as a result of incomplete, incorrect or omitted information. The user of this information assumes all liability for their dependence on this information and assumes responsibility for the accuracy.

Source: MARIS - 2012 NAIP Aerial

LEGEND	
	Approximate Mccomb Feed Mill Site Location - 1.6 Ac. +/-
	Approximate Historical Dry Cleaner Site Location (Sanborn)
	Approximate Historical Filling Station Site Location (Sanborn)
	Approximate Historical Auto Shop Site Location (Sanborn)
	Area of Potential Environmental Concern
	Historical Recognized Environmental Concern

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	
AEC-1, HREC-1	Onsite 55-Gallon Drums of Unknown Contents
AEC-2, HREC-2	Onsite Miscellaneous Debris
AEC-3	Offsite Metal Slag Railyard, Illinois Central Railroad & Undifferentiated Areas Of Concern
AEC-4, HREC-4	Offsite Area of Stressed Vegetation
AEC-5, HREC-5	Offsite Undifferentiated Bulk Oil Facilities
AEC-6, HREC-6	Offsite Undifferentiated Leaking Underground Storage Tanks (LUST) Sites
AEC-7, HREC-7	Offsite Undifferentiated Historic Filling Stations/Auto Repair Shops
AEC-8, HREC-8	Offsite Historic Dry Cleaners
AEC-9, HREC-9	Potential Asbestos Containing Materials (ACMs) and Lead Based Paint (LBP)

MCCOMB BROWNFIELDS PIKE COUNTY, MISSISSIPPI		
Eco-Systems, Inc. Consultants, Engineers, and Scientists		
SCALE: 1"=300'	DRAWN BY: PML	DATE: 09-03-2013
	CHKD BY: JB	DATE: 09-03-2013
PROJECT NO. 12183.01.01	FILE 12183 090313 FIG03 R00 D AEC's	
AEC's and REC's MCCOMB FEED MILL SITE		FIGURE 3

APPENDIX A



Photo 1

View from the west bank of Town Creek located east of the site.



Photo 2

View southward of the dense vegetation and former grain silos located on site



Photo 3

View of dilapidated silos observed on site.



Photo 4

View of the scrap metal and miscellaneous items observed throughout the site.



Photo 5

View of a damaged tin roof from a structure formerly erected on the site.



Photo 6

View of broken piping protruding from a concrete secondary containment unit.



Photo 7

View of miscellaneous debris observed throughout the site.



Photo 8

View of the four plastic drums containing unknown contents observed within a secondary containment unit.



Photo 9

View of the cracked and damaged 55-gallon drum observed on site.



Photo 10

View of Brumfield Bulk Oil facility located east of the subject site.



Photo 11

View of staining observed on the Brumfield Bulk Oil facility property.



Photo 12

View of the East McComb Body Shop located north of the subject site.



Photo 13

View of the Firestone Tire Shop located north of the subject site.



Photo 14

View of the former concrete plant and McComb Milling Co. located north of the site.

APPENDIX B

STATE OF MISSISSIPPI

176821

000475PG0059

COUNTY OF PIKE

QUITCLAIM DEED

For and in consideration of the sum of Ten Dollars (10.00), cash in hand paid and other good and valuable considerations, the receipt and sufficiency of which is hereby acknowledged, **DAVID N. ALFORD**, Grantor herein, does hereby grant, bargain, sell, convey and Quitclaim unto the **CITY OF MCCOMB CITY**, Grantee, the following described land and property situated in the County of Pike, State of Mississippi, to-wit:

A parcel of land forming a portion of the Illinois Central Gulf Railroad Company's McComb District right-of-way and property situated in the Northeast Quarter of the Northeast Quarter of Section 12, Township 3 North, Range 7 East of the Washington Meridian at McComb, Pike County, Mississippi, said parcel of land being more particularly described as follows: Begin at the Northwest corner of that certain parcel of land conveyed to Pat H. Brumfield and Ann A. Brumfield by deed dated December 1, 1975, said point being on a line that lies parallel with and 50 feet normally distant southerly from the centerline of Pearl River Avenue and run South 1 degree 7 minutes West along a West line of said "Brumfield property 180.86 feet to a point and property corner; thence South 20 degrees 58 minutes East, being in part along a West line of said "Brumfield property and along the southeasterly extension thereof, 200 feet, more or less, to a point and corner in a line that lies parallel and/or concentric with and 10 feet normally distant southerly from the centerline of Illinois Central Gulf Railroad Company's former North Wye track as located on January 15, 1983; thence westerly along said parallel and/or concentric lines, 380 feet, more or less, to a point and corner of the East line of an existing dirt roadway; thence Northerly along said East line of roadway 290 feet, more or less, to a point in the centerline of an existing spur track; thence Northerly along a line that lies perpendicular to the center line of the paved roadway approach to the center line of the paved roadway approach to the Pearl River Avenue Bridge, 170 feet, more or less, to a line that lies parallel with and 50 feet normally distant southerly from the centerline of said paved roadway; thence Easterly along the last said parallel line, 480 feet, more or less to return to the point of beginning.

LESS AND EXCEPT:


Commence at the Intersection of the West R/W line of S. Magnolia Street and the South R/W line of Pearl River Avenue in the NE - 1/4, NE - 1/4, Section 12, Township 3 North, Range 7 East, City of McComb, Pike County, Mississippi, and

10475PG0060

run West along the South R/W line of Pearl River Avenue 377.00 feet to the Point of Beginning. Thence run South 00 degrees 29' 20" West 179.61'. Thence run South 78 degrees 26' 55" West 198.53', thence run South 31 degrees 17' 24" West 74.02', thence run South 10 degrees 49' 39" East 215.23' to a point 10' Southerly of a railroad spur track, thence run parallel and 10' southerly of said spur track South 89 degrees 39' 37" West 96.82', thence run North 31 degrees 51' 03" West 276.82', Thence run North 11 degrees 36' 43" West 170.00' to the South R/W line of Pearl River Avenue, thence run along said South R/W line North 78 degrees 23' 17" East 455.97', Thence run East 24.53' to the Point of Beginning. Said property is located in part of the NE - 1/4, NE - 1/4, Section 12, Township 3 North, Range 7 East, Pike County, Mississippi, and contains 2.78 acres, more or less, as more fully shown by the survey of Rutter & Associates, Inc. PLS-02671 dated September 6, 1998.

The above described property is no part of the homestead of the Grantor.

WITNESS MY SIGNATURE this the 3 day of MARCH, 2005.



DAVID N. ALFORD

STATE OF MISSISSIPPI

COUNTY OF LEE

10675P60061


Personally appeared before me, the undersigned authority in and for the aforesaid county and state, the within named **David Alford**, who acknowledged to me that he signed, executed and delivered the above and foregoing instrument on the day and year therein written as his own act and deed.

WITNESS MY SIGNATURE AND OFFICIAL SEAL on this the

3rd day of March, 2005.

MISSISSIPPI STATEWIDE NOTARY PUBLIC
MY COMMISSION EXPIRES JUNE 27, 2007
BONDED THRU STEGALL NOTARY SERVICE

Gregory D. Gregory
NOTARY PUBLIC



My Commission Expires:

GRANTOR:

DAVID N. ALFORD
2341 OAKLEE DRIVE
TUPELO, MS 38801
(662) 841-7905


GRANTEE:

CITY OF McCOMB CITY
P.O. BOX 667
McCOMB, MS 39649
(601) 684-4000

INDEXING INSTRUCTIONS:

TCT NE 1/4 NE 1/4 S OF PEARL RIVER AVE E
McCOMB, S/T/R 12/03/07

*** This conveyance is made without the benefit of a 31 year title opinion.



STATE OF MISSISSIPPI
PIKE COUNTY
I CERTIFY THIS INSTRUMENT
WAS FILED AND RECORDED

2005 MAR -9 AM 9:41

IN REPLY TO THE STATE OF U.S.C.
WITNESS MY HAND AND SEAL

Raymond...
CHANCERY CLERK

PIKE COUNTY MISSISSIPPI OWNERSHIP MAP

- PROPERTY LINES
- ACCESS ROAD
- COUNTY ROAD
- STATE HIGHWAY
- INTERSTATE HIGHWAY
- SECTION LINE
- NON BOUNDARY SECTION
- TOWNSHIP LINE
- RAILROAD
- CORPORATION LIMIT
- GAS or OIL LINE
- TRANSMISSION LINE
- SCHOOL DISTRICT
- HYDROGRAPHY



- INSERTS
- MUNICIPALITIES
- GRAVEL ROAD
- PAVED ROAD
- PONDS, LAKES, RIVERS
- SEWAGE LAGOON
- CEMETARY
- CHURCH
- 1/4 1/4 CORNER
- PARCEL HOOK

999999 = MOBILE HOME #
1 = BUILDING #
9999 = MILE MARKERS

IT IS NOT INTENDED FOR CONVEYANCE OR TO ESTABLISH EXACT BOUNDARY DELINEATION.

83A07-2

THIS PROPERTY OWNERSHIP MAP IS FOR TAX ASSESSMENT PURPOSES ONLY




Date of Revision 1/1/2012
Print Date: Nov 15, 2012

CITY OF MCCOMB

SCALE 1" = 200' **JIM DUCKWORTH**
TAX ASSESSOR

TOWNSHIP	RANGE	SECTION
3 North	7 East	12-1

73C12-1




APPENDIX C

McComb Feed Mill
Pearl River Avenue
McComb, MS 39648

Inquiry Number: 3614527.2s
May 22, 2013

The EDR Radius Map™ Report with GeoCheck®



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	36
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-11
Physical Setting Source Map Findings	A-13
Physical Setting Source Records Searched	A-63

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

PEARL RIVER AVENUE
MCCOMB, MS 39648

COORDINATES

Latitude (North): 31.2451000 - 31° 14' 42.36"
Longitude (West): 90.4485000 - 90° 26' 54.60"
Universal Transverse Mercator: Zone 15
UTM X (Meters): 742998.9
UTM Y (Meters): 3459388.5
Elevation: 391 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 31090-B4 MCCOMB SOUTH, MS
Most Recent Revision: 1972

North Map: 31090-C4 MCCOMB NORTH, MS
Most Recent Revision: 1972

AERIAL PHOTOGRAPHY IN THIS REPORT

Photo Year: 2012
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls
LUCIS..... Land Use Control Information System

Federal ERNS list

ERNS..... Emergency Response Notification System

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Landfills
DEBRIS..... Debris Site Locations Listing

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

AST..... Aboveground Storage Tanks
INDIAN UST..... Underground Storage Tanks on Indian Land
FEMA UST..... Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Sites with Engineering Controls
INST CONTROL..... Sites with Institutional Controls

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

EXECUTIVE SUMMARY

State and tribal Brownfields sites

BROWNFIELDS..... Uncontrolled Sites List

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI..... Open Dump Inventory
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
SWTIRE..... Commercial Waste Tire Haulers
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs
US HIST CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

Other Ascertainable Records

RCRA NonGen / NLR..... RCRA - Non Generators
DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
FUDS..... Formerly Used Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
UMTRA..... Uranium Mill Tailings Sites
US MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
FINDS..... Facility Index System/Facility Registry System
RAATS..... RCRA Administrative Action Tracking System
RMP..... Risk Management Plans

EXECUTIVE SUMMARY

UIC.....	UIC Information
PERMITS.....	Environmental Site Information System Listing
DRYCLEANERS.....	Drycleaner Facilities Listing
NPDES.....	Industrial & Municipal NPDES Facilities
AIRS.....	Air Quality Information Listing
ASBESTOS.....	Asbestos Project Listing
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
COAL ASH DOE.....	Steam-Electric Plant Operation Data
PCB TRANSFORMER.....	PCB Transformer Registration Database
US FIN ASSUR.....	Financial Assurance Information
EPA WATCH LIST.....	EPA WATCH LIST
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
PRP.....	Potentially Responsible Parties
2020 COR ACTION.....	2020 Corrective Action Program List
LEAD SMELTERS.....	Lead Smelter Sites

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP.....	EDR Proprietary Manufactured Gas Plants
EDR US Hist Cleaners.....	EDR Exclusive Historic Dry Cleaners

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS NFRAP site List

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 02/05/2013 has revealed that there is

EXECUTIVE SUMMARY

1 CERC-NFRAP site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ILLINOIS CENTRAL GULF RAILROAD	S RAILROAD BLVD	WSW 1/8 - 1/4 (0.189 mi.)	B7	17

Federal RCRA generators list

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/12/2013 has revealed that there is 1 RCRA-CESQG site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>EAST MCCOMB BODY SHOP INC.</i>	<i>501 PEARL RIVER AVE</i>	<i>NE 0 - 1/8 (0.078 mi.)</i>	<i>A5</i>	<i>14</i>

State- and tribal - equivalent CERCLIS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Quality's Uncontrolled Site Project Tracking System.

A review of the SHWS list, as provided by EDR, and dated 03/07/2013 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>ILLINOIS CENTRAL RAILROAD - MC</i> Status: Active		<i>S 1/4 - 1/2 (0.428 mi.)</i>	<i>16</i>	<i>29</i>

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Quality's LUST Status Report.

A review of the LUST list, as provided by EDR, and dated 04/01/2013 has revealed that there are 7 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>BRUMFIELD OIL COMPANY</i> Status Code: Closed	<i>500 PEARL RIVER AVENUE</i>	<i>NNE 0 - 1/8 (0.059 mi.)</i>	<i>A1</i>	<i>7</i>
<i>CIRCLE B #2</i> Status Code: Open	<i>540 PEARL RIVER AVENUE</i>	<i>NE 0 - 1/8 (0.077 mi.)</i>	<i>2</i>	<i>8</i>

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MCCOMB PUBLIC WORKS DEPARTMENT Status Code: Open	122 EAST MICHIGAN STREE	NW 1/4 - 1/2 (0.284 mi.)	C12	22
MCCOMB POLICE DIVISION Status Code: Closed	100 5TH STREET	SSW 1/4 - 1/2 (0.297 mi.)	13	25
RAY DEER TEXACO Status Code: Closed	131 SOUTH BROADWAY	WSW 1/4 - 1/2 (0.323 mi.)	15	26
HOLMES NORTH BROADWAY SHELL Status Code: Open	500 NORTH BROADWAY	NW 1/4 - 1/2 (0.457 mi.)	17	29
MATHIS TEXACO Status Code: Open	200 EAST GEORGIA AVENUE	NNW 1/4 - 1/2 (0.459 mi.)	18	33

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Underground Storage Tanks list.

A review of the UST list, as provided by EDR, and dated 04/01/2013 has revealed that there are 6 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BRUMFIELD OIL COMPANY	500 PEARL RIVER AVENUE	NNE 0 - 1/8 (0.059 mi.)	A1	7
CIRCLE B #2	540 PEARL RIVER AVENUE	NE 0 - 1/8 (0.077 mi.)	2	8
HUGHEY'S GULF	501 PEARL RIVER AVENUE	NE 0 - 1/8 (0.078 mi.)	A3	11
ILLINOIS CENTRAL GULF RAILROAD	SOUTH RAILROAD BOULEVAR	WSW 1/8 - 1/4 (0.189 mi.)	B8	18
MCCOMB FIRE DIVISION	407 EAST MICHIGAN AVENU	NNW 1/8 - 1/4 (0.191 mi.)	9	20
WAREHOUSE	200 NORTH RAILROAD BOUL	W 1/8 - 1/4 (0.194 mi.)	10	21

State and tribal voluntary cleanup sites

VCP: Voluntary Evaluation Program Sites.

A review of the VCP list, as provided by EDR, and dated 03/07/2013 has revealed that there is 1 VCP site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ILLINOIS CENTRAL RAILROAD - MC		S 1/4 - 1/2 (0.428 mi.)	16	29

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: A listing of recycling facilities.

A review of the SWRCY list, as provided by EDR, and dated 12/31/2012 has revealed that there is 1

EXECUTIVE SUMMARY

SWRCY site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ANDREWS METAL INC.	304 SUMMIT STREET	NW 1/4 - 1/2 (0.299 mi.)	C14	26

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR US Hist Auto Stat: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Auto Stat list, as provided by EDR, has revealed that there are 3 EDR US Hist Auto Stat sites within approximately 0.25 miles of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	501 PEARL RIVER AVE	NE 0 - 1/8 (0.078 mi.)	A4	13
Not reported	601 PEARL RIVER AVE	ENE 0 - 1/8 (0.122 mi.)	6	17
Not reported	130 MAIN ST	WSW 1/8 - 1/4 (0.200 mi.)	B11	22

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 33 records.

<u>Site Name</u>	<u>Database(s)</u>
DICKERSON & BOWEN, MCCOMB ASPHALT	RCRA-SQG,AIRS (AFS),MINES,FINDS
FERNWOOD INDUSTRIES	CORRACTS,CERCLIS-NFRAP,RCRA-LQG,RCRA-TSDF,2020 CO
UNITED GAS- MCCOMB CS	CERCLIS-NFRAP
RIVERVIEW GROCERY	LUST,UST
COTHERN'S TIRE & RIM CENTER	LUST,UST
MCCOMB MDOT	LUST,UST
JEFF'S AUTO SERVICE	LUST,UST
MS HOLMESVILLE GROCERY	AST
RIVERVIEW GROCERY	AST
FRIENDSHIP VOLUNTEER FIRE DEPARTME	UST
BATTES (MCCALIPS) CONVENIENCE	UST
JC'S GROCERY	UST
JOHNSON GROCERY	UST
PEPSI COLA COMPANY	UST
MAGNOLIA ELECTRIC ASSOCIATION	UST
SEAGO PHILLIPS 66	UST
MCCOMB AERO SERVICE INC	UST
PARKSIDE GROCERY	UST
OLD TIME GROCERY	UST
B & R QUIK STOP	UST
DENNIS READY MIX	UST
COCKERHAM SERVICE STATION	UST
MCCOMB BUILDING SUPPLY	UST
98 QUICK MART	UST
BOBBY HALL	UST
BUS SUPPLY	UST
HILLSIDE GROCERY 98 B-LINE	UST
ANDREWS WELDING & HYDRAULICS	FINDS,RCRA-NLR
MCCOMB SCHOOL DISTRICT	FINDS,RCRA-CESQG
WOODY'S INC	FINDS,RCRA-CESQG
PHILLIPS SUPPLY COMPANY	FINDS,RCRA-CESQG
MCKAY ROAD BURN SITE	DEBRIS
OSYKA BURN SITE	DEBRIS

OVERVIEW MAP - 3614527.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites


- 0 1/4 1/2 1 Miles
- Indian Reservations BIA
- ▲ Oil & Gas pipelines from USGS
- 100-year flood zone
- 500-year flood zone

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: McComb Feed Mill
 ADDRESS: Pearl River Avenue
 McComb MS 39648
 LAT/LONG: 31.2451 / 90.4485

CLIENT: Eco-Systems, Inc.
 CONTACT: Josh Brown
 INQUIRY #: 3614527.2s
 DATE: May 22, 2013 5:46 pm

DETAIL MAP - 3614527.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

- Indian Reservations BIA
- ▲ Oil & Gas pipelines from USGS
- 100-year flood zone
- 500-year flood zone



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: McComb Feed Mill
 ADDRESS: Pearl River Avenue
 McComb MS 39648
 LAT/LONG: 31.2451 / 90.4485

CLIENT: Eco-Systems, Inc.
 CONTACT: Josh Brown
 INQUIRY #: 3614527.2s
 DATE: May 22, 2013 5:47 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS	0.500		0	0	0	NR	NR	0
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP	0.500		0	1	0	NR	NR	1
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-CESQG	0.250		1	0	NR	NR	NR	1
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	TP		NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS	1.000		0	0	1	0	NR	1
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
DEBRIS	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500		2	0	5	NR	NR	7
INDIAN LUST	0.500		0	0	0	NR	NR	0
<i>State and tribal registered storage tank lists</i>								
UST	0.250		3	3	NR	NR	NR	6

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
ENG CONTROLS	0.500		0	0	0	NR	NR	0
INST CONTROL	0.500		0	0	0	NR	NR	0
State and tribal voluntary cleanup sites								
VCP	0.500		0	0	1	NR	NR	1
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	1	NR	NR	1
SWTIRE	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	TP		NR	NR	NR	NR	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	0	NR	0
CONSENT	1.000		0	0	0	0	NR	0
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
PERMITS	TP		NR	NR	NR	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
ASBESTOS	TP		NR	NR	NR	NR	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR US Hist Auto Stat	0.250		2	1	NR	NR	NR	3
EDR US Hist Cleaners	0.250		0	0	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1
NNE
< 1/8
0.059 mi.
310 ft.

BRUMFIELD OIL COMPANY
500 PEARL RIVER AVENUE
MCCOMB, MS 39648

Site 1 of 4 in cluster A

LUST U001295648
UST N/A

Relative:
Higher

Facility Id: 6102
Facility Status: Inactive
Lust Status: Closed
AIIID: 30151
Event #: 1
Project Manager: Deanna Jones
Date Of Report: 12/11/1992
Trust Fund Status: NTFE
Confirmed On: 12/11/1992
NFA Date: 03/07/1994

Actual:
391 ft.

UST:

Facility ID: 6102
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 44.8656"
Longitude: 90 26' 53.0664"
Permanently Out of Use Tanks: 2
Active Tanks: 0
AIIID: 30151
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 15449
Tank Status: Permanently Out of Use
Tank Capacity: 3000
Date Installed: 01/01/1966
Substance: Kerosene
Reported Release: Yes
Close Type: Closed
Date Removed: 10/27/1992
Close Type: 10/27/1992
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 15449
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRUMFIELD OIL COMPANY (Continued)

U001295648

Tank:

Tank No: 2
Tank ID: 15450
Tank Status: Permanently Out of Use
Tank Capacity: 280
Date Installed: 01/01/1966
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/27/1992
Close Type: 10/27/1992
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 15450
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

2
NE
< 1/8
0.077 mi.
405 ft.

**CIRCLE B #2
540 PEARL RIVER AVENUE
MCCOMB, MS 39648**

**LUST U004126170
UST N/A**

**Relative:
Higher**

Facility Id: 7060
Facility Status: Active
Lust Status: Open
AIIID: 26260
Event #: 1
Project Manager: Heather Pitts
Date Of Report: 01/24/2013
Trust Fund Status: EUD
Confirmed On: Not reported
NFA Date: Not reported

**Actual:
394 ft.**

UST:

Facility ID: 7060
Facility Status: Active
Facility Tel: Not reported
Latitude: 31 14' 44.5000"
Longitude: 90 26' 50.0000"
Permanently Out of Use Tanks: 0
Active Tanks: 4
AIIID: 26260
Owner Name: Buffalo Services Inc

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE B #2 (Continued)

U004126170

Owner Address: PO Box 67
Owner Tele: (601)684-7702

Tank:

Tank No: 1
Tank ID: 17805
Tank Status: Currently In Use
Tank Capacity: 6000
Date Installed: 04/30/1987
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 1
Tank Id: 17805
Pipe Id: 1
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 2
Tank ID: 17806
Tank Status: Currently In Use
Tank Capacity: 6000
Date Installed: 04/30/1987
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 2
Tank Id: 17806
Pipe Id: 2
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE B #2 (Continued)

U004126170

Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 3
Tank ID: 17807
Tank Status: Currently In Use
Tank Capacity: 6000
Date Installed: 04/30/1987
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 3
Tank Id: 17807
Pipe Id: 3
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 4
Tank ID: 17808
Tank Status: Currently In Use
Tank Capacity: 2000
Date Installed: 04/30/1987
Substance: Diesel
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 4
Tank Id: 17808
Pipe Id: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE B #2 (Continued)

U004126170

Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Fiberglass Reinforced Plastic
Secondary Pipe Material: None
Piping Type: Safe Suction
Pipe Leak Detection: Not reported

**A3
NE
< 1/8
0.078 mi.
411 ft.**

**HUGHEY'S GULF
501 PEARL RIVER AVENUE
MCCOMB, MS 39648**

**UST U001298783
N/A**

Site 2 of 4 in cluster A

**Relative:
Higher**

UST:
Facility ID: 2252
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 45.8772"
Longitude: 90 26' 53.0268"
Permanently Out of Use Tanks: 4
Active Tanks: 0
AIID: 30159
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

**Actual:
393 ft.**

Tank:
Tank No: 1
Tank ID: 5170
Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/30/1989
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 5170
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUGHEY'S GULF (Continued)

U001298783

Tank:

Tank No: 2
Tank ID: 5171
Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/30/1989
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 5171
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 5172
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/30/1989
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 5172
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUGHEY'S GULF (Continued)

U001298783

Tank:

Tank No: 4
Tank ID: 5173
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 01/01/1970
Close Type: 12/30/1989
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 5173
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

A4
NE
< 1/8
0.078 mi.
411 ft.

501 PEARL RIVER AVE
MCCOMB, MS 39648
Site 3 of 4 in cluster A

EDR US Hist Auto Stat 1015524087
N/A

Relative:
Higher

EDR Historical Auto Stations:

Name: EAST MCCOMB BODY SHOP
Year: 1999
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP
Year: 2000
Address: 501 PEARL RIVER AVE

Name: INC EAST MCCOMB BODY SHOP
Year: 2002
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP
Year: 2003
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP INC
Year: 2004
Address: 501 PEARL RIVER AVE

Name: EAST MCCOMB BODY SHOP
Year: 2005

Actual:
393 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1015524087

Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP
Year: 2006
Address: 501 PEARL RIVER AVE
Name: EAST MC COMB BODY SHOP
Year: 2007
Address: 501 PEARL RIVER AVE
Name: EAST MC COMB BODY SHOP
Year: 2008
Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP INC
Year: 2009
Address: 501 PEARL RIVER AVE
Name: EAST MC COMB BODY SHOP
Year: 2010
Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP
Year: 2011
Address: 501 PEARL RIVER AVE
Name: EAST MCCOMB BODY SHOP
Year: 2012
Address: 501 PEARL RIVER AVE

A5
NE
< 1/8
0.078 mi.
411 ft.

**EAST MCCOMB BODY SHOP INC.
501 PEARL RIVER AVE
MCCOMB, MS 39648**

**RCRA-CESQG 1004743424
FINDS MSD985978279**

Site 4 of 4 in cluster A

**Relative:
Higher**

RCRA-CESQG:

Date form received by agency: 07/20/1992
Facility name: EAST MCCOMB BODY SHOP INC.
Facility address: 501 PEARL RIVER AVE
MCCOMB, MS 39648
EPA ID: MSD985978279
Mailing address: PEARL RIVER AVE
MCCOMB, MS 39648
Contact: LOUIS BOYD
Contact address: 501 PEARL RIVER AVE
MCCOMB, MS 39648
Contact country: US
Contact telephone: (601) 684-4651
Contact email: Not reported
EPA Region: 04
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

**Actual:
393 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST MCCOMB BODY SHOP INC. (Continued)

1004743424

land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: LOUIS BODY AND H.P. GREER
Owner/operator address: 501 PEARL RIVER AVE
MCCOMB, MS 39648
Owner/operator country: Not reported
Owner/operator telephone: (601) 684-4651
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F001
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EAST MCCOMB BODY SHOP INC. (Continued)

1004743424

Waste code: F002
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110002204463

Environmental Interest/Information System

MS-ENSITE (Mississippi - Tools For Environmental Management And Protection Organizations). Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control's (OPC) maintains enSite. It is the electronic Environmental Site Information System that regulates compliance assurance, permitting, activity tracking, and maintenance of a single agency interest-link to definition master file.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

6
ENE
< 1/8
0.122 mi.
646 ft.

601 PEARL RIVER AVE
MCCOMB, MS 39648

EDR US Hist Auto Stat **1015568850**
N/A

Relative:
Higher

EDR Historical Auto Stations:
Name: Q & R AUTO LLC
Year: 2004
Address: 601 PEARL RIVER AVE

Actual:
404 ft.

B7
WSW
1/8-1/4
0.189 mi.
999 ft.

ILLINOIS CENTRAL GULF RAILROAD COM
S RAILROAD BLVD
MCCOMB, MS 39648

CERC-NFRAP **1015734901**
MSD000813741

Site 1 of 3 in cluster B

Relative:
Higher

CERC-NFRAP:
Site ID: 0402249
Federal Facility: Not a Federal Facility
NPL Status: Not on the NPL
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

Actual:
412 ft.

CERCLIS-NFRAP Site Contact Details:
Contact Sequence ID: 4570334.00000
Person ID: 4000051.00000

Contact Sequence ID: 4754579.00000
Person ID: 4000275.00000

Contact Sequence ID: 4783226.00000
Person ID: 13002428.00000

CERCLIS-NFRAP Site Alias Name(s):
Alias Name: ILLINOIS CENTRAL GULF RAILROAD COM
Alias Address: Not reported
 PIKE, MS

CERCLIS-NFRAP Assessment History:
Action: DISCOVERY
Date Started: / /
Date Completed: 03/01/83
Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT
Date Started: / /
Date Completed: 06/01/84
Priority Level: Low priority for further assessment

Action: PRELIMINARY ASSESSMENT
Date Started: / /
Date Completed: 06/27/85
Priority Level: Low priority for further assessment

Action: ARCHIVE SITE
Date Started: / /
Date Completed: 09/30/92
Priority Level: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ILLINOIS CENTRAL GULF RAILROAD COM (Continued)

1015734901

Action: SITE INSPECTION
Date Started: / /
Date Completed: 09/30/92
Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

Action: INTEGRATED ASSESSMENT
Date Started: 11/04/94
Date Completed: 11/04/94
Priority Level: Low priority for further assessment

B8
WSW
1/8-1/4
0.189 mi.
999 ft.

ILLINOIS CENTRAL GULF RAILROAD
SOUTH RAILROAD BOULEVARD
MCCOMB, MS 39648
Site 2 of 3 in cluster B

UST U003009219
N/A

Relative:
Higher

UST:
Facility ID: 4799
Facility Status: Inactive
Facility Tel: Not reported
Latitude: Not reported
Longitude: Not reported
Permanently Out of Use Tanks: 4
Active Tanks: 0
AIID: 30758
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Actual:
412 ft.

Tank:
Tank No: 1
Tank ID: 11984
Tank Status: Permanently Out of Use
Tank Capacity: 6000
Date Installed: 01/01/1972
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 10/27/1993
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 11984
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ILLINOIS CENTRAL GULF RAILROAD (Continued)

U003009219

Tank:

Tank No: 2
Tank ID: 11985
Tank Status: Permanently Out of Use
Tank Capacity: 9000
Date Installed: 01/01/1979
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 10/27/1993
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 11985
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 11986
Tank Status: Permanently Out of Use
Tank Capacity: 10000
Date Installed: 01/01/1979
Substance: Used Oil
Reported Release: Not reported
Close Type: Closed
Date Removed: 10/27/1993
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Tank:

Tank No: 4
Tank ID: 11987
Tank Status: Permanently Out of Use
Tank Capacity: 250
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ILLINOIS CENTRAL GULF RAILROAD (Continued)

U003009219

Close Type: Closed
Date Removed: 12/21/1988
Close Type: 10/27/1993
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 11987
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Unknown
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

9
NNW
1/8-1/4
0.191 mi.
1009 ft.

MCCOMB FIRE DIVISION
407 EAST MICHIGAN AVENUE
MCCOMB, MS 39648

UST U003008653
N/A

Relative:
Higher

UST:

Facility ID: 955
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 53.6352"
Longitude: 90 26' 58.2072"
Permanently Out of Use Tanks: 1
Active Tanks: 0
AIID: 30162
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Actual:
398 ft.

Tank:

Tank No: 1
Tank ID: 2508
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 06/01/1986
Close Type: 06/01/1986
Tank Material: Unknown
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMB FIRE DIVISION (Continued)

U003008653

Tank No: 1
Tank Id: 2508
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

10
West
1/8-1/4
0.194 mi.
1026 ft.

WAREHOUSE
200 NORTH RAILROAD BOULEVARD
MCCOMB, MS 39648

UST U003008578
N/A

Relative:
Higher

UST:
Facility ID: 614
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 43.6740"
Longitude: 90 27' 5.6448"
Permanently Out of Use Tanks: 1
Active Tanks: 0
AIIID: 30161
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Actual:
412 ft.

Tank:
Tank No: 1
Tank ID: 1640
Tank Status: Permanently Out of Use
Tank Capacity: 4500
Date Installed: 01/01/1978
Substance: Gasoline
Reported Release: Not reported
Close Type: Closed
Date Removed: 12/21/1988
Close Type: 12/21/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:
Tank No: 1
Tank Id: 1640
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: Safe Suction
Pipe Leak Detection: N/A

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

B11
WSW **130 MAIN ST**
1/8-1/4 **MCCOMB, MS 39648**
0.200 mi.
1058 ft. **Site 3 of 3 in cluster B**

EDR US Hist Auto Stat **1015200643**
N/A

Relative: EDR Historical Auto Stations:
Higher Name: MORGAN SMALL ENGINE REPAIR
 Year: 2011
Actual: Address: 130 MAIN ST
415 ft.

 Name: MORGAN SMALL ENGINE REPAIR
 Year: 2012
 Address: 130 MAIN ST

C12 **MCCOMB PUBLIC WORKS DEPARTMENT**
NW **122 EAST MICHIGAN STREET**
1/4-1/2 **MCCOMB, MS 39648**
0.284 mi.
1497 ft. **Site 1 of 2 in cluster C**

LUST **U003008690**
UST **N/A**

Relative: Facility Id: 1282
Higher Facility Satus: Inactive
Actual: Lust Status: Open
412 ft. AIID: 16267
 Event #: 1
 Project Manager: Joseph Curro
 Date Of Report: 01/09/2001
 Trust Fund Status: STFS
 Confirmed On: 01/09/2001
 NFA Date: Not reported

UST:
 Facility ID: 1282
 Facility Status: Inactive
 Facility Tel: Not reported
 Latitude: 31 14' 53.0000"
 Longitude: 90 27' 3.0000"
 Permanently Out of Use Tanks: 5
 Active Tanks: 0
 AIID: 16267
 Owner Name: Not reported
 Owner Address: Not reported
 Owner Tele: Not reported

Tank:
 Tank No: 1
 Tank ID: 3071
Tank Status: **Permanently Out of Use**
 Tank Capacity: 1000
 Date Installed: Not reported
 Substance: Gasoline
 Reported Release: Yes
 Close Type: Closed
 Date Removed: 02/15/1988
 Close Type: 02/15/1988
 Tank Material: Asphalt Coated or Bare Steel
 2nd Containmnt: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMB PUBLIC WORKS DEPARTMENT (Continued)

U003008690

Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 3071
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 2
Tank ID: 3072
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: Not reported
Substance: Diesel
Reported Release: Yes
Close Type: Closed
Date Removed: 02/15/1988
Close Type: 02/15/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 3072
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 3073
Tank Status: Permanently Out of Use
Tank Capacity: 500
Date Installed: Not reported
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 02/15/1988

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMB PUBLIC WORKS DEPARTMENT (Continued)

U003008690

Close Type: 02/15/1988
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 3073
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 4
Tank ID: 3074
Tank Status: Permanently Out of Use
Tank Capacity: 10000
Date Installed: 09/01/1986
Substance: Diesel
Reported Release: Yes
Close Type: Closed
Date Removed: 05/23/2001
Close Type: 07/10/2002
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 4
Tank Id: 3074
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 5
Tank ID: 3075
Tank Status: Permanently Out of Use
Tank Capacity: 10000
Date Installed: 09/01/1986
Substance: Gasoline

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMB PUBLIC WORKS DEPARTMENT (Continued)

U003008690

Reported Release: Yes
Close Type: Closed
Date Removed: 05/23/2001
Close Type: 07/10/2002
Tank Material: Epoxy Coated Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:
Tank No: 5
Tank Id: 3075
Pipe Id: 5
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

13
SSW
1/4-1/2
0.297 mi.
1568 ft.

**MCCOMB POLICE DIVISION
100 5TH STREET
MCCOMB, MS 39648**

**LUST U003008542
UST N/A**

**Relative:
Higher**

**Actual:
416 ft.**

Facility Id: 343
Facility Status: Inactive
Lust Status: Closed
AllID: 30769
Event #: 1
Project Manager: Deanna Jones
Date Of Report: 09/06/1988
Trust Fund Status: NTFE
Confirmed On: 09/06/1988
NFA Date: 10/11/1989

UST:

Facility ID: 343
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 41.8668"
Longitude: 90 27' 21.8232"
Permanently Out of Use Tanks: 1
Active Tanks: 0
AllID: 30769
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 1007
Tank Status: Permanently Out of Use

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MCCOMB POLICE DIVISION (Continued)

U003008542

Tank Capacity: 1000
 Date Installed: 01/01/1970
 Substance: Gasoline
 Reported Release: Yes
 Close Type: Closed
 Date Removed: 10/01/1988
 Close Type: 10/01/1988
 Tank Material: Asphalt Coated or Bare Steel
 2nd Containmnt: None
 Tank Lead Detection: N/A
 Overfill Protection: No
 Spill Prevention: No

Pipe:
 Tank No: 1
 Tank Id: 1007
 Pipe Id: 1
 Pipe Status: Permanently Out of Use
 Type Of Closure: Closed Closed
 Pipe Material Of Construction: Bare/Galvanized Steel
 Secondary Pipe Material: None
 Piping Type: N/A
 Pipe Leak Detection: Not Listed

**C14
 NW
 1/4-1/2
 0.299 mi.
 1577 ft.**

**ANDREWS METAL INC.
 304 SUMMIT STREET
 MCCOMB, MS
 Site 2 of 2 in cluster C**

**SWRCY S106401280
 N/A**

**Relative:
 Higher**

SWRCY:
 Contact Name: Not reported
 Contact Phone: 601/684-2941
 Contact Fax: 601/684-2941
 Contact EMail: 601/684-2941
 Item Recycled: Aluminum Cans, Steel Cans, Brass, Bronze, Stainless Steel, Copper, Lead

**Actual:
 415 ft.**

**15
 WSW
 1/4-1/2
 0.323 mi.
 1707 ft.**

**RAY DEER TEXACO
 131 SOUTH BROADWAY
 MCCOMB, MS 39648**

**LUST U003009625
 UST N/A**

**Relative:
 Higher**

Facility Id: 6985
 Facility Satus: Inactive
 Lust Status: Closed
 AIID: 30782
 Event #: 1
 Project Manager: Deanna Jones
 Date Of Report: 06/07/1999
 Trust Fund Status: EUD
 Confirmed On: 04/19/1999
 NFA Date: 05/08/2000

**Actual:
 419 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RAY DEER TEXACO (Continued)

U003009625

UST:

Facility ID: 6985
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 35.3800"
Longitude: 90 27' 11.8300"
Permanently Out of Use Tanks: 4
Active Tanks: 0
AIID: 30782
Owner Name: Not reported
Owner Address: Not reported
Owner Tele: Not reported

Tank:

Tank No: 1
Tank ID: 17569
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998
Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 17569
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 2
Tank ID: 17570
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998
Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RAY DEER TEXACO (Continued)

U003009625

Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 17570
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 3
Tank ID: 17571
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998
Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 17571
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 4
Tank ID: 17572
Tank Status: Permanently Out of Use
Tank Capacity: 550
Date Installed: 01/01/1970
Substance: Used Oil
Reported Release: Yes
Close Type: Closed
Date Removed: 12/15/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RAY DEER TEXACO (Continued)

U003009625

Close Type: 03/29/1999
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: No
Spill Prevention: No

16
South
1/4-1/2
0.428 mi.
2260 ft.

ILLINOIS CENTRAL RAILROAD - MCCOMB
MCCOMB, MS

SHWS S105437947
VCP N/A

Relative:
Lower

SHWS:
Lat/Long (dms): 31 14 20 / 90 26 55
Site Size (acres): 37
EPA ID: MSD000813741
Project Manager: Crellin, Jimmy
Status: Active
State No Further Action Date: Not reported
Date Phase I Assessment Conducted: Not reported
Federal: Archive
Federal No Further Action Date: 02/25/98
Soil Contamination: Yes
Surface Water Contamination: No
Ground Water Contamination: Yes
Remediation Type: Not reported
Surface Water Remediation: Not reported
GW Remediation Type: DPE
Maj. Contaminant: Lead, Arsenic, TPH
High Concentration: 32200
High Concentration Units: mg/Kg
Institutional Control: Not reported
Engineering Control: Not reported
Voluntary Cleanups: VEP
Date Section 128(a) Assessment: Not reported
Date TBA Requested: Not reported
Agency Interest No: 39320

Actual:
387 ft.

VCP:
Voluntary Cleanup VEP or BF: VEP

17
NW
1/4-1/2
0.457 mi.
2412 ft.

HOLMES NORTH BROADWAY SHELL
500 NORTH BROADWAY
MCCOMB, MS 39648

LUST U003009182
UST N/A
PERMITS

Relative:
Higher

Facility Id: 4619
Facility Satus: Inactive
Lust Status: Open
AIID: 14738
Event #: 1
Project Manager: Joseph Curro
Date Of Report: 03/29/1999

Actual:
428 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Trust Fund Status: STFS
Confirmed On: 03/23/1999
NFA Date: Not reported

UST:

Facility ID: 4619
Facility Status: Inactive
Facility Tel: Not reported
Latitude: 31 14' 55.9800"
Longitude: 90 27' 16.8200"
Permanently Out of Use Tanks: 6
Active Tanks: 0
AIID: 14738
Owner Name: Magruder Oil LLC
Owner Address: 12100 Intraplex Drive
Owner Tele: (800)530-7569

Tank:

Tank No: 1
Tank ID: 11561
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 1
Tank Id: 11561
Pipe Id: 1
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 2
Tank ID: 11562
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 2
Tank Id: 11562
Pipe Id: 2
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 3
Tank ID: 11563
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970
Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 3
Tank Id: 11563
Pipe Id: 3
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 4
Tank ID: 11564
Tank Status: Permanently Out of Use
Tank Capacity: 1000
Date Installed: 01/01/1970

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Substance: Gasoline
Reported Release: Yes
Close Type: Closed
Date Removed: 10/03/1990
Close Type: 10/03/1990
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: None
Tank Lead Detection: N/A
Overfill Protection: No
Spill Prevention: No

Pipe:

Tank No: 4
Tank Id: 11564
Pipe Id: 4
Pipe Status: Permanently Out of Use
Type Of Closure: Closed Closed
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: None
Piping Type: N/A
Pipe Leak Detection: Not Listed

Tank:

Tank No: 5
Tank ID: 11565
Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 08/01/1974
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: 01/24/2011
Close Type: 01/26/2011
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 5
Tank Id: 11565
Pipe Id: 5
Pipe Status: Permanently Out of Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 6
Tank ID: 11566

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOLMES NORTH BROADWAY SHELL (Continued)

U003009182

Tank Status: Permanently Out of Use
Tank Capacity: 8000
Date Installed: 08/01/1974
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: 01/24/2011
Close Type: 01/26/2011
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 6
Tank Id: 11566
Pipe Id: 6
Pipe Status: Permanently Out of Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: Pressurized
Pipe Leak Detection: Groundwater/Vapor Monitoring

MS PERMIT:

Al Id: 14738
Mailing Address: 871 South Green Street
Mailing City,St,Zip: Tupelo, MS 38804
Branch: Service and Miscellaneous Industries
SIC: 5541
Basin: South Independent Streams
Start Date: 10/12/2000
End Date: Not reported

18
NNW
1/4-1/2
0.459 mi.
2421 ft.

**MATHIS TEXACO
200 EAST GEORGIA AVENUE & SUMMITT STREET
MCCOMB, MS 39648**

**LUST U003009646
UST N/A**

**Relative:
Higher**

Facility Id: 7058
Facility Status: Active
Lust Status: Open
AIIID: 26591
Event #: 1
Project Manager: Martha Martin
Date Of Report: 06/27/2011
Trust Fund Status: EUD
Confirmed On: Not reported
NFA Date: Not reported

**Actual:
406 ft.**

UST:

Facility ID: 7058
Facility Status: Active

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MATHIS TEXACO (Continued)

U003009646

Facility Tel: (601) 684-9157
Latitude: 31 15' 1.3700"
Longitude: 90 27' 9.5000"
Permanently Out of Use Tanks: 0
Active Tanks: 3
AIID: 26591
Owner Name: W A Mathis
Owner Address: 210 East Georgia Avenue
Owner Tele: (601)684-7839

Tank:

Tank No: 1
Tank ID: 17796
Tank Status: Currently In Use
Tank Capacity: 8000
Date Installed: 01/01/1972
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:

Tank No: 1
Tank Id: 17796
Pipe Id: 1
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:

Tank No: 2
Tank ID: 17797
Tank Status: Currently In Use
Tank Capacity: 8000
Date Installed: 01/01/1972
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MATHIS TEXACO (Continued)

U003009646

Pipe:
Tank No: 2
Tank Id: 17797
Pipe Id: 2
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

Tank:
Tank No: 3
Tank ID: 17798
Tank Status: Currently In Use
Tank Capacity: 2000
Date Installed: 01/01/1972
Substance: Gasoline
Reported Release: Yes
Close Type: Not reported
Date Removed: Not reported
Close Type: Not reported
Tank Material: Asphalt Coated or Bare Steel
2nd Containmnt: Cathodically Protected
Tank Lead Detection: Groundwater/Vapor Monitoring
Overfill Protection: Yes
Spill Prevention: Yes

Pipe:
Tank No: 3
Tank Id: 17798
Pipe Id: 3
Pipe Status: Currently In Use
Type Of Closure: Not reported
Pipe Material Of Construction: Bare/Galvanized Steel
Secondary Pipe Material: Cathodically Protected
Piping Type: U.S. Suction
Pipe Leak Detection: Groundwater/Vapor Monitoring

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
FERNWOOD	1000323490	FERNWOOD INDUSTRIES	SEC 30, T3N,R8E	39635	CORRACTS,CERCLIS-NFRAP,RCRA-
MCCOMB	1000475441	ANDREWS WELDING & HYDRAULICS	HIGHWAY 98 EAST	39648	FINDS,RCRA-NLR
MCCOMB	1000475482	DICKERSON & BOWEN, MCCOMB ASPHALT	3073 HIGHWAY 98 EAST	39648	RCRA-SQG,AIRS (AFS),MINES,FINDS
MCCOMB	1003869629	UNITED GAS- MCCOMB CS	STATE HWY. 583	39648	CERCLIS-NFRAP
MCCOMB	1004742395	WOODY'S INC	RT 4, BOX 122 HWY 98 EAST	39648	FINDS,RCRA-CESQG
MCCOMB	1004742431	MCCOMB SCHOOL DISTRICT	101-1/2 VIRGINIA AVENUE	39648	FINDS,RCRA-CESQG
MCCOMB	1004742706	PHILLIPS SUPPLY COMPANY	HIGHWAY 98 EAST	39648	FINDS,RCRA-CESQG
MCCOMB	A100210559	RIVERVIEW GROCERY	9022 HWY 98 E	39648	AST
MCCOMB	A100216364	MS HOLMESVILLE GROCERY	7057 HWY 98 E	39648	AST
	S107923781	MCKAY ROAD BURN SITE	HWY 51 AND MCKAY ROAD		DEBRIS
	S107923785	OSYKA BURN SITE	HIGHWAY 51		DEBRIS
MCCOMB	U003008768	COTHERN'S TIRE & RIM CENTER	ROUTE 4 BOX 6	39648	LUST,UST
MCCOMB	U003008904	MCCOMB MDOT	HIGHWAY 51 NORTH	39648	LUST,UST
MCCOMB	U003008991	SEAGO PHILLIPS 66	HIGHWAY 24 WEST	39648	UST
MCCOMB	U003009032	PEPSI COLA COMPANY	HIGHWAY 24 EAST	39648	UST
MCCOMB	U003009033	MAGNOLIA ELECTRIC ASSOCIATION	HIGHWAY 24 EAST	39648	UST
MCCOMB	U003009043	BATTES (MCCALIPS) CONVENIENCE	ROUTE 2 BOX 67	39648	UST
MCCOMB	U003009179	OLD TIME GROCERY	ROUTE 4 BOX 289	39648	UST
MCCOMB	U003009190	BOBBY HALL	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003009191	BUS SUPPLY	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003009195	DENNIS READY MIX	HIGHWAY 51 SOUTH	39648	UST
MCCOMB	U003009251	RIVERVIEW GROCERY	ROUTE 2 BOX 222 HIGHWAY 98 E	39648	LUST,UST
MCCOMB	U003009643	MCCOMB BUILDING SUPPLY	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003009644	PARKSIDE GROCERY	ROUTE 3 HIGHWAY 48	39648	UST
MCCOMB	U003009645	B & R QUIK STOP	HIGHWAY 48	39648	UST
MCCOMB	U003009923	98 QUICK MART	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003200976	HILLSIDE GROCERY 98 B-LINE	HIGHWAY 98 EAST	39648	UST
MCCOMB	U003773791	FRIENDSHIP VOLUNTEER FIRE DEPARTME	ROUTE 1 BOX 160 A	39648	UST
MCCOMB	U003774736	MCCOMB AERO SERVICE INC	ROUTE 3 BOX 500	39648	UST
MCCOMB	U003775252	COCKERHAM SERVICE STATION	HIGHWAY 570	39648	UST
MCCOMB	U004180260	JC'S GROCERY	HIGHWAY 24	39648	UST
MCCOMB	U004180261	JOHNSON GROCERY	HIGHWAY 24 WEST	39648	UST
MCCOMB	U004183030	JEFF'S AUTO SERVICE	HIGHWAY 51 NORTH	39648	LUST,UST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 02/01/2013	Source: EPA
Date Data Arrived at EDR: 03/01/2013	Telephone: N/A
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 02/01/2013	Source: EPA
Date Data Arrived at EDR: 03/01/2013	Telephone: N/A
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 02/01/2013	Source: EPA
Date Data Arrived at EDR: 03/01/2013	Telephone: N/A
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/04/2013	Source: EPA
Date Data Arrived at EDR: 03/01/2013	Telephone: 703-412-9810
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 04/05/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 07/31/2012	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/09/2012	Telephone: 703-603-8704
Date Made Active in Reports: 12/20/2012	Last EDR Contact: 04/10/2013
Number of Days to Update: 72	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 02/05/2013	Source: EPA
Date Data Arrived at EDR: 03/01/2013	Telephone: 703-412-9810
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 04/05/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 03/11/2013
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/21/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 6

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 05/02/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 05/02/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 05/02/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 05/02/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/12/2013
Date Data Arrived at EDR: 02/15/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: (404) 562-8651
Last EDR Contact: 05/02/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/14/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/29/2013	Telephone: 703-603-0695
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 03/11/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 06/24/2013
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/14/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/29/2013	Telephone: 703-603-0695
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 03/11/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 06/24/2013
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005	Source: Department of the Navy
Date Data Arrived at EDR: 12/11/2006	Telephone: 843-820-7326
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 05/20/2013
Number of Days to Update: 31	Next Scheduled EDR Contact: 09/02/2013
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2012	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/17/2013	Telephone: 202-267-2180
Date Made Active in Reports: 02/15/2013	Last EDR Contact: 04/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: CERCLA/Uncontrolled Sites File List

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 03/07/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5666
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 04/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Landfills

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/01/2011	Source: Department of Environmental Quality
Date Data Arrived at EDR: 06/01/2011	Telephone: 601-961-5082
Date Made Active in Reports: 07/13/2011	Last EDR Contact: 03/01/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Semi-Annually

DEBRIS: Debris Site Locations Listing

A listing of Hurricane Katrina debris disposal site locations. Not all of these sites were approved or utilized. Please note that the list includes a number of different types of sites including vegetative debris burn, chip, staging and disposal sites as well as structural debris staging and disposal sites.

Date of Government Version: 06/17/2008	Source: Department of Environmental Quality
Date Data Arrived at EDR: 06/17/2008	Telephone: 601-961-5726
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 02/25/2013
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Varies

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 04/01/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5058
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 04/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 03/01/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2013	Telephone: 415-972-3372
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 12/31/2012	Source: EPA Region 7
Date Data Arrived at EDR: 02/28/2013	Telephone: 913-551-7003
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 43	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 02/05/2013	Source: EPA Region 10
Date Data Arrived at EDR: 02/06/2013	Telephone: 206-553-2857
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 65	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/27/2012	Source: EPA Region 8
Date Data Arrived at EDR: 08/28/2012	Telephone: 303-312-6271
Date Made Active in Reports: 10/16/2012	Last EDR Contact: 04/29/2013
Number of Days to Update: 49	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 09/28/2012	Source: EPA Region 1
Date Data Arrived at EDR: 11/01/2012	Telephone: 617-918-1313
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 05/01/2013
Number of Days to Update: 162	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 02/06/2013	Source: EPA Region 4
Date Data Arrived at EDR: 02/08/2013	Telephone: 404-562-8677
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 63	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011	Source: EPA Region 6
Date Data Arrived at EDR: 09/13/2011	Telephone: 214-665-6597
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 04/29/2013
Number of Days to Update: 59	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

State and tribal registered storage tank lists

UST: Underground Storage Tanks

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 04/01/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5058
Date Made Active in Reports: 04/04/2013	Last EDR Contact: 04/02/2013
Number of Days to Update: 2	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Quarterly

AST: Aboveground Storage Tanks

Aboveground storage tanks regulated by the Department of Agriculture & Commerce. The tanks contents will be gasoline, diesel, racing fuel or kerosene.

Date of Government Version: 03/15/2013	Source: Department of Agriculture & Commerce
Date Data Arrived at EDR: 03/28/2013	Telephone: 601-359-1101
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 02/25/2013
Number of Days to Update: 34	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 09/28/2012	Source: EPA, Region 1
Date Data Arrived at EDR: 11/07/2012	Telephone: 617-918-1313
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 156	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 02/06/2013	Source: EPA Region 4
Date Data Arrived at EDR: 02/08/2013	Telephone: 404-562-9424
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 63	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 08/02/2012	Source: EPA Region 5
Date Data Arrived at EDR: 08/03/2012	Telephone: 312-886-6136
Date Made Active in Reports: 11/05/2012	Last EDR Contact: 04/29/2013
Number of Days to Update: 94	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/10/2011	Source: EPA Region 6
Date Data Arrived at EDR: 05/11/2011	Telephone: 214-665-7591
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 04/29/2013
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 12/31/2012	Source: EPA Region 7
Date Data Arrived at EDR: 02/28/2013	Telephone: 913-551-7003
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 43	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 08/27/2012	Source: EPA Region 8
Date Data Arrived at EDR: 08/28/2012	Telephone: 303-312-6137
Date Made Active in Reports: 10/16/2012	Last EDR Contact: 04/29/2013
Number of Days to Update: 49	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 02/05/2013	Source: EPA Region 10
Date Data Arrived at EDR: 02/06/2013	Telephone: 206-553-2857
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 65	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 02/21/2013	Source: EPA Region 9
Date Data Arrived at EDR: 02/26/2013	Telephone: 415-972-3368
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 45	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 04/18/2013
Number of Days to Update: 55	Next Scheduled EDR Contact: 07/29/2013
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Sites with Engineering Controls

Sites included on the CERCLA/Uncontrolled Sites File List that have Engineering Controls. Engineering Controls encompass a variety of engineered remedies to contain and/or reduce contamination, and/or physical barriers intended to limit access to property. ECs include fences, signs, guards, landfill caps, provision of potable water, slurry walls, sheet pile (vertical caps), pumping and treatment of groundwater, monitoring wells, and vapor extraction systems

Date of Government Version: 03/07/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5666
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 04/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Quarterly

INST CONTROL: Sites with Institutional Controls

Sites included on the CERCLA/Uncontrolled Sites File List that have Institutional Controls. Institutional Controls are non-engineered instruments, such as administrative and/or legal controls, that help minimize the potential for human exposure to contamination and/or protect the integrity of a remedy by limiting land or resource use

Date of Government Version: 03/07/2013	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/02/2013	Telephone: 601-961-5666
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 04/02/2013
Number of Days to Update: 29	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

VCP: Voluntary Evaluation Program Sites

The Voluntary Evaluation Program allows accepted parties the opportunity to participate in a program that will expedite the evaluation of the site information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2013
Date Data Arrived at EDR: 04/02/2013
Date Made Active in Reports: 05/01/2013
Number of Days to Update: 29

Source: Department of Environmental Quality
Telephone: 601-961-5063
Last EDR Contact: 04/02/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/28/2012
Date Data Arrived at EDR: 10/02/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 14

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 04/05/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Uncontrolled Sites List

A listing of sites from the Uncontrolled Sites List that are currently in the Mississippi Brownfields Program (which means that they are pursuing liability protection and paying for MDEQ oversight costs).

Date of Government Version: 03/07/2013
Date Data Arrived at EDR: 04/02/2013
Date Made Active in Reports: 05/01/2013
Number of Days to Update: 29

Source: Department of Environmental Quality
Telephone: 601-961-5666
Last EDR Contact: 04/02/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/10/2012
Date Data Arrived at EDR: 12/11/2012
Date Made Active in Reports: 12/20/2012
Number of Days to Update: 9

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/26/2013
Next Scheduled EDR Contact: 07/08/2013
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 04/29/2013
Next Scheduled EDR Contact: 08/12/2013
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SWRCY: Mississippi Recycling Directory

A listing of recycling facilities.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 02/28/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 25

Source: Department of Environmental Quality
Telephone: 601-961-5005
Last EDR Contact: 02/26/2013
Next Scheduled EDR Contact: 06/10/2013
Data Release Frequency: Varies

SWTIRE: Commercial Waste Tire Haulers

A listing of commercial waste tire haulers.

Date of Government Version: 04/17/2013
Date Data Arrived at EDR: 04/18/2013
Date Made Active in Reports: 05/01/2013
Number of Days to Update: 13

Source: Department of Environmental Quality
Telephone: 601-961-5726
Last EDR Contact: 05/10/2013
Next Scheduled EDR Contact: 08/26/2013
Data Release Frequency: Quarterly

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 05/03/2013
Next Scheduled EDR Contact: 08/19/2013
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 03/04/2013
Date Data Arrived at EDR: 03/12/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 59

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/04/2013
Next Scheduled EDR Contact: 06/17/2013
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 11/19/2008	Telephone: 202-307-1000
Date Made Active in Reports: 03/30/2009	Last EDR Contact: 03/23/2009
Number of Days to Update: 131	Next Scheduled EDR Contact: 06/22/2009
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/06/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/25/2013	Telephone: 202-564-6023
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 04/29/2013
Number of Days to Update: 15	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2012	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 01/03/2013	Telephone: 202-366-4555
Date Made Active in Reports: 02/27/2013	Last EDR Contact: 04/02/2013
Number of Days to Update: 55	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Annually

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/12/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/15/2013	Telephone: (404) 562-8651
Date Made Active in Reports: 02/27/2013	Last EDR Contact: 05/02/2013
Number of Days to Update: 12	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 08/07/2012	Telephone: 202-366-4595
Date Made Active in Reports: 09/18/2012	Last EDR Contact: 05/07/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 08/19/2013
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 04/19/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: 07/29/2013
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2011	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 02/26/2013	Telephone: 202-528-4285
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 03/11/2013
Number of Days to Update: 15	Next Scheduled EDR Contact: 06/24/2013
	Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2011	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 01/15/2013	Telephone: Varies
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 04/01/2013
Number of Days to Update: 57	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/18/2012	Source: EPA
Date Data Arrived at EDR: 03/13/2013	Telephone: 703-416-0223
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 03/13/2013
Number of Days to Update: 30	Next Scheduled EDR Contact: 06/24/2013
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 02/25/2013
Number of Days to Update: 146	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Varies

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/05/2013	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 04/18/2013	Telephone: 303-231-5959
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 03/06/2013
Number of Days to Update: 22	Next Scheduled EDR Contact: 06/17/2013
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 09/01/2011	Telephone: 202-566-0250
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 02/26/2013
Number of Days to Update: 131	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006	Source: EPA
Date Data Arrived at EDR: 09/29/2010	Telephone: 202-260-5521
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 03/28/2013
Number of Days to Update: 64	Next Scheduled EDR Contact: 07/08/2013
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/25/2013
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/25/2013
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/29/2013
Next Scheduled EDR Contact: 08/12/2013
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/20/2011
Date Data Arrived at EDR: 11/10/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 04/15/2013
Next Scheduled EDR Contact: 07/29/2013
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/01/2012
Date Data Arrived at EDR: 01/16/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 114

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 04/19/2013
Next Scheduled EDR Contact: 07/29/2013
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/21/2011
Date Data Arrived at EDR: 07/15/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 60

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 03/11/2013
Next Scheduled EDR Contact: 06/24/2013
Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/09/2013
Date Data Arrived at EDR: 04/11/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 29

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 04/11/2013
Next Scheduled EDR Contact: 07/22/2013
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 10/23/2011	Source: EPA
Date Data Arrived at EDR: 12/13/2011	Telephone: (404) 562-9900
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 03/12/2013
Number of Days to Update: 79	Next Scheduled EDR Contact: 06/24/2013
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 05/08/2012	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/25/2012	Telephone: 202-564-8600
Date Made Active in Reports: 07/10/2012	Last EDR Contact: 04/29/2013
Number of Days to Update: 46	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2011	Source: EPA/NTIS
Date Data Arrived at EDR: 02/26/2013	Telephone: 800-424-9346
Date Made Active in Reports: 04/19/2013	Last EDR Contact: 02/26/2013
Number of Days to Update: 52	Next Scheduled EDR Contact: 06/10/2013
	Data Release Frequency: Biennially

UIC: UIC Information

A listing of underground injection control wells.

Date of Government Version: 03/19/2013	Source: State Oil & Gas Board
Date Data Arrived at EDR: 03/20/2013	Telephone: 601-576-4923
Date Made Active in Reports: 05/01/2013	Last EDR Contact: 03/20/2013
Number of Days to Update: 42	Next Scheduled EDR Contact: 07/01/2013
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PERMITS: Environmental Site Information System Listing

The purpose of this system is to support the permitting and compliance activities of the Office of Pollution Control. Regulatory programs that are supported by this database are the Surface Water National Pollutant Discharge Elimination System (NPDES) Program; the Air Title V, Construction and Operating Programs; and the Solid and Hazardous Waste Programs.

Date of Government Version: 02/02/2013
Date Data Arrived at EDR: 02/06/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 47

Source: The Office of Pollution Control
Telephone: 601-961-5670
Last EDR Contact: 05/20/2013
Next Scheduled EDR Contact: 09/02/2013
Data Release Frequency: Quarterly

DRYCLEANERS: Drycleaner Facilities Listing

A listing of drycleaner facilities.

Date of Government Version: 06/08/2009
Date Data Arrived at EDR: 06/09/2009
Date Made Active in Reports: 07/02/2009
Number of Days to Update: 23

Source: Department of Environmental Quality
Telephone: 601-961-5670
Last EDR Contact: 05/20/2013
Next Scheduled EDR Contact: 09/02/2013
Data Release Frequency: Varies

NPDES: Industrial & Municipal NPDES Facilities

Water discharge permit data.

Date of Government Version: 02/02/2013
Date Data Arrived at EDR: 02/06/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 47

Source: Department of Environmental Quality
Telephone: 601-961-5666
Last EDR Contact: 05/20/2013
Next Scheduled EDR Contact: 09/02/2013
Data Release Frequency: Quarterly

AIRS: Air Quality Information Listing

Air emissions information.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 03/02/2012
Date Made Active in Reports: 04/04/2012
Number of Days to Update: 33

Source: Department of Environmental Quality
Telephone: 601-961-5276
Last EDR Contact: 03/29/2013
Next Scheduled EDR Contact: 06/10/2013
Data Release Frequency: Annually

ASBESTOS: Asbestos Project Listing

A listing of Air Division Asbestos Branch projects.

Date of Government Version: 01/31/2013
Date Data Arrived at EDR: 02/01/2013
Date Made Active in Reports: 03/25/2013
Number of Days to Update: 52

Source: Department of Environmental Quality
Telephone: 601-961-5611
Last EDR Contact: 05/10/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/19/2013
Next Scheduled EDR Contact: 07/29/2013
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 05/06/2013
Next Scheduled EDR Contact: 08/05/2013
Data Release Frequency: Varies

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 12/02/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/13/2013
Number of Days to Update: 69

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 04/04/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Quarterly

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 04/19/2013
Next Scheduled EDR Contact: 07/29/2013
Data Release Frequency: N/A

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 01/23/2013
Date Data Arrived at EDR: 01/30/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-5962
Last EDR Contact: 04/01/2013
Next Scheduled EDR Contact: 07/15/2013
Data Release Frequency: Annually

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011
Date Data Arrived at EDR: 05/18/2012
Date Made Active in Reports: 05/25/2012
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 05/17/2013
Next Scheduled EDR Contact: 08/26/2013
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/29/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/14/2013	Telephone: 703-603-8787
Date Made Active in Reports: 02/27/2013	Last EDR Contact: 04/08/2013
Number of Days to Update: 13	Next Scheduled EDR Contact: 07/22/2013
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/03/2011	Telephone: N/A
Date Made Active in Reports: 03/21/2011	Last EDR Contact: 03/15/2013
Number of Days to Update: 77	Next Scheduled EDR Contact: 06/24/2013
	Data Release Frequency: Varies

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 01/23/2013	Source: EPA
Date Data Arrived at EDR: 01/30/2013	Telephone: 202-564-5962
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 04/01/2013
Number of Days to Update: 100	Next Scheduled EDR Contact: 07/15/2013
	Data Release Frequency: Annually

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 12/31/2012	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/18/2013	Telephone: 617-520-3000
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 05/10/2013
Number of Days to Update: 81	Next Scheduled EDR Contact: 08/26/2013
	Data Release Frequency: Quarterly

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/04/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/15/2013	Telephone: 202-566-1917
Date Made Active in Reports: 05/10/2013	Last EDR Contact: 05/20/2013
Number of Days to Update: 56	Next Scheduled EDR Contact: 09/02/2013
	Data Release Frequency: Quarterly

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/19/2011	Telephone: 202-566-0517
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 05/03/2013
Number of Days to Update: 83	Next Scheduled EDR Contact: 08/12/2013
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 04/18/2013
Next Scheduled EDR Contact: 07/29/2013
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR US Hist Cleaners: EDR Proprietary Historic Dry Cleaners - Cole

Date of Government Version: N/A	Source: N/A
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR US Hist Auto Stat: EDR Proprietary Historic Gas Stations - Cole

Date of Government Version: N/A	Source: N/A
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 02/01/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 02/07/2013	Telephone: 518-402-8651
Date Made Active in Reports: 03/15/2013	Last EDR Contact: 05/09/2013
Number of Days to Update: 36	Next Scheduled EDR Contact: 08/19/2013
	Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/23/2012	Telephone: 717-783-8990
Date Made Active in Reports: 09/18/2012	Last EDR Contact: 04/23/2013
Number of Days to Update: 57	Next Scheduled EDR Contact: 08/05/2013
	Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.
Telephone: (281) 769-2247
U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Child Care Listing

Source: Department of Health

Telephone: 601-576-7613

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

MCCOMB FEED MILL
PEARL RIVER AVENUE
MCCOMB, MS 39648

TARGET PROPERTY COORDINATES

Latitude (North):	31.2451 - 31° 14' 42.36"
Longitude (West):	90.4485 - 90° 26' 54.60"
Universal Transverse Mercator:	Zone 15
UTM X (Meters):	742998.9
UTM Y (Meters):	3459388.5
Elevation:	391 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	31090-B4 MCCOMB SOUTH, MS
Most Recent Revision:	1972
North Map:	31090-C4 MCCOMB NORTH, MS
Most Recent Revision:	1972

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SSW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> PIKE, MS	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	28113C - FEMA DFIRM Flood data
Additional Panels in search area:	Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> NOT AVAILABLE	<u>NWI Electronic Data Coverage</u> YES - refer to the Overview Map and Detail Map
---	---

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era: Cenozoic
System: Tertiary
Series: Pliocene
Code: Tpc (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Continental Deposits

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 3614527.2s



- ★ Target Property
- ∩ SSURGO Soil
- ∩ Water



SITE NAME: McComb Feed Mill
ADDRESS: Pearl River Avenue
Mccomb MS 39648
LAT/LONG: 31.2451 / 90.4485

CLIENT: Eco-Systems, Inc.
CONTACT: Josh Brown
INQUIRY #: 3614527.2s
DATE: May 22, 2013 5:48 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: FALAYA

Soil Surface Texture: silt loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 46 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	50 inches	silt loam	Not reported	Not reported	Max: 14.11 Min: 0.42	Max: 5.5 Min: 4.5
2	50 inches	64 inches		Not reported	Not reported	Max: 14.11 Min: 0.42	Max: 5.5 Min: 4.5

Soil Map ID: 2

Soil Component Name: ORA

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 84 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
2	7 inches	25 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
3	25 inches	55 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6
4	55 inches	70 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 3.6

Soil Map ID: 3

Soil Component Name: BROOKHAVEN

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	18 inches	silt loam	Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	18 inches	29 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5
3	29 inches	57 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5
4	57 inches	62 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 6 Min: 4.5

Soil Map ID: 4

Soil Component Name: RUSTON

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	11 inches	fine sandy loam	Not reported	Not reported	Max: 42.34 Min: 14.11	Max: 5.5 Min: 4.5
2	11 inches	38 inches		Not reported	Not reported	Max: 42.34 Min: 14.11	Max: 5.5 Min: 4.5
3	38 inches	79 inches		Not reported	Not reported	Max: 42.34 Min: 14.11	Max: 5.5 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 5

Soil Component Name: COLLINS

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 107 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 4.5
2	7 inches	48 inches		Not reported	Not reported	Max: 14.11 Min: 4.23	Max: 5.5 Min: 4.5

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	USGS40000625661	0 - 1/8 Mile SW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
D8	USGS40000625639	1/8 - 1/4 Mile SSE
E11	USGS40000625703	1/8 - 1/4 Mile NW
C13	USGS40000625731	1/8 - 1/4 Mile North
E18	USGS40000625712	1/8 - 1/4 Mile NW
D20	USGS40000625614	1/8 - 1/4 Mile SSE
G25	USGS40000625615	1/8 - 1/4 Mile SSW
E26	USGS40000625739	1/8 - 1/4 Mile NW
F29	USGS40000625743	1/8 - 1/4 Mile NNW
G32	USGS40000625616	1/4 - 1/2 Mile SW
G33	USGS40000625618	1/4 - 1/2 Mile SW
G34	USGS40000625617	1/4 - 1/2 Mile SW
I41	USGS40000625757	1/4 - 1/2 Mile NNW
H42	USGS40000625805	1/4 - 1/2 Mile North
J45	USGS40000625744	1/4 - 1/2 Mile NW
J49	USGS40000625758	1/4 - 1/2 Mile NW
K54	USGS40000625877	1/4 - 1/2 Mile NNW
L56	USGS40000625538	1/2 - 1 Mile SW
L65	USGS40000625518	1/2 - 1 Mile SW
N67	USGS40000625508	1/2 - 1 Mile SE
P76	USGS40000625852	1/2 - 1 Mile NE
Q79	USGS40000625737	1/2 - 1 Mile ENE
87	USGS40000625533	1/2 - 1 Mile ESE
T90	USGS40000629612	1/2 - 1 Mile ESE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
B4	MS0570004	0 - 1/8 Mile NW

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
A2	MSC100000044338	0 - 1/8 Mile SW
B3	MSP300000000825	0 - 1/8 Mile WNW
B5	MSH300000000512	0 - 1/8 Mile NW
C6	MSP300000000828	1/8 - 1/4 Mile North
D7	MSC100000044311	1/8 - 1/4 Mile SSE
C9	MSU300000000317	1/8 - 1/4 Mile NNE
C10	MSC100000044403	1/8 - 1/4 Mile North
D12	MSP300000000821	1/8 - 1/4 Mile SE
E14	MSC100000044387	1/8 - 1/4 Mile NW
B15	MSU300000000314	1/8 - 1/4 Mile WNW
C16	MSH300000000513	1/8 - 1/4 Mile NNE
E17	MSC100000044382	1/8 - 1/4 Mile WNW
D19	MSC100000044300	1/8 - 1/4 Mile SSE
D21	MSU300000000312	1/8 - 1/4 Mile SSE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
F22	MSC100000044409	1/8 - 1/4 Mile NNW
F23	MSC100000044408	1/8 - 1/4 Mile NNW
F24	MSP300000000831	1/8 - 1/4 Mile NNW
G27	MSC100000044297	1/8 - 1/4 Mile SSW
E28	MSC100000044407	1/8 - 1/4 Mile NW
E30	MSU300000000316	1/8 - 1/4 Mile NW
F31	MSH300000000515	1/4 - 1/2 Mile NNW
G35	MSC100000044295	1/4 - 1/2 Mile SW
G36	MSC100000044294	1/4 - 1/2 Mile SW
G37	MSC100000044296	1/4 - 1/2 Mile SW
F38	MSP300000000835	1/4 - 1/2 Mile NNW
H39	MSP300000000838	1/4 - 1/2 Mile North
I40	MSC100000044424	1/4 - 1/2 Mile NNW
H43	MSC100000044452	1/4 - 1/2 Mile North
I44	MSH300000000521	1/4 - 1/2 Mile NNW
J46	MSU300000000319	1/4 - 1/2 Mile NW
47	MSH300000000508	1/4 - 1/2 Mile SSE
48	MSU300000000322	1/4 - 1/2 Mile NNW
K50	MSP300000000844	1/4 - 1/2 Mile NNW
K51	MSP300000000843	1/4 - 1/2 Mile NNW
K52	MSC100000044621	1/4 - 1/2 Mile NNW
K53	MSC100000044622	1/4 - 1/2 Mile NNW
55	MSH300000000523	1/2 - 1 Mile North
L57	MSC100000043910	1/2 - 1 Mile SW
M58	MSC100000044053	1/2 - 1 Mile SW
M59	MSC100000044052	1/2 - 1 Mile SW
M60	MSC100000044051	1/2 - 1 Mile SW
M61	MSC100000044048	1/2 - 1 Mile SW
M62	MSC100000044049	1/2 - 1 Mile SW
M63	MSC100000044050	1/2 - 1 Mile SW
L64	MSC100000043863	1/2 - 1 Mile SW
N66	MSPR30000013018	1/2 - 1 Mile SE
N68	MSC100000043850	1/2 - 1 Mile SE
O69	MSC100000044056	1/2 - 1 Mile ESE
O70	MSC100000044055	1/2 - 1 Mile ESE
O71	MSC100000044054	1/2 - 1 Mile ESE
O72	MSC100000044042	1/2 - 1 Mile ESE
O73	MSC100000044043	1/2 - 1 Mile ESE
74	MSC100000043741	1/2 - 1 Mile SSE
P75	MSPR30000013246	1/2 - 1 Mile NE
P77	MSC100000044609	1/2 - 1 Mile NE
Q78	MSPR30000013170	1/2 - 1 Mile ENE
Q80	MSC100000044405	1/2 - 1 Mile ENE
R81	MSC100000044896	1/2 - 1 Mile NNW
R82	MSC100000044897	1/2 - 1 Mile NNW
S83	MSC100000044804	1/2 - 1 Mile NE
S84	MSC100000044803	1/2 - 1 Mile NE
S85	MSC100000044806	1/2 - 1 Mile NE
S86	MSC100000044805	1/2 - 1 Mile NE
T88	MSC100000044030	1/2 - 1 Mile ESE
T89	MSPR30000013059	1/2 - 1 Mile ESE

PHYSICAL SETTING SOURCE MAP - 3614527.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Oil, gas or related wells



SITE NAME: McComb Feed Mill
 ADDRESS: Pearl River Avenue
 McComb MS 39648
 LAT/LONG: 31.2451 / 90.4485

CLIENT: Eco-Systems, Inc.
 CONTACT: Josh Brown
 INQUIRY #: 3614527.2s
 DATE: May 22, 2013 5:48 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A1
SW
0 - 1/8 Mile
Higher

FED USGS USGS40000625661

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311439090265901		
Monloc name:	D0159 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2443428
Longitude:	-90.4498201	Sourcemap scale:	Not Reported
Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	405.00
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19730101	Welldepth:	579
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1973-11-01	191.00	

A2
SW
0 - 1/8 Mile
Higher

MS WELLS MSC10000044338

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0159		
Aquifer:	MIOCENE		
Use 1:	Not Reported		
Owner name:	I C GULF R R		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2443		
Longdd:	-90.4498		
Date drill:	01/01/73	Casing len:	0.000000
Casing dia:	10		
Screen len:	0.000000		
Well depth:	579		
Site id:	MSC10000044338		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B3
WNW
0 - 1/8 Mile
Higher

MS WELLS MSP300000000825

Cnty:	113	Aquifer:	MOCN
Latn:	311445	Longn:	902700
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	590		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000825		

B4
NW
0 - 1/8 Mile
Higher

FRDS PWS MS0570004

Pwsid:	MS0570004	Epa region:	04
State:	MS	County:	Pike
Pws name:	CITY OF MCCOMB		
Population Served:	21490	Pwssvconn:	6513
PWS Source:	Groundwater		
Pws type:	CWS		
Status:	Active	Owner type:	Local_Govt
Facility id:	31508		
Facility name:	TREATMENT FACILITY TF080		
Facility type:	Treatment_plant	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Contact name:	WALMAN, THOMAS H		
Original name:	WALMAN, THOMAS H		
Contact phone:	601-684-3497	Contact address1:	P O BOX 667
Contact address2:	Not Reported		
Contact city:	MCCOMB		
Contact zip:	39648		
Facility id:	36488		
Facility name:	WELL WL001		
Facility type:	Well	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	36489		
Facility name:	WELL WL002		
Facility type:	Well	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	36490		
Facility name:	WELL WL003		
Facility type:	Well	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Facility id:	36491		
Facility name:	WELL WL004		
Facility type:	Well	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	36492		
Facility name:	WELL WL005		
Facility type:	Well	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	36493		
Facility name:	WELL WL006		
Facility type:	Well	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	36494		
Facility name:	WELL WL007		
Facility type:	Well	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	38361		
Facility name:	DISTRIBUTION DS000		
Facility type:	Distribution_system_zone	Treatment process:	inhibitor, polyphosphate
Treatment objective:	corrosion control		
Facility id:	31508		
Facility name:	TREATMENT FACILITY TF080		
Facility type:	Treatment_plant	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	36488		
Facility name:	WELL WL001		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	36489		
Facility name:	WELL WL002		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	36490		
Facility name:	WELL WL003		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	36491		
Facility name:	WELL WL004		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	36492		
Facility name:	WELL WL005		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Facility id:	36493		
Facility name:	WELL WL006		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	36494		
Facility name:	WELL WL007		
Facility type:	Well	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	38361		
Facility name:	DISTRIBUTION DS000		
Facility type:	Distribution_system_zone	Treatment process:	gaseous chlorination, post
Treatment objective:	disinfection		
Facility id:	31508		
Facility name:	TREATMENT FACILITY TF080		
Facility type:	Treatment_plant	Treatment process:	fluoridation
Treatment objective:	other		
Facility id:	36488		
Facility name:	WELL WL001		
Facility type:	Well	Treatment process:	fluoridation
Treatment objective:	other		
Facility id:	36489		
Facility name:	WELL WL002		
Facility type:	Well	Treatment process:	fluoridation
Treatment objective:	other		
Facility id:	36490		
Facility name:	WELL WL003		
Facility type:	Well	Treatment process:	fluoridation
Treatment objective:	other		
Facility id:	36491		
Facility name:	WELL WL004		
Facility type:	Well	Treatment process:	fluoridation
Treatment objective:	other		
Facility id:	36492		
Facility name:	WELL WL005		
Facility type:	Well	Treatment process:	fluoridation
Treatment objective:	other		
Facility id:	36493		
Facility name:	WELL WL006		
Facility type:	Well	Treatment process:	fluoridation
Treatment objective:	other		
Facility id:	36494		
Facility name:	WELL WL007		
Facility type:	Well	Treatment process:	fluoridation
Treatment objective:	other		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Facility id: 38361
 Facility name: DISTRIBUTION DS000
 Facility type: Distribution_system_zone Treatment process: fluoridation
 Treatment objective: other

PWS ID: MS0570004
 Date Initiated: Not Reported Date Deactivated: Not Reported
 PWS Name: CITY OF MCCOMB
 RONNIE LINDSEY
 P O BOX 667
 MCCOMB, MS 39648

Addressee / Facility: Operator
 CITY OF MCCOMB
 JOHN CHAPMAN
 P. O. BOX 667
 MCCOMB, MS 39648

Facility Latitude:	31 15 8.0000	Facility Longitude:	90 26 56.0000
Facility Latitude:	31 14 46.0000	Facility Longitude:	90 27 0.0000
Facility Latitude:	31 14 53.0000	Facility Longitude:	90 27 2.0000
Facility Latitude:	31 14 22.0000	Facility Longitude:	90 26 49.0000
Facility Latitude:	31 14 52.0000	Facility Longitude:	90 26 50.0000
Facility Latitude:	31 14 59.0000	Facility Longitude:	90 27 4.0000
City Served:	MCCOMB		
Treatment Class:	Treated	Population:	15300

Violations information not reported.

ENFORCEMENT INFORMATION:

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB	Pwstypecod:	C
Retpopsrvd:	21490	Contaminant:	COLIFORM (TCR)
Void:	2200102		
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	1/11/2002 0:00:00	Enfdate:	1/28/2002 0:00:00
Complperen:	2/11/2002 0:00:00		
Enf action:	State Public Notif Received		
Violmeasur:	Not Reported		

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB	Pwstypecod:	C
Retpopsrvd:	21490	Contaminant:	COLIFORM (TCR)
Void:	2200102		
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	1/11/2002 0:00:00	Enfdate:	1/11/2002 0:00:00
Complperen:	2/11/2002 0:00:00		
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB	Pwstypecod:	C
Retpopsrvd:	21490	Contaminant:	COLIFORM (TCR)
Void:	2200205		
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	2/1/2005 0:00:00	Enfdate:	6/16/2005 0:00:00
Complperen:	2/28/2005 0:00:00		
Enf action:	State Violation/Reminder Notice		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2200205	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	2/1/2005 0:00:00		
Complperen:	2/28/2005 0:00:00	Enfdate:	3/14/2005 0:00:00
Enf action:	State Public Notif Received		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2200205	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	2/1/2005 0:00:00		
Complperen:	2/28/2005 0:00:00	Enfdate:	6/16/2005 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2200407	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	2/1/2007 0:00:00		
Complperen:	2/28/2007 0:00:00	Enfdate:	4/11/2007 0:00:00
Enf action:	State Violation/Reminder Notice		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2200407	Contaminant:	COLIFORM (TCR)
Viol. Type:	MCL, Monthly (TCR)		
Complperbe:	2/1/2007 0:00:00		
Complperen:	2/28/2007 0:00:00	Enfdate:	4/11/2007 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2200507	Contaminant:	7500
Viol. Type:	PN Violation for NPDWR Violation		
Complperbe:	2/1/2007 0:00:00		
Complperen:	12/31/2025 0:00:00	Enfdate:	No Enf Action as of
Enf action:	7/8/2009 0:00:00		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2200708	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	1/1/2007 0:00:00		
Complperen:	3/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2200708	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	1/1/2007 0:00:00		
Complperen:	3/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2200808	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	1/1/2007 0:00:00		
Complperen:	3/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2200808	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	1/1/2007 0:00:00		
Complperen:	3/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2200908	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	1/1/2007 0:00:00		
Complperen:	3/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2200908	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	1/1/2007 0:00:00		
Complperen:	3/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201008	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	4/1/2007 0:00:00		
Complperen:	6/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201008	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	4/1/2007 0:00:00		
Complperen:	6/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201108	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	4/1/2007 0:00:00		
Complperen:	6/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201108	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	4/1/2007 0:00:00		
Complperen:	6/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201208	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	4/1/2007 0:00:00		
Complperen:	6/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201208	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	4/1/2007 0:00:00		
Complperen:	6/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201308	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	7/1/2007 0:00:00		
Complperen:	9/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201308	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	7/1/2007 0:00:00		
Complperen:	9/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201408	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	7/1/2007 0:00:00		
Complperen:	9/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201408	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	7/1/2007 0:00:00		
Complperen:	9/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201508	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	7/1/2007 0:00:00		
Complperen:	9/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201508	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	7/1/2007 0:00:00		
Complperen:	9/30/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201609	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	10/1/2007 0:00:00		
Complperen:	12/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201609	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	10/1/2007 0:00:00		
Complperen:	12/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201709	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	10/1/2007 0:00:00		
Complperen:	12/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201709	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	10/1/2007 0:00:00		
Complperen:	12/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201809	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	10/1/2007 0:00:00		
Complperen:	12/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201809	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	10/1/2007 0:00:00		
Complperen:	12/31/2007 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201909	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	1/1/2008 0:00:00		
Complperen:	3/31/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2201909	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	1/1/2008 0:00:00		
Complperen:	3/31/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2202009	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	1/1/2008 0:00:00		
Complperen:	3/31/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2202009	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	1/1/2008 0:00:00		
Complperen:	3/31/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2202109	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	1/1/2008 0:00:00		
Complperen:	3/31/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2202109	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	1/1/2008 0:00:00		
Complperen:	3/31/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vooid:	2202209	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	4/1/2008 0:00:00		
Complperen:	6/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202209	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	4/1/2008 0:00:00		
Complperen:	6/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202309	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	4/1/2008 0:00:00		
Complperen:	6/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202309	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	4/1/2008 0:00:00		
Complperen:	6/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202409	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	4/1/2008 0:00:00		
Complperen:	6/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202409	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	4/1/2008 0:00:00		
Complperen:	6/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202509	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	7/1/2008 0:00:00		
Complperen:	9/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202509	Contaminant:	GROSS ALPHA, EXCL. RADON & U
Viol. Type:	3		
Complperbe:	7/1/2008 0:00:00		
Complperen:	9/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202609	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	7/1/2008 0:00:00		
Complperen:	9/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202609	Contaminant:	COMBINED URANIUM
Viol. Type:	3		
Complperbe:	7/1/2008 0:00:00		
Complperen:	9/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202709	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	7/1/2008 0:00:00		
Complperen:	9/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Formal NOV Issued		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202709	Contaminant:	COMBINED RADIUM (-226 & -228)
Viol. Type:	3		
Complperbe:	7/1/2008 0:00:00		
Complperen:	9/30/2008 0:00:00	Enfdate:	11/17/2008 0:00:00
Enf action:	State Public Notif Requested		
Violmeasur:	Not Reported		
Truedate:	03/31/2009	Pwsid:	MS0570004
Pwsname:	CITY OF MCCOMB		
Retpopsrvd:	21490	Pwstypecod:	C
Vioid:	2202804	Contaminant:	0999
Viol. Type:	Monitoring and Reporting Stage 1		
Complperbe:	4/1/2004 0:00:00		
Complperen:	6/30/2004 0:00:00	Enfdate:	No Enf Action as of
Enf action:	7/8/2009 0:00:00		
Violmeasur:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1/11/2002 0:00:00 - 2/11/2002 0:00:00		
Violation ID:	2200102		
Enforcement Date:	1/28/2002 0:00:00	Enf. Action:	State Public Notif Received
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1/11/2002 0:00:00 - 2/11/2002 0:00:00		
Violation ID:	2200102		
Enforcement Date:	1/28/2002 0:00:00	Enf. Action:	State Public Notif Received
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1/11/2002 0:00:00 - 2/11/2002 0:00:00		
Violation ID:	2200102		
Enforcement Date:	1/11/2002 0:00:00	Enf. Action:	State Public Notif Requested
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1/11/2002 0:00:00 - 2/11/2002 0:00:00		
Violation ID:	2200102		
Enforcement Date:	1/11/2002 0:00:00	Enf. Action:	State Public Notif Requested
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2/1/2005 0:00:00 - 2/28/2005 0:00:00		
Violation ID:	2200205		
Enforcement Date:	3/14/2005 0:00:00	Enf. Action:	State Public Notif Received
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2/1/2005 0:00:00 - 2/28/2005 0:00:00		
Violation ID:	2200205		
Enforcement Date:	6/16/2005 0:00:00	Enf. Action:	State Public Notif Requested
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2/1/2005 0:00:00 - 2/28/2005 0:00:00		
Violation ID:	2200205		
Enforcement Date:	6/16/2005 0:00:00	Enf. Action:	State Violation/Reminder Notice
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2/1/2005 0:00:00 - 2/28/2005 0:00:00		
Violation ID:	2200205		
Enforcement Date:	3/14/2005 0:00:00	Enf. Action:	State Public Notif Received
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2/1/2005 0:00:00 - 2/28/2005 0:00:00		
Violation ID:	2200205		
Enforcement Date:	6/16/2005 0:00:00	Enf. Action:	State Violation/Reminder Notice

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	2/1/2005 0:00:00 - 2/28/2005 0:00:00		
Violation ID:	2200205		
Enforcement Date:	6/16/2005 0:00:00	Enf. Action:	State Public Notif Requested
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1999-06-14 - 1999-07-14		
Violation ID:	99V0001		
Enforcement Date:	1999-06-14	Enf. Action:	State Public Notif Requested
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1999-04-16 - 1999-05-16		
Violation ID:	99V0001		
Enforcement Date:	1999-05-17	Enf. Action:	State Violation/Reminder Notice
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1999-04-16 - 1999-05-16		
Violation ID:	99V0001		
Enforcement Date:	1999-05-26	Enf. Action:	State Public Notif Received
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1999-06-14 - 1999-07-14		
Violation ID:	99V0001		
Enforcement Date:	1999-07-26	Enf. Action:	State Violation/Reminder Notice
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1999-04-16 - 1999-05-16		
Violation ID:	99V0002		
Enforcement Date:	1999-04-16	Enf. Action:	State Public Notif Requested
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1999-06-14 - 1999-07-14		
Violation ID:	99V0002		
Enforcement Date:	1999-06-14	Enf. Action:	State Public Notif Requested
System Name:	CITY OF MCCOMB		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1999-06-14 - 1999-07-14		
Violation ID:	99V0002		
Enforcement Date:	1999-07-26	Enf. Action:	State Violation/Reminder Notice

CONTACT INFORMATION:

Name:	CITY OF MCCOMB	Population:	21490
Contact:	PATTERSON, ZACHARY	Phone:	Not Reported
Address:	P O BOX 667		
Address 2:	MCCOMB		
	MS, 39 601-6		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

**B5
NW
0 - 1/8 Mile
Higher**

MS WELLS MSH30000000512

Wellid:	570004-05	Name:	CITY OF MCCOMB
Latn:	311446	Longn:	902700
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH30000000512

**C6
North
1/8 - 1/4 Mile
Higher**

MS WELLS MSP30000000828

Cnty:	113	Aquifer:	MOCN
Latn:	311450	Longn:	902654
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	586		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP30000000828		

**D7
SSE
1/8 - 1/4 Mile
Lower**

MS WELLS MSC10000044311

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0194		
Aquifer:	HATTIESBURG		
Use 1:	Not Reported		
Owner name:	MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.243		
Longdd:	-90.4476		
Date drill:	01/21/86	Casing len:	530.000000
Casing dia:	4		
Screen len:	0.000000		
Well depth:	550		
Site id:	MSC10000044311		

**D8
SSE
1/8 - 1/4 Mile
Lower**

FED USGS USGS40000625639

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311434090265101		
Monloc name:	D0194 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2429539
Longitude:	-90.4475978	Sourcemap scale:	Not Reported
Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	395.
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Hattiesburg Formation		
Aquifer type:	Not Reported		
Construction date:	19860121	Welldepth:	550
Welldepth units:	ft	Wellholedepth:	800
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1986-01-25	184.	

C9
NNE
1/8 - 1/4 Mile
Higher

MS WELLS MSU300000000317

Latn:	311450	Longn:	902652
Fips:	113	Local no:	D150
Use 1:	P	Aquifer:	122MOCN
Depth:	594	Site id:	MSU300000000317

C10
North
1/8 - 1/4 Mile
Higher

MS WELLS MSC100000044403

County nam:	PIKE	Permit num:	MS-GW-01648
Fip well:	113D0004		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2475		
Longdd:	-90.4483		
Date drill:	01/01/59	Casing len:	506.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 12
 Screen len: 80.000000
 Well depth: 586
 Site id: MSC100000044403

**E11
 NW
 1/8 - 1/4 Mile
 Higher**

FED USGS USGS40000625703

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311446090270401		
Monloc name:	D0196 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2469222
Longitude:	-90.450525	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	409
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19860408	Welldepth:	590
Welldepth units:	ft	Wellholedepth:	625
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1986-05-09	200.8	

**D12
 SE
 1/8 - 1/4 Mile
 Lower**

MS WELLS MSP300000000821

Cnty:	113	Aquifer:	MOCN
Latn:	311435	Longn:	902648
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	590		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000821		

**C13
 North
 1/8 - 1/4 Mile
 Higher**

FED USGS USGS40000625731

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311450090270601		
Monloc name:	D0004 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2476333
Longitude:	-90.4483194	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	400.00
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19590101	Welldepth:	586
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1968-09-01	156.00	

**E14
NW
1/8 - 1/4 Mile
Higher**

MS WELLS MSC100000044387

County nam:	PIKE	Permit num:	MS-GW-07411
Fip well:	113D0196		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2469		
Longdd:	-90.4506		
Date drill:	05/09/86	Casing len:	505.000000
Casing dia:	16		
Screen len:	80.000000		
Well depth:	590		
Site id:	MSC100000044387		

**B15
WNW
1/8 - 1/4 Mile
Higher**

MS WELLS MSU300000000314

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Latn:	311446	Longn:	902704
Fips:	113	Local no:	D196
Use 1:	P	Aquifer:	122MOCN
Depth:	590	Site id:	MSU300000000314

**C16
NNE
1/8 - 1/4 Mile
Higher**

MS WELLS MSH300000000513

Wellid:	570004-02	Name:	CITY OF MCCOMB
Latn:	311452	Longn:	902650
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH300000000513

**E17
WNW
1/8 - 1/4 Mile
Higher**

MS WELLS MSC100000044382

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0195		
Aquifer:	Not Reported		
Use 1:	Not Reported		
Owner name:	MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2468		
Longdd:	-90.4515		
Date drill:	02/13/86	Casing len:	0.000000
Casing dia:	0		
Screen len:	0.000000		
Well depth:	0		
Site id:	MSC100000044382		

**E18
NW
1/8 - 1/4 Mile
Higher**

FED USGS USGS40000625712

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311448090270501		
Monloc name:	D0195 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2468428
Longitude:	-90.4514869	Sourcemap scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	400.
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	19860213	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	618
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

D19
SSE
1/8 - 1/4 Mile
Lower

MS WELLS MSC10000044300

County nam:	PIKE	Permit num:	MS-GW-07412
Fip well:	113D0198		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2422		
Longdd:	-90.4472		
Date drill:	03/04/86	Casing len:	515.000000
Casing dia:	16		
Screen len:	87.000000		
Well depth:	605		
Site id:	MSC10000044300		

D20
SSE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000625614

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090264901		
Monloc name:	D0198 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421417
Longitude:	-90.4471083	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	384.
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	605
Construction date:	19851211	Wellholeddepth:	800
Welldepth units:	ft		
Wellholeddepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1986-03-04	179.	

**D21
SSE
1/8 - 1/4 Mile
Lower**

MS WELLS MSU30000000312

Latn:	311431	Longn:	902649
Fips:	113	Local no:	D198
Use 1:	P	Aquifer:	122MOCN
Depth:	605	Site id:	MSU30000000312

**F22
NNW
1/8 - 1/4 Mile
Higher**

MS WELLS MSC100000044409

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0003		
Aquifer:	MIOCENE		
Use 1:	OBSERVATION		
Owner name:	MCCOMB		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2481		
Longdd:	-90.45		
Date drill:	01/01/44	Casing len:	0.000000
Casing dia:	12		
Screen len:	0.000000		
Well depth:	582		
Site id:	MSC100000044409		

**F23
NNW
1/8 - 1/4 Mile
Higher**

MS WELLS MSC100000044408

County nam:	PIKE	Permit num:	MS-GW-01647
Fip well:	113D0002		
Aquifer:	MIOCENE		
Use 1:	ABANDONED		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2481		
Longdd:	-90.4506		
Date drill:	01/01/38	Casing len:	500.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 8
 Screen len: 90.000000
 Well depth: 590
 Site id: MSC100000044408

**F24
 NNW
 1/8 - 1/4 Mile
 Higher**

MS WELLS MSP300000000831

Cnty:	113	Aquifer:	MOCN
Latn:	311453	Longn:	902702
Use 1:	AB	Source:	MIOCENE AQUIFER SYSTEM
Depth:	590		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000831		

**G25
 SSW
 1/8 - 1/4 Mile
 Higher**

FED USGS USGS40000625615

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270201		
Monloc name:	D0010 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4506534	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19540101	Welldepth:	87
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

	Feet below	Feet to
Date	Surface	Sealevel

1954-01-01	26.00	

**E26
 NW
 1/8 - 1/4 Mile
 Higher**

FED USGS USGS40000625739

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311452090271301		
Monloc name:	D0001 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2479539
Longitude:	-90.4509313	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	397.00
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19260101	Welldepth:	100
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1981-10-28	22.48	

G27
SSW
1/8 - 1/4 Mile
Higher

MS WELLS MSC100000044297

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0010		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	IC RAILROAD		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4507		
Date drill:	01/01/54	Casing len:	0.000000
Casing dia:	10		
Screen len:	0.000000		
Well depth:	87		
Site id:	MSC100000044297		

E28
NW
1/8 - 1/4 Mile
Higher

MS WELLS MSC100000044407

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0001		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	MCCOMB		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.248		
Longdd:	-90.4509		
Date drill:	01/01/26	Casing len:	0.000000
Casing dia:	18		
Screen len:	0.000000		
Well depth:	100		
Site id:	MSC100000044407		

**F29
NNW
1/8 - 1/4 Mile
Higher**

FED USGS USGS40000625743

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311453090271301		
Monloc name:	D0002 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2482056
Longitude:	-90.4506667	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	394.00
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19380101	Welldepth:	590
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1968-09-01	135.00	

**E30
NW
1/8 - 1/4 Mile
Higher**

MS WELLS MSU300000000316

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Latn:	311450	Longn:	902706
Fips:	113	Local no:	D004
Use 1:	P	Aquifer:	122MOCN
Depth:	586	Site id:	MSU300000000316

**F31
NNW
1/4 - 1/2 Mile
Higher**

MS WELLS MSH300000000515

Wellid:	570004-01	Name:	CITY OF MCCOMB
Latn:	311453	Longn:	902702
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH300000000515

**G32
SW
1/4 - 1/2 Mile
Higher**

FED USGS USGS40000625616

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270301		
Monloc name:	D0011 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4509312	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	88
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1954-01-01	24.00	

**G33
SW
1/4 - 1/2 Mile
Higher**

FED USGS USGS40000625618

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270303		
Monloc name:	D0008 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4509312	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19110101	Welldepth:	615
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**G34
SW
1/4 - 1/2 Mile
Higher**

FED USGS USGS40000625617

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311431090270302		
Monloc name:	D0007 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2421206
Longitude:	-90.4509312	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19090101	Welldepth:	100
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

G35
SW
1/4 - 1/2 Mile
Higher

MS WELLS MSC100000044295

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0008		
Aquifer:	MIOCENE		
Use 1:	UNUSED		
Owner name:	CITY OF MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4509		
Date drill:	01/01/11	Casing len:	0.000000
Casing dia:	12		
Screen len:	0.000000		
Well depth:	615		
Site id:	MSC100000044295		

G36
SW
1/4 - 1/2 Mile
Higher

MS WELLS MSC100000044294

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0007		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	CITY OF MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4509		
Date drill:	01/01/09	Casing len:	0.000000
Casing dia:	8		
Screen len:	0.000000		
Well depth:	100		
Site id:	MSC100000044294		

G37
SW
1/4 - 1/2 Mile
Higher

MS WELLS MSC100000044296

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0011		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	IC RAILROAD		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2421		
Longdd:	-90.4509		
Date drill:	/ /	Casing len:	0.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 0
 Screen len: 0.000000
 Well depth: 88
 Site id: MSC100000044296

**F38
 NNW
 1/4 - 1/2 Mile
 Higher**

MS WELLS MSP300000000835

Cnty:	113	Aquifer:	MOCN
Latn:	311456	Longn:	902703
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	502		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000835		

**H39
 North
 1/4 - 1/2 Mile
 Higher**

MS WELLS MSP300000000838

Cnty:	113	Aquifer:	MOCN
Latn:	311458	Longn:	902657
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	588		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000838		

**I40
 NNW
 1/4 - 1/2 Mile
 Higher**

MS WELLS MSC100000044424

County nam:	PIKE	Permit num:	MS-GW-01646
Fip well:	113D0150		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2492		
Longdd:	-90.4511		
Date drill:	08/15/73	Casing len:	502.000000
Casing dia:	16		
Screen len:	80.000000		
Well depth:	594		
Site id:	MSC100000044424		

**I41
 NNW
 1/4 - 1/2 Mile
 Higher**

FED USGS USGS40000625757

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier: USGS-MS
 Formal name: USGS Mississippi Water Science Center
 Monloc Identifier: USGS-311456090270301
 Monloc name: D0150 PIKE
 Monloc type: Well
 Monloc desc: Not Reported
 Huc code: 03180005
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -90.4512056
 Horiz Acc measure: .1
 Horiz Collection method: Differentially corrected Global Positioning System (DGPS)
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Interpolated from topographic map
 Vert coord refsys: NGVD29
 Aquifername: Coastal lowlands aquifer system
 Formation type: Miocene Series
 Aquifer type: Not Reported
 Construction date: 19730101
 Welldepth units: ft
 Wellholedepth units: Not Reported

Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 31.2492778
 Sourcemap scale: Not Reported
 Horiz Acc measure units: seconds
 Vert measure val: 395.00
 Vertacc measure val: 5
 Countrycode: US
 Welldepth: 594
 Wellholedepth: Not Reported

Ground-water levels, Number of Measurements: 2

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1981-10-28	191.00		1973-08-01	192.00	

**H42
North
1/4 - 1/2 Mile
Higher**

FED USGS USGS40000625805

Org. Identifier: USGS-MS
 Formal name: USGS Mississippi Water Science Center
 Monloc Identifier: USGS-311500090270801
 Monloc name: D0005 PIKE
 Monloc type: Well
 Monloc desc: Not Reported
 Huc code: 03180005
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -90.4491333
 Horiz Acc measure: .1
 Horiz Collection method: Differentially corrected Global Positioning System (DGPS)
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Level or other surveying method
 Vert coord refsys: NGVD29
 Aquifername: Coastal lowlands aquifer system
 Formation type: Miocene Series

Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 31.2498972
 Sourcemap scale: Not Reported
 Horiz Acc measure units: seconds
 Vert measure val: 405.
 Vertacc measure val: .5
 Countrycode: US

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	588
Construction date:	19620101	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1996-02-21	213.95	

H43
North
1/4 - 1/2 Mile
Lower

MS WELLS MSC100000044452

County nam:	PIKE	Permit num:	MS-GW-01644
Fip well:	113D0005		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.25		
Longdd:	-90.4492		
Date drill:	05/01/62	Casing len:	508.000000
Casing dia:	16		
Screen len:	80.000000		
Well depth:	588		
Site id:	MSC100000044452		

I44
NNW
1/4 - 1/2 Mile
Higher

MS WELLS MSH300000000521

Wellid:	570004-04	Name:	CITY OF MCCOMB
Latn:	311459	Longn:	902704
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH300000000521

J45
NW
1/4 - 1/2 Mile
Higher

FED USGS USGS40000625744

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311453090271302		
Monloc name:	D0089 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2482317
Longitude:	-90.4537092	Sourcemap scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	425.
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19700501	Welldepth:	606
Welldepth units:	ft	Wellholedepth:	700
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 38

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
-----	-----	-----	-----	-----	-----
1995-09-27	235.09		1995-03-15	235.10	
1994-11-02	236.48		1994-04-13	229.36	
1993-10-21	236.47		1993-06-03	232.32	
1993-04-26	228.48		1993-01-28	225.50	
1992-12-15	233.48		1992-10-08	234.38	
1992-04-08	229.69		1992-01-16	231.60	
1991-12-04	232.40		1991-10-29	234.23	
1991-10-03	241.04		1991-01-18	231.46	
1990-11-20	233.67		1990-10-03	242.54	
1990-08-29	243.62		1990-07-18	238.93	
1990-06-06	228.10		1990-04-25	233.76	
1990-03-15	233.20		1990-02-07	238.75	
1989-12-04	233.30		1989-11-15	234.20	
1989-10-04	234.99		1989-08-16	235.35	
1989-07-06	229		1989-05-24	227.03	
1989-04-13	225.99		1989-03-01	228.93	
1989-01-12	225.10		1988-12-01	227.83	
1988-10-12	230.70		1988-09-01	227.02	
1988-07-05	228.95		1971-07-01	198.00	

**J46
NW
1/4 - 1/2 Mile
Higher**

MS WELLS MSU300000000319

Latn:	311453	Longn:	902713
Fips:	113	Local no:	D002
Use 1:	P	Aquifer:	122MOCN
Depth:	590	Site id:	MSU300000000319

**47
SSE
1/4 - 1/2 Mile
Lower**

MS WELLS MSH300000000508

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Wellid:	570004-06	Name:	CITY OF MCCOMB
Latn:	311422	Longn:	902649
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH300000000508

**48
NNW
1/4 - 1/2 Mile
Higher**

MS WELLS MSU300000000322

Latn:	311500	Longn:	902708
Fips:	113	Local no:	D005
Use 1:	P	Aquifer:	122MOCN
Depth:	588	Site id:	MSU300000000322

**J49
NW
1/4 - 1/2 Mile
Higher**

FED USGS USGS40000625758

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311456090271501		
Monloc name:	D0003 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.249065
Longitude:	-90.4542647	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	395.
Vert measure units:	feet	Vertacc measure val:	.5
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19440101	Welldepth:	582
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 4

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1996-10-17	208.55		1996-05-30	212.40	
1996-02-27	208.41		1996-02-21	203.1	

**K50
NNW
1/4 - 1/2 Mile
Higher**

MS WELLS MSP300000000844

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cnty:	113	Aquifer:	MOCN
Latn:	311505	Longn:	902700
Use 1:	MU	Source:	MIOCENE AQUIFER SYSTEM
Depth:	610		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000844		

**K51
NNW
1/4 - 1/2 Mile
Higher**

MS WELLS MSP300000000843

Cnty:	113	Aquifer:	MOCN
Latn:	311505	Longn:	902702
Use 1:	AB	Source:	MIOCENE AQUIFER SYSTEM
Depth:	606		
Ownname:	MCCOMB, CITY OF		
Applname:	MCCOMB, CITY OF		
Site id:	MSP300000000843		

**K52
NNW
1/4 - 1/2 Mile
Higher**

MS WELLS MSC100000044621

County nam:	PIKE	Permit num:	MS-GW-01645
Fip well:	113D0089		
Aquifer:	MIOCENE		
Use 1:	ABANDONED		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2517		
Longdd:	-90.4508		
Date drill:	01/01/70	Casing len:	607.000000
Casing dia:	16		
Screen len:	0.000000		
Well depth:	606		
Site id:	MSC100000044621		

**K53
NNW
1/4 - 1/2 Mile
Higher**

MS WELLS MSC100000044622

County nam:	PIKE	Permit num:	MS-GW-15009
Fip well:	113D0200		
Aquifer:	MIOCENE		
Use 1:	PUBLIC SUPPLY		
Owner name:	MCCOMB, CITY OF		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2517		
Longdd:	-90.4508		
Date drill:	09/20/96	Casing len:	520.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 16
 Screen len: 70.000000
 Well depth: 628
 Site id: MSC100000044622

K54
NNW
1/4 - 1/2 Mile
Higher

FED USGS USGS40000625877

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311508090270001		
Monloc name:	D0200 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.251725
Longitude:	-90.4507861	Sourcemap scale:	Not Reported
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Differentially corrected Global Positioning System (DGPS)		
Horiz coord refsys:	NAD83	Vert measure val:	425.
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Catahoula Formation, Lower		
Aquifer type:	Not Reported		
Construction date:	19960326	Welldepth:	605
Welldepth units:	ft	Wellholedepth:	628
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1996-09-20	204.	

55
North
1/2 - 1 Mile
Higher

MS WELLS MSH30000000523

Wellid:	570004-03	Name:	CITY OF MCCOMB
Latn:	311508	Longn:	902656
Type 1:	C	Cnty:	PIKE
Fips:	113	Region:	3
Coname:	Pike	Site id:	MSH300000000523

L56
SW
1/2 - 1 Mile
Higher

FED USGS USGS40000625538

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311418090271301		
Monloc name:	D0013 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2385095
Longitude:	-90.453709	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19320101	Welldepth:	100
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**L57
SW
1/2 - 1 Mile
Higher**

MS WELLS MSC100000043910

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0013		
Aquifer:	CITRONELLE		
Use 1:	UNUSED		
Owner name:	ATLANTIC CO		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2385		
Longdd:	-90.4537		
Date drill:	01/01/32	Casing len:	0.000000
Casing dia:	0		
Screen len:	0.000000		
Well depth:	100		
Site id:	MSC100000043910		

**M58
SW
1/2 - 1 Mile
Higher**

MS WELLS MSC100000044053

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2207		
Aquifer:	Not Reported		
Use 1:	TEST HOLE		
Owner name:	CN RAILROAD		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	08/19/02	Casing len:	30.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
 Screen len: 10.000000
 Well depth: 40
 Site id: MSC100000044053

M59
SW
1/2 - 1 Mile
Higher

MS WELLS MSC100000044052

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2206		
Aquifer:	Not Reported		
Use 1:	OBSERVATION		
Owner name:	CNIC MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	08/01/02	Casing len:	24.000000
Casing dia:	2		
Screen len:	20.000000		
Well depth:	44		
Site id:	MSC100000044052		

M60
SW
1/2 - 1 Mile
Higher

MS WELLS MSC100000044051

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2108		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	THERESA MARTIN		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	09/26/98	Casing len:	75.000000
Casing dia:	2		
Screen len:	10.000000		
Well depth:	85		
Site id:	MSC100000044051		

M61
SW
1/2 - 1 Mile
Higher

MS WELLS MSC100000044048

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0204		
Aquifer:	Not Reported		
Use 1:	OBSERVATION		
Owner name:	CNIC MC COMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	07/10/02	Casing len:	24.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 6
 Screen len: 20.000000
 Well depth: 44
 Site id: MSC100000044048

**M62
 SW
 1/2 - 1 Mile
 Higher**

MS WELLS MSC100000044049

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2071		
Aquifer:	Not Reported		
Use 1:	OBSERVATION		
Owner name:	CITY OF MCCOMB		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	08/02/89	Casing len:	5.000000
Casing dia:	4		
Screen len:	55.000000		
Well depth:	60		
Site id:	MSC100000044049		

**M63
 SW
 1/2 - 1 Mile
 Higher**

MS WELLS MSC100000044050

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2107		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	THERESA MARTIN		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2404		
Longdd:	-90.4563		
Date drill:	09/26/98	Casing len:	113.000000
Casing dia:	4		
Screen len:	20.000000		
Well depth:	133		
Site id:	MSC100000044050		

**L64
 SW
 1/2 - 1 Mile
 Higher**

MS WELLS MSC100000043863

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D0012		
Aquifer:	MIOCENE		
Use 1:	UNUSED		
Owner name:	MCCOMB MFG. CO		
Section:	12	Township:	03N
Range:	07E		
Latdd:	31.2377		
Longdd:	-90.4545		
Date drill:	01/01/55	Casing len:	0.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 8
 Screen len: 0.000000
 Well depth: 596
 Site id: MSC100000043863

L65
SW
1/2 - 1 Mile
Higher

FED USGS USGS40000625518

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311415090271601		
Monloc name:	D0012 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2376762
Longitude:	-90.4545424	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	400.00
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Miocene Series		
Aquifer type:	Not Reported		
Construction date:	19550101	Welldepth:	596
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1955-02-01	119.00	

N66
SE
1/2 - 1 Mile
Lower

MS WELLS MSPR30000013018

Latn:	311414	Longn:	902632
Local no:	E086	Use 1:	H
Aquifer:	121CRNL	Depth:	75
County:	PIKE	Fips:	113
Site id:	MSPR30000013018		

N67
SE
1/2 - 1 Mile
Lower

FED USGS USGS40000625508

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311414090263201		
Monloc name:	E0086 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2373984
Longitude:	-90.4423198	Sourcemap scale:	Not Reported
Horiz Acc measure:	10	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19700101	Welldepth:	75
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1970-04-01	33.00	

N68
SE
1/2 - 1 Mile
Lower

MS WELLS MSC100000043850

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0086		
Aquifer:	CITRONELLE		
Use 1:	DOMESTIC		
Owner name:	CROFT ALUMN CO		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2374		
Longdd:	-90.4423		
Date drill:	01/01/70	Casing len:	0.000000
Casing dia:	4		
Screen len:	0.000000		
Well depth:	75		
Site id:	MSC100000043850		

O69
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044056

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2066		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	EDGAR FOWLER		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2404		
Longdd:	-90.439		
Date drill:	10/05/87	Casing len:	100.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	110		
Site id:	MSC100000044056		

**O70
ESE
1/2 - 1 Mile
Lower**

MS WELLS MSC100000044055

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2065		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	EDGAR FOWLER		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2404		
Longdd:	-90.439		
Date drill:	10/09/87	Casing len:	40.000000
Casing dia:	4		
Screen len:	40.000000		
Well depth:	80		
Site id:	MSC100000044055		

**O71
ESE
1/2 - 1 Mile
Lower**

MS WELLS MSC100000044054

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2062		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	LOURINDA BULLOCK		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2404		
Longdd:	-90.439		
Date drill:	07/23/86	Casing len:	88.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	98		
Site id:	MSC100000044054		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

O72
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044042

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0237		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	LAUS, MARGIE		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2403		
Longdd:	-90.4389		
Date drill:	12/28/05	Casing len:	105.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	113		
Site id:	MSC100000044042		

O73
ESE
1/2 - 1 Mile
Lower

MS WELLS MSC100000044043

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0238		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	LAWS, MARGE		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2403		
Longdd:	-90.4389		
Date drill:	12/28/05	Casing len:	105.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	115		
Site id:	MSC100000044043		

74
SSE
1/2 - 1 Mile
Lower

MS WELLS MSC100000043741

County nam:	PIKE	Permit num:	MS-GW-16512
Fip well:	113E0264		
Aquifer:	MIOCENE		
Use 1:	IRRIGATION		
Owner name:	MCCOMB, CITY OF		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2361		
Longdd:	-90.4431		
Date drill:	04/16/08	Casing len:	160.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
 Screen len: 20.000000
 Well depth: 180
 Site id: MSC100000043741

P75
NE
1/2 - 1 Mile
Higher

MS WELLS MSPR30000013246

Latn:	311505	Longn:	902614
Local no:	E199	Use 1:	H
Aquifer:	121CRNL	Depth:	120
County:	PIKE	Fips:	113
Site id:	MSPR30000013246		

P76
NE
1/2 - 1 Mile
Higher

FED USGS USGS40000625852

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311505090261401		
Monloc name:	E0199 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	03180005	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.251565
Longitude:	-90.4373198	Sourcemap scale:	Not Reported
Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	458.00
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19850514	Welldepth:	120
Welldepth units:	ft	Wellholedepth:	120
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1985-05-14	80.00	

P77
NE
1/2 - 1 Mile
Higher

MS WELLS MSC100000044609

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0199		
Aquifer:	CITRONELLE		
Use 1:	DOMESTIC		
Owner name:	ALBERT FARR		
Section:	06	Township:	03N
Range:	08E		
Latdd:	31.2516		
Longdd:	-90.4373		
Date drill:	05/14/85	Casing len:	110.000000
Casing dia:	4		
Screen len:	0.000000		
Well depth:	120		
Site id:	MSC100000044609		

Q78
ENE
1/2 - 1 Mile
Higher

MS WELLS MSPR30000013170

Latn:	311451	Longn:	902605
Local no:	E134	Use 1:	H
Aquifer:	121CRNL	Depth:	65
County:	PIKE	Fips:	113
Site id:	MSPR30000013170		

Q79
ENE
1/2 - 1 Mile
Higher

FED USGS USGS40000625737

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311451090260501		
Monloc name:	E0134 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	03180005	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2476761
Longitude:	-90.4348197	Sourcemap scale:	Not Reported
Horiz Acc measure:	10	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	19720101	Welldepth:	65
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1972-05-01	40.00	

**Q80
ENE
1/2 - 1 Mile
Higher**

MS WELLS MSC100000044405

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0134		
Aquifer:	CITRONELLE		
Use 1:	DOMESTIC		
Owner name:	DUDLEY KEPPER		
Section:	06	Township:	03N
Range:	08E		
Latdd:	31.2477		
Longdd:	-90.4348		
Date drill:	01/01/72	Casing len:	0.000000
Casing dia:	4		
Screen len:	0.000000		
Well depth:	65		
Site id:	MSC100000044405		

**R81
NNW
1/2 - 1 Mile
Higher**

MS WELLS MSC100000044896

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2077		
Aquifer:	Not Reported		
Use 1:	INDUSTRIAL		
Owner name:	CAVENHAM		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2556		
Longdd:	-90.4557		
Date drill:	10/15/91	Casing len:	116.000000
Casing dia:	4		
Screen len:	20.000000		
Well depth:	136		
Site id:	MSC100000044896		

**R82
NNW
1/2 - 1 Mile
Higher**

MS WELLS MSC100000044897

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113D2078		
Aquifer:	Not Reported		
Use 1:	COMMERCIAL		
Owner name:	WASTE MANAGEMENT INC.		
Section:	01	Township:	03N
Range:	07E		
Latdd:	31.2556		
Longdd:	-90.4557		
Date drill:	08/20/91	Casing len:	125.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
 Screen len: 10.000000
 Well depth: 135
 Site id: MSC100000044897

S83
NE
1/2 - 1 Mile
Higher

MS WELLS MSC100000044804

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2010		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	GOERGIA DOUGHTY		
Section:	06	Township:	03N
Range:	08E		
Latdd:	31.2548		
Longdd:	-90.4385		
Date drill:	06/13/77	Casing len:	109.000000
Casing dia:	4		
Screen len:	8.000000		
Well depth:	117		
Site id:	MSC100000044804		

S84
NE
1/2 - 1 Mile
Higher

MS WELLS MSC100000044803

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2000		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	EMILIA JONES		
Section:	06	Township:	03N
Range:	08E		
Latdd:	31.2548		
Longdd:	-90.4385		
Date drill:	10/27/75	Casing len:	92.000000
Casing dia:	4		
Screen len:	8.000000		
Well depth:	100		
Site id:	MSC100000044803		

S85
NE
1/2 - 1 Mile
Higher

MS WELLS MSC100000044806

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2109		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	JIMMY BAUCUM		
Section:	06	Township:	03N
Range:	08E		
Latdd:	31.2548		
Longdd:	-90.4385		
Date drill:	08/10/98	Casing len:	90.000000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing dia: 4
 Screen len: 10.000000
 Well depth: 100
 Site id: MSC100000044806

S86
NE
1/2 - 1 Mile
Higher

MS WELLS MSC100000044805

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E2075		
Aquifer:	Not Reported		
Use 1:	DOMESTIC		
Owner name:	DAVID PIERCE		
Section:	06	Township:	03N
Range:	08E		
Latdd:	31.2548		
Longdd:	-90.4385		
Date drill:	03/04/88	Casing len:	111.000000
Casing dia:	4		
Screen len:	10.000000		
Well depth:	121		
Site id:	MSC100000044805		

87
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000625533

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-311417090260501		
Monloc name:	E0264 PIKE		
Monloc type:	Well		
Monloc desc:	NEXT IRRIGATION LAGOON		
Huc code:	08070205	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2382318
Longitude:	-90.4348196	Sourcemap scale:	Not Reported
Horiz Acc measure:	5	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	420.
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Citronelle Formation		
Aquifer type:	Not Reported		
Construction date:	20080416	Welldepth:	180
Welldepth units:	ft	Wellholedepth:	180
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

T88
ESE
1/2 - 1 Mile
Higher

MS WELLS MSC10000044030

County nam:	PIKE	Permit num:	Not Reported
Fip well:	113E0050		
Aquifer:	CITRONELLE		
Use 1:	DOMESTIC		
Owner name:	J D MCKINLEY		
Section:	07	Township:	03N
Range:	08E		
Latdd:	31.2402		
Longdd:	-90.4337		
Date drill:	01/01/63	Casing len:	0.000000
Casing dia:	2		
Screen len:	0.000000		
Well depth:	91		
Site id:	MSC10000044030		

T89
ESE
1/2 - 1 Mile
Higher

MS WELLS MSPR30000013059

Latn:	311424	Longn:	902601
Local no:	E050	Use 1:	H
Aquifer:	121CRNL	Depth:	91
County:	PIKE	Fips:	113
Site id:	MSPR30000013059		

T90
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000629612

Org. Identifier:	USGS-MS		
Formal name:	USGS Mississippi Water Science Center		
Monloc Identifier:	USGS-312556090142301		
Monloc name:	E0050 PIKE		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	03180005	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	31.2401762
Longitude:	-90.4337085	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	minutes
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Coastal lowlands aquifer system		
Formation type:	Citronelle Formation		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
Construction date: 19630101
Welldepth units: ft
Wellholedepth units: Not Reported

Welldepth: 91
Wellholedepth: Not Reported

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
----- 1963-11-01	70.00	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: MS Radon

Radon Test Results

County	Num Sites	Avg Pci/L	Max Pci/L	Median Pci/L	% > 4 Pci/L	% > 20 Pci/L
PIKE	9	1.4	3.1	1.2	0	0

Federal EPA Radon Zone for PIKE County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 39648

Number of sites tested: 5

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.120 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	2.700 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Health Department Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Public supply water wells monitored by the Environmental Division of the Department of Health.

Permitted Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Water wells, 6-inches in diameter or larger that are permitted and monitored by the Office of Land and Water Resources.

USGS Private Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Privately owned water wells monitored by the USGS.

USGS Public Wells

Source: Mississippi Automated Resource Information System Technical Center

Telephone: 601-432-6149

Publicly owned water wells monitored by the USGS.

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Location Listing

Source: Mississippi Oil and Gas Board

Telephone: 601-354-7119

RADON

State Database: MS Radon

Source: Department of Health

Telephone: 601-987-6893

Radon Levels

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX D



16 Facilities Found

[Return to Facility Search](#)

[Export to Excel](#)

<u>Facility Id</u>	<u>Facility Name</u>	<u>Address</u>	<u>City</u>	<u>Zip</u>	<u>County</u>	<u>Latitude</u>	<u>Longitude</u>	<u>Facility Status</u>	<u>Owner Name</u>	<u>Owner Details</u>	<u>Total Tanks</u>	<u>Active Tanks</u>	<u>Permanently Out Of Use Tanks</u>	<u>Reported Release</u>	<u>Facility Summary Report</u>
6397	Greyhound Bus Line	207 Front Street	McComb	39648	Pike	31° 14' 42.8964"	90° 27' 9.1332"	Inactive	F Allen Jones	Owner Details	1	0	1		
614	Warehouse	200 North Railroad Boulevard	McComb	39648	Pike	31° 14' 43.6740"	90° 27' 5.6448"	Inactive	Susan Jackson	Owner Details	1	0	1		
4627	Farmers Milling	300 East Railroad Avenue	McComb	39648	Pike	31° 14' 28.3200"	90° 27' 2.6604"	Inactive	Magruder Oil Company	Owner Details	1	0	1		
1282	Mccomb Public Works Department	122 East Michigan Street	McComb	39648	Pike	31° 14' 53.0000"	90° 27' 3.0000"	Inactive	City Of McComb	Owner Details	5	0	5	Yes	
955	Mccomb Fire Division	407 East Michigan Avenue	McComb	39648	Pike	31° 14' 53.6352"	90° 26' 58.2072"	Inactive	City of McComb	Owner Details	1	0	1		
7060	Circle B #2	540 Pearl River Ave	McComb	39648	Pike	31° 14' 44.5000"	90° 26' 50.0000"	Active	Ballew Enterprises LLC	Owner Details	4	4	0	Yes	
6098	Alexander's Gulf	201 North Broadway	McComb	39648	Pike	31° 14' 45.0200"	90° 27' 15.5300"	Active	Pat Brumfield	Owner Details	8	3	5		
6102	Brumfield Oil Company	500 Pearl River Avenue	McComb	39648	Pike	31° 14' 44.8700"	90° 26' 53.0700"	Inactive	Pat Brumfield	Owner Details	2	0	2	Yes	
6985	Ray Deer Texaco	131 South Broadway	McComb	39648	Pike	31° 14' 35.3800"	90° 27' 11.8300"	Inactive	Buffalo Services Inc	Owner Details	4	0	4	Yes	
6999	Summit Street	200 Summit	McComb	39648	Pike	31° 14' 57.5160"	90° 27' 7.0884"	Inactive	Buffalo Services	Owner Details	3	0	3		

APPENDIX E



Mccomb Feed Mill
Pearl River Avenue
Mccomb, MS 39648

Inquiry Number: 3614527.5
May 23, 2013

The EDR Aerial Photo Decade Package

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography May 23, 2013

Target Property:

Pearl River Avenue

Mccomb, MS 39648

<u><i>Year</i></u>	<u><i>Scale</i></u>	<u><i>Details</i></u>	<u><i>Source</i></u>
1971	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Date: February 23, 1971	EDR
1992	Aerial Photograph. Scale: 1"=750'	Panel #: 31090-B4, McComb South, MS;/Flight Date: February 01, 1992	EDR
1996	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/DOQQ - acquisition dates: March 04, 1996	EDR
2005	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Year: 2005	EDR
2006	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Year: 2006	EDR
2007	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Year: 2007	EDR
2009	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Year: 2009	EDR
2010	Aerial Photograph. Scale: 1"=500'	Panel #: 31090-B4, McComb South, MS;/Flight Year: 2010	EDR



INQUIRY #: 3614527.5

YEAR: 1971

 = 500'





INQUIRY #: 3614527.5

YEAR: 1992

| = 750'





INQUIRY #: 3614527.5

YEAR: 1996

 = 500'





INQUIRY #: 3614527.5

YEAR: 2005

| = 500'





INQUIRY #: 3614527.5

YEAR: 2006

 = 500'





INQUIRY #: 3614527.5

YEAR: 2007

| = 500'





INQUIRY #: 3614527.5

YEAR: 2009

— = 500'





INQUIRY #: 3614527.5

YEAR: 2010

 = 500'





Mccomb Feed Mill
Pearl River Avenue
Mccomb, MS 39648

Inquiry Number: 3614527.4
May 22, 2013

EDR Historical Topographic Map Report

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map




<p>N ↑</p>	<p>TARGET QUAD NAME: MCCOMB SOUTH MAP YEAR: 1972</p>	<p>SITE NAME: Mccomb Feed Mill ADDRESS: Pearl River Avenue McComb, MS 39648 LAT/LONG: 31.2451 / -90.4485</p>	<p>CLIENT: Eco-Systems, Inc. CONTACT: Josh Brown INQUIRY#: 3614527.4 RESEARCH DATE: 05/22/2013</p>
	<p>SERIES: 7.5 SCALE: 1:24000</p>		

Historical Topographic Map




<p>N ↑</p>	<p>TARGET QUAD NAME: MCCOMB MAP YEAR: 1984</p>	<p>SITE NAME: Mccomb Feed Mill ADDRESS: Pearl River Avenue Mccomb, MS 39648 LAT/LONG: 31.2451 / -90.4485</p>	<p>CLIENT: Eco-Systems, Inc. CONTACT: Josh Brown INQUIRY#: 3614527.4 RESEARCH DATE: 05/22/2013</p>
	<p>SERIES: 30 SCALE: 1:100000</p>		

Historical Topographic Map



<p>N ↑</p>	<p>TARGET QUAD NAME: MCCOMB MAP YEAR: 1994</p>	<p>SITE NAME: Mccomb Feed Mill ADDRESS: Pearl River Avenue Mccomb, MS 39648 LAT/LONG: 31.2451 / -90.4485</p>	<p>CLIENT: Eco-Systems, Inc. CONTACT: Josh Brown INQUIRY#: 3614527.4 RESEARCH DATE: 05/22/2013</p>
	<p>SERIES: 30 SCALE: 1:100000</p>		

Historical Topographic Map



	ADJOINING QUAD	SITE NAME:	CLIENT:
	NAME: MCCOMB NORTH	Mccomb Feed Mill	Eco-Systems, Inc.
	MAP YEAR: 1972	ADDRESS: Pearl River Avenue McComb, MS 39648	CONTACT: Josh Brown
	SERIES: 7.5	LAT/LONG: 31.2451 / -90.4485	INQUIRY#: 3614527.4
SCALE: 1:24000		RESEARCH DATE: 05/22/2013	

APPENDIX F



Mccomb Feed Mill
Pearl River Avenue
Mccomb, MS 39648

Inquiry Number: 3614527.3
May 22, 2013

Certified Sanborn® Map Report

Certified Sanborn® Map Report

5/22/13

Site Name:

Mccomb Feed Mill
Pearl River Avenue
Mccomb, MS 39648

Client Name:

Eco-Systems, Inc.
6360 I-55 North
Jackson, MS 39211



EDR Inquiry # 3614527.3

Contact: Josh Brown

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Eco-Systems, Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: Mccomb Feed Mill
Address: Pearl River Avenue
City, State, Zip: Mccomb, MS 39648
Cross Street:
P.O. # NA
Project: McComb Brownfields
Certification # 438F-4063-B290



Sanborn® Library search results
Certification # 438F-4063-B290

Maps Provided:

1961
1949
1925

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Eco-Systems, Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1961 Source Sheets



Volume 1, Sheet 17



Volume 1, Sheet 19

1949 Source Sheets



Volume 1, Sheet 17




Volume 1, Sheet 19

1925 Source Sheets



Volume 1, Sheet 17



Volume 1, Sheet 19

1961 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 438F-4063-B290


Site Name: Mccomb Feed Mill
 Address: Pearl River Avenue
 City, ST, ZIP: Mccomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3614527.3
 Order Date: 5/22/2013 4:32:02 PM
 Certification #: 438F-4063-B290
 Copyright: 1961




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 17
 Volume 1, Sheet 19



1949 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 438F-4063-B290

Site Name: Mocomb Feed Mill
 Address: Pearl River Avenue
 City, ST, ZIP: Mocomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3614527.3
 Order Date: 5/22/2013 4:32:02 PM
 Certification # 438F-4063-B290




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 17
 Volume 1, Sheet 19



1925 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 438F-4063-B290

Site Name: Mocomb Feed Mill
 Address: Pearl River Avenue
 City, ST, ZIP: Mocomb MS 39648
 Client: Eco-Systems, Inc.
 EDR Inquiry: 3614527.3
 Order Date: 5/22/2013 4:32:02 PM
 Certification #: 438F-4063-B290
 Copyright: 1925



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 17
 Volume 1, Sheet 19



APPENDIX G

Mccomb Feed Mill

Pearl River Avenue
Mccomb, MS 39648

Inquiry Number: 3614527.6
May 29, 2013

The EDR-City Directory Image Report

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Target Street</u>	<u>Cross Street</u>	<u>Source</u>
2013	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
2007	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
2002	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1996	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1991	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1986	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1980	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1974	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1969	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory
1963	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk's City Directory

RECORD SOURCES

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

FINDINGS

TARGET PROPERTY STREET

Pearl River Avenue
Mccomb, MS 39648

<u>Year</u>	<u>CD Image</u>	<u>Source</u>
-------------	-----------------	---------------

Pearl River Avenue

2013	pg A1	Polk's City Directory
2007	pg A2	Polk's City Directory
2002	pg A3	Polk's City Directory
1996	pg A4	Polk's City Directory
1991	pg A5	Polk's City Directory
1991	pg A6	Polk's City Directory
1986	pg A7	Polk's City Directory
1986	pg A8	Polk's City Directory
1980	pg A10	Polk's City Directory
1980	pg A9	Polk's City Directory
1974	pg A11	Polk's City Directory
1974	pg A12	Polk's City Directory
1969	pg A13	Polk's City Directory
1963	pg A14	Polk's City Directory
1963	pg A15	Polk's City Directory

FINDINGS

CROSS STREETS

No Cross Streets Identified

City Directory Images

Pearl River Avenue

2013

HOUSEHOLDS	
PEARL RIVER AVE (MCCOMB)-FROM 101 S CHERRY ST EAST	
+ ARGYLE ST INTERSECTS	
• ZIP CODE 39648 CAR-RT C002	
501 BRUMFIELD OIL CO oils-petroleum ✓@	601-684-3341
EAST MC COMB BODY SHOP auto body- rpr & painting ✓@	601-684-4651
511 TIRE E MC COMB tire-dlrs-retail ✓@	601-680-0222
535 CATFISH CONNIE'S restaurants ✓@	601-250-1249
LA CASITA RESTAURANT restaurants ✓@	601-680-0316
OLE TIME FAMILY COOKIN restaurants ✓@	601-680-0397
540 CIRCLE B II CONVENIENCE grocers-retail ✓@	601-684-3417
601 PALACE BEAUTY SALON beauty salons @	601-684-6627
602 Smith Charles L ✓ [9] (1958)	
603 Dillon Yvonne T ✓	
EAST MC COMB CHECK CASHING check cashing serv ✓@	601-249-3100
606 1/2 - 614 No Current Listing (2 Hses)	
617 Lyons Pelman ✓ [5]	601-250-0646
618 Roberts Alice ✓@ [30] (1958)	601-684-6398
Roberts Ethelda A	601-684-6398
621 Anderson Georgia ✓ [6]	601-684-6244
Anderson Kimberly	601-684-6244
624 Harper Moses L Jr & Dorothy F @ [11] (1958)	
629 Marsalis Juanita ✓@	
633 Rimes Marie H ✓ [12] (1971)	
Rimes Samone	
634 Davis Bobby E ✓ [30] (1958)	601-684-8773
703 Brumfield Robert L Sr & Patty J ✓ [20] (1971)	
Butler Marianna ✓ [9]	
Hollins Carlos A ✓ [4]	
706 Freeman Lynda B ✓ [17] (1958)	601-684-3306
Freeman Red	601-684-3306
710 Huff Suane B ✓@ [22] (1958)	
Huff Andrew J	
711 - 717 No Current Listing (3 Hses)	
720 White James N ✓@ [22] (1958)	601-249-0223
721 A Phillips Zenolar [12]	
721 A Williams Tonya C ✓	
731 Martin Howard L ✓ [14] (1971)	601-684-3278
Martin Dorothy	601-684-3278
800 PLEASANT GROVE EAST MCOMBS churches ✓@	601-250-5304
803 Mayberry Diara ✓	
Nunnery Atoyia ✓ [7]	601-684-3936
812 No Current Listing	
813 Andrews James L & Judy H ✓ [43] (1971)	
	601-684-9860
815 Bibbs Doris @ [3]	
821 No Current Listing	
822 Weary Constance ✓ [2]	
829 Gatlin Ronald ✓ [7]	
830 Harris Henrietta I ✓ [12] (1958)	
Harris Jasmine M	
+ S LIVE OAK ST BEGINS	

Pearl River Avenue

2007

PEARL RIVER AVE (MCCOMB)-FROM 101 S CHERRY ST EAST

+ ARGYLE ST INTERSECTS

• ZIP CODE 39648 CAR-RT C002

- 501 BRUMFIELD OIL CO oils-petroleum601-684-3341
- EAST MC COMB BODY SHOP auto body- rpr & painting601-684-4651
- 535 SOUTHERN KITCHEN restaurants601-684-4330
- 540 CIRCLE B II CONVENIENCE serv stations- gasoline & oil601-684-3417
- 601 MC COMB COMPUTER EXCHANGE computers- serv & rpr601-250-0089
- PALACE BEAUTY SALON beauty salons601-684-6627
- SALON 601 beauty salons
- 603 EAST MC COMB CHECK CASHING check cashing serv601-249-3100
- 606 1/2 Smith Charles L [6]601-684-6322
- 617 [N] King Lynette
- 618 Roberts Clarence L [25]▲601-684-6398
- 621 [N] Anderson Georgia601-684-6244
- 624 Harper Moses L & Dorothy F [7]▲601-684-8403
- 629 - 630 No Current Listing (2 Hses)
- 633 Rimes Samone [8]▲601-249-2689
- Rimes Minie601-249-2689
- 634 Davis Bobby E [25]▲601-684-8773
- 703 Brumfield Robert L Sr & Patty J [15]▲
- 706 Freeman Lynda B [13]▲
- 710 Huff Andrew J [17]▲
- 711 Fennell Nicholas K [7]▲601-684-3895
- 717 [N] Carter Lionel601-249-2213
- 720 White James N [17]▲601-249-0223
- 721 [N] Mosley Natalie601-680-0197
- A Phillips Zenolar [7]
- 721 B [N] Morrison Ellen
- 731 Martin Howard L [9]▲
- Martin Dorothy

Get Mailing Lists, Sales Leads

Pearl River Avenue

2002

HOUSEHOLDS 2

**PEARL RIVER AVE (MCCOMB)-FROM 101 N
MAGNOLIA ST EAST**

• ZIP CODE 39648 CAR-RT C002

501 BRUMFIELD OIL CO oils-petroleum ..601-684-3341

EAST MC COMB BODY SHOP auto body-rpr &
painting601-684-4651

509 A-1 GROCERY SALVAGE grocers-retail
.....601-684-0571

535 SOUTHERN KITCHEN restaurants ..601-684-4330

540 CIRCLE B II CONVENIENCE convenience stores
.....601-684-3417

+ S MAGNOLIA ST INTERSECTS

601 PRETTY LADY BEAUTY SALON beauty salons
.....601-684-7502

A EAST MC COMB CHECK CASHING check
cashing serv601-249-3100

606 1/2 Ⓢ Smith Charles L601-684-6322

614 Not Verified

617 Ⓢ Brock Gloria601-249-2308
B Not Verified

618 Roberts Clarence L [20] Ⓢ601-684-6398

621 Nicholas Jessie L [2]601-684-2037

623 - 630 Not Verified (4 Hsies)

633 Rimes Samone [2]601-249-2689

634 Davis Bobby E [20] Ⓢ601-684-8773

+ N CHERRY ST INTERSECTS

+ S CHERRY ST INTERSECTS

703 Cameron Dedrick L [5]601-250-0230

Cameron Clester J601-250-0230

Pearl River Avenue

1996

HOUSEHOLDS 9

**PEARL RIVER AV (MC COMB)-FROM
I C R R TRACKS OVER
VIADUCT FROM STATE ST EAST
6**

• ZIP CODE 39648
+ **STATE ST INTERSECTS**
+ **ARGYLE ST INTERSECTS**

500 BRUMFIELD OIL CO oils &
lubricants dealer 684-3341

501 EAST MC COMB BODY SHOP
auto body 684-4651

509 A ONE GROCERY SALVAGE
..... 684-0571

530-533 Vacant (2 Hses)

535 SOUTHERN KITCHEN restaurant
..... 684-4330

540 CIRCLE B FOOD MART. 684-3417
+ **SOUTH MAGNOLIA ST INTERSECTS**
+ **NORTH MAGNOLIA ST INTERSECTS**

601 Vacant

602 FARNHAM'S GROCERY

603 BOONE'S BARBER SHOP

604 FARNHAM'S VARIETY STORE
..... 684-0484

606½ Vacant

614 Reardon Bruce [2] 249-0884

617a Vacant

617b [M] Mapps Carol

617c Vacant

617d Not Verified

618 Roberts E Alice [9]+ [H]

621 Thibodeaus Dorothy [2] 684-7213

623 Boyd Sedley & Mattie [2] [H]
..... 684-3270

624 Valadie Sara S [9]+ [H] 684-2105

629 Ford

630 Hornsby Yvonne [2] [H]

633 Vacant

634 Davis Bobby E [6] [H] 684-8773

Pearl River Avenue

1991

6

103

PEARL RIVER AV (MC COMB)
FROM ICRR TRACKS OVER
VIADUCT FROM STATE ST EAST
TO CITY LIMIT

ZIP CODE 39648

ARGYLE ST BEGINS

500 Brumfield Oil Co oils & lubricants
dealer 684-3341

501 East Mc Comb Body Shop 684-4651

509 A One Salvage 684-0571

530 Perfection Brake & Clutch 249-2061

533 First Bank (pearl river br) 684-2231

540 Circle B Food Mart gros & meats
684-3417

MAGNOLIA ST BEGINS

Pearl River Avenue

1991

PEARL RIVER AV (MC)—Contd

601 East Mc Comb Discount Drugs
684-3211

602 Farnham's Grocery

603 Boone's Barber Shop

604 Farnham's Variety Store 684-0484

606 No Return

612★Mc Graw Brent

614a Reardon Bruce 249-3231

614b No Return

617a Garrett Mary 249-3712

617b-617c Vacant (2 Hses)

618 Roberts E Alice © 684-6398

621 Jones Chris

623 Temple Walter H Jr © 249-2746

624 Valadie Sara S © 684-2105

629 Eckman Lillian R Mrs © 684-2067

630 Vacant

633 Boyd Michl D 684-1427

634 Davis Bobby 684-8773

CHERRY ST BEGINS

703 Apartments

1★Burris Benjamen 249-2316

2 No Return

No Return

706-710 Vacant (2 Hses)

711★Barker Margie A 684-9588

714 Vacant

717 Webb Eddie E © 684-7908

718-720 Vacant (2 Hses)

721★Jackson Alice

731★Wildinson R W © 684-0915

MYRTLE ST INTERSECTS

800 East Mc Comb Baptist Church
684-1851

802 White Clifton L © 684-3540

Pearl River Avenue

1986

6

**PEARL RIVER AV (MC
COMB)—FROM ICRR
TRACKS OVER VIADUCT
FROM STATE ST EAST TO
CITY LIMIT**

ZIP CODE 39648

ARGYLE ST BEGINS

500 Pearl River Texaco

501 Brumfield Oil Co 684-3341

502 Vacant

530 Vacant

533 First Bank (pearl river br)
684-2231

540 A & H Communications 2
way radios install & repr
684-7766

King Harry B 684-7760

MAGNOLIA ST BEGINS

601 East Mc Comb Drug Store
684-3211

602 Farnham's Grocery 684-1331

603 Boone's Barber Shop

Pearl River Avenue

1986

PEARL RIVER AV (MC)

—Contd

603½ Vacant

604 Farnham's Variety Store
684-0484

606 Vacant

614a★Reardon Bruce ©

614b Vacant

617a★Garrett Roy 249-3712

617b★Perry Richd

617c Vacant

617d Vacant

618 Roberts Alice © 684-6398

621 Vacant

623 Temple Walter H Jr ©
249-2746

624 Valadie Sara S © 684-2105

629 Eckman Lillian R Mrs ©
684-2067630 Brewer Tennie G summer res
©

633 Vacant

634 Cole Jewel W © 684-9754

CHERRY ST BEGINS

703 Apartments

1★Evans Kirk L

2 Vacant

3 No Return

4★Montage Woody

704 Vacant

706 Bowman Ammie B Mrs ©
684-3815

710 Creel Freddie G © 684-7930

Pearl River Avenue

1980

6

PEARL RIVER AV (MC
 COMB)—FROM ICRR
 TRACKS OVER VIADUCT
 FROM STATE ST EAST TO
 CITY LIMIT

ZIP CODE 39648

ARGYLE ST BEGINS

- 500 A B's Texaco gas sta
- 501 Gulf Oil Corp 684-3341
- 502 Citation Car Wash
- 530 Reeves Well Drilling Service
684-1451
- 533 Bank Of Mc Comb (pearl
river br) 684-2231
- 540 A & H Communications 2
way radios install & repr
684-1211

MAGNOLIA ST BEGINS

- 601 Herrington Rexall Drugs
684-3211
- 602 Farnham's Grocery 684-1331
- 603 Boone's Barber Shop
- 603½ Vacant
- 604 Farnham's Variety Store
684-0484
- 606 Farnham's Cafe 684-7281
- 609 Vacant
- 614a Crumb
- 614b Carver
- 617 Vacant
- 618 Roberts Ethel Mrs ©
684-6398
- 621★Anglin Sidney S
- 623 Temple Diann
- 624 Stewart Olive © 684-2105
★Brewer Finna
- 629 Eckman Lillian R Mrs ©
684-2067
- 630 Vacant

Pearl River Avenue

1980

PEARL RIVER AV (MC)

—Contd

633 Dixon Annie Mrs 684-5773

Mc David Bessie E Mrs ☉

684-3606

634 Cole Jewel W ☉ 684-9754

CHERRY ST BEGINS

702 Apartments

1 Vacant

3 Vacant

4 Vacant

703 Apartments

1 Vacant

2 Vacant

4 Vacant

704 Vacant

706★Bowman Ammie B Mrs ☉

710 Vacant

711 Jones Malcolm K ☉ 684-5384

714★Creel Freddie G 684-7930

717 Brooks Alma H ☉ 684-1857

718★Laird Douglas K 684-3966

720 Brooks John ☉ 684-2477

721 Lewis Salena R Mrs ☉

684-2158

Pickett Fannie 684-2065

721½ Etheridge Retha B

731 Gordon Jessie L ☉ 684-9085

Mc Guffee Audrey P Mrs

684-9085

MYRTLE ST INTERSECTS

800 East Mc Comb Baptist Church

684-1851

Pearl River Avenue

1974

6

**PEARL RIVER AV (MC
COMB)—FROM ICRR
TRACKS OVER VIADUCT
FROM STATE ST EAST TO
CITY LIMIT**

**ZIP CODE 39648
ARGYLE ST BEGINS**

Pearl River Avenue

1974

PEARL RIVER AV (MC)

—Contd

- 500 Alexander's Citgo Service
Station 684-9284
- 501 Gulf Oil Corp 684-3341
- 530 Reeves Well & Pump Co
684-1451
- 533 Bank Of Mc Comb (pearl
river br) 684-2231
- 540 Patt's Texaco Service 684-9123
Patt's Lawnmower Service
684-9123
- MAGNOLIA ST BEGINS
- 601 Herrington Rexall Drugs
684-3211
- 602 Farnham's Grocery 684-1331
- 603 Boone's Barber Shop
- 603½ Boyd's Jewelry Shop
684-2073
- 604 Farnham's Variety Store
684-7281
- 606 Farnham's Cafe 684-7281
- 609 Vacant
- 614 Roseberry Mary Mrs 684-7330
- 614b * Cothorn Mannie 684-3136
- 617 Lawrence Ina L Mrs ©
684-4605
Stubbs Dovie Mrs 684-3085
- 618 Roberts Clarence L ©
684-6398
- 621 Heuman Victor E 684-6142
- 623 Wallace Clint © 684-8153
- 624 Stewart Olive © 684-2105
- 629 Eckman Lillian R Mrs ©
684-2067
- 630 Vacant
- 633 Dixon Annie Mrs 684-5773
Mc David Bessie Mrs ©
684-3606
- 634 Cole Jewel W © 684-9754
- CHERRY ST BEGINS
- 702 Apartments
1 Vacant
3 * Duwn Eddie
4 Vacant
- 703 Apartments
1 Wilkinson Morris T ©
684-5509
2 Vacant
4 Pickett Fannie B Mrs
684-2065
- 704 Vacant
- 710 Roussel Lillian A Mrs ©
684-6178
- 711 Jones Malcolm K © 684-5384
- 714 Hollomon Joe A © 684-8138

Pearl River Avenue

1969

PEARL RIVER AV (MC COMB)—FROM ICRR TRACKS OVER VIADUCT FROM STATE ST EAST TO CITY LIMIT		6
ZIP CODE 39648		
400	Vacant	
ARGYLE ST BEGINS		
500	Gulf Oil Corp	684-3341
501	Myers L E Co	684-5436
517	Mathews Motor Co	684-2531
528	Vacant	
530	Dickey's Texaco Service	684-9355
533	Bank Of Mc Comb (Br)	684-2231
535	Boone's Barber Shop	
601	Herrington Rexall Drugs	684-3211
602	Farnham's Grocery	684-1331
603½	Boyd's Jewelry Shop	684-2073
604	Vacant	
605	Noah's Ark Discount Store genl mdse	684-5687
Fortenberry Dudley		
606	Farnham's Cafe	684-7281
606½	No Return	
609	Reeves Well & Pump Co	684-1451
612	Vacant	
613	East Side Barber Shop	684-2862
614	Roseberry Mary Mrs	© 684-7330
617	Lawrence L Herbert	© 684-4605
618	Roberts Clarence L	684-6398
621	Human Victor	684-6142
623	Wallace Clint	© 684-8153
624	No Return	
629	Eckman Lillian R Mrs	© 684-2067
630	No Return	
633	Dixon Annie	684-5773
Mc David Bessie Mrs		© 684-3606
634	Cole Golda G Mrs	© 689-4599
CHERRY ST BEGINS		
700	Purity Ice Cream	684-3881
702	Apartments	
1	Boyd Wm	
2	Boyd John	
3	Palmer Alma C Mrs	© 684-5346
4	Gill W A Mrs	684-5448
703	Apartments	
1	Statham Harold H	© 684-2046
Jonnie's Beauty Shop		
3	Mc Gehee Emma F Mrs	684-4165
4	Pickett Fannie B Mrs	684-2065
5	Etheridge Retha B Mrs	

Pearl River Avenue

1963

Louisiana av intersects

6

**PEARL RIVER AV — From IC
RR tracks over viaduct from
State St east to city limits**

400 McComb Milling Co Inc 684-
4020

Argyle begins

500 Gulf Oil Corp 684-3341

501 Seale's Cities Serv 684-9386

517 Mathews Mtr Co autos 684-2531

520 McComb Concrete Products
Co 684-5381

Bldrs Serv Sup Co 684-5381

530 Vacant

533 McGuffee Felix W 684-2542
McGuffee Mattress Fcty
684-2542

535 Boone's Barber Shop

537 Variety Store 684-2541

N Magnolia intersects

601 Herrington Drug Store 684-
4281-82

602 Farnham's Gro 684-1331

603 Vacant

603½ Boyd's Jwelry Shop repr

604 East Side Clns 684-3941

605 Marsalis-Odom Contrs plmb
& htg 684-2283

606 Farnham's Cafe 684-7281

606½ Arickson Robt L 684-2764

609 Reeves Well & Pump Co 684-
1451

613 East Side Barber Shop

614 Roseberry Mary Mrs ☉ 684-
7330

Guy Naomi Mrs 684-5444

617 Lawrence Luther H ☉ 684-4605

618 Roberts Clarence L cabtmkr
684-6398

Hales J Earl ☉ 684-1386

Pearl River Avenue

1963

Pearl River Av—Contd

621 Hendricks Loyce H 684-1905

623 Vacant

624 Stewart Olive V ☉ 684-2105

629 Eckman Lillian R Mrs ☉
684-2067

630 No return

633 McDavid Bessie Mrs ☉ 684-
3606

Kyzar Lula M Mrs 684-3586

634 Cole Golda G Mrs ☉ 684-4599

N Cherry begins**S Cherry begins**

700 Purity Ice Cream 684-3881

702 Vacant

702½ Palmer Willard A ☉ 684-5346
Ward Rosa C Mrs**703 Apartments**1 Statham Harold H ☉ 684-
2046

2 Jonnie's Beauty Shop

3 McGehee Emma F Mrs 684-
4165

4 Shows Barbara O Mrs

5 Ethridge Retha B Mrs

Street continued704 Summers Whol Florist 684-
5391

706 Allen Lewis E ☉ 684-4595

710 Roussel Chas A ☉ 684-6178

711 Jones Malcolm K ☉ 684-5384

714 Hollomon Joe A ☉ 684-8138

717 Brooks Jos ☉ 684-3957

720 Brooks John ☉ 684-2477

718 Boyd Saml E

721 Lewis Laney L ☉ 684-2158
Walsh Beulah L Mrs

721½ Ratliff Herbey

730 East McComb Bapt Church
(educ bldg)731 Gordon Eug H ☉ 684-9085
McGuffee Audrey P Mrs
684-9085**Myrtle intersects**

800 East McComb Bapt Church